



RFID HF RFID 13.56mhz RFID

RFID:

- 1 : RFID 10mm, 8.7mm, 5 * 5mm
- 2 : RFID 10mm, 8.7mm, 5 * 5mm
- 3 : PET, PVC, PVC, PVC
- 4 : 4C, 4C, 4C, 4C
- 5 : RFID 10mm, 8.7mm, 5 * 5mm
- 6 : RFID 10mm, 8.7mm, 5 * 5mm
- 7 : PC, RFID 10mm, 8.7mm, 5 * 5mm



R
E
D
D
D
D
D
D
/
D
D
D
D
r
f
i
d
D
D
D
/
N
F
C
P
V
C
D
D
D
D
B
M
C
/
A
B
S
/
P
E
T
/
D
D
D
C
M
Y
K
D
D
D
D
D


0000 (000000UID), QR, 00000000 / 0000 / 00 / 0000000000 (URL, 000000Vcard). 00, 0000

, 0

RFID 0 00 000

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				

RFID Label *of different* **Format**



				
Dia.15/18	Dia.20/25/30	Dia.35/40/50	30 × 30 40 × 40	45 × 45 50 × 50
0.5g	0.8g	2.5g	1.5g	2.0g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF	LF/HF	LF/HF/UHF	LF/HF/UHF	LF/HF/UHF
				
40 × 30 45 × 22	54 × 27 65 × 25	Dia.30(Outer) Dia.5 (Inner)	Dia.35(Outer) Dia.14 (Inner)	Dia.70(Outer) Dia.50 (Inner)
2.5g	2.5g	2.5g	2.5g	2.5g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF/UHF	LF/HF	LF/HF	LF/HF	LF/HF



Laminated PVC



Transparent PVC Tag



Tag with Epoxy



Self-adhesive Tag



On Metal Tag



Laser printing



APPLICATIONS



OPENGED OR NOT

NFC helps you to find out
More information
Sourcing

Cashless Pay

One Mobile phone
One World
Easy Pay & Modern Life
High Security




DATA Exchanging

Easy & Fast
Exchanging personal info
No need business card

Social Media

Launching your App
Connecting the world
Sharing with friend
Cool, funny and convenient





ACM-EMI-S

125Khz TK4100 1 rfid 100 100

ACMM-MF1

13.56mhz MF1K 100 F08 RFID 100

ACM-INLAY

125khz, 13.56mhz, 860-960mhz □□ □
□□



ACM-S001-UHF

□□ □□ □ UHF □□ □□ □□

ACM-UHF-P □□ □□ □□□

□□□ □□□□ 860-960Mhz windshiled □□
□

ACM-NFC- □□□

□□ □□ □□□□ NFC □□ □□

