



此 RIM 模块为 12VDC 供电

此模块为 12VDC 供电。此模块为 12VDC 供电。此模块为 12VDC 供电。

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60
- 61
- 62
- 63
- 64
- 65
- 66
- 67
- 68
- 69
- 70
- 71
- 72
- 73
- 74
- 75
- 76
- 77
- 78
- 79
- 80
- 81
- 82
- 83
- 84
- 85
- 86
- 87
- 88
- 89
- 90
- 91
- 92
- 93
- 94
- 95
- 96
- 97
- 98
- 99
- 100

CERTIFICATE OF ADOPTION



1. 00 00 0000 0000 000 0000 0000.
000000 0 0 000000 000 00 0000 00
3. 00, 00 0, 000, 00 00 00

4. 尺寸 : 126 × 101 × 35 mm
5. 电压 : 12 ~ 18V
6. 电流 : 100mA

包装, OEM / ODM 均可 / 可定制



尺寸
 尺寸 : 126 × 101 × 35 mm, 电压 : 12 ~ 18V, 电流 : 100mA / 可定制
 包装 : 可定制
 包装 : 可定制。
 可定制 / 可定制
 可定制 : 可定制。




❏ ❏

- ❏ ❏ ACM Goldbridge❏ ❏ ❏ 2 ❏ ❏ ❏.
- ❏ ACM Goldbridge❏ ❏ ❏ ❏ ❏.
- ❏ ❏ ❏ ❏ ❏.

❏ ❏❏❏

Electric control locks all kinds installation schematic diagram




□□ & □□

□□ □□

□□□ DHL, □□□, TNT, UPS, EMS, SEA □ By AIR □ □□□ □□ □□ □□ □□□□.

□□

□□□□ □□□ □□ : □□ □ 1 □, □□ □ 10 □,





ACM-Y090

Smart Lock ()

: 125x98x36mm

ACM-Y091

Smart Lock ()

: 125x98x36mm

ACM-Y066

Smart Lock ()

: 130x98x41mm



ACM-Y062

Smart Lock ()
 : 130x98x41mm

ACM-Y043

Smart Lock ()
 : 126x101x39mm

ACM-Y044

Smart Lock ()

□□ □□ : 126x101x39mm



ACM-Y034

□□ □□ □□ □□

□□ □□ : 148 × 107 × 35mm

ACM-Y037

□□ □□ □□ □□

□□ □□ : 125 × 98 × 36 mm

ACM-Y048

□□□ □□□ □□ □□
□□□ □□ : 140 × 116 × 55 mm

You may need



ACM-Y100S

□□□ □□ (5PIN) □□ □□□□□ □□ □□□ □□ □□

ACM-Y130

□□ □□□ (NC / NOOptional)

