



□□□□ **Sdk** □□□□□ □□ □□ □□□ □ □□ **uhf rfid** □□

-1, ISO18000-6B□ □□ / □□ □□, EPC □□ □□ □ □□□□□ □□□□□ □□.

-2, ISO-18000B, EPC□ □□□ □ □ □□□□.

-3, □□ □□ (□□) .: 5M □□

-4 □□ SDK □ □□ □□□□□ □□.

□
□
□
□
□
□
A
C
M
8
1
2
A
□
□
□
□
F
□
□
(
2
.
5
M
)
1
S
m
9
2
□
9
2
8
M
H
Z

[illegible]

0
0
5
7
,
6
b
p
s
0
0
0
0
0
0
0
0
0
0
0
0
0

ISO 6B'EPC
/ 2018B'EPC
.3) (M
) : 2.5M

WIRING GIAGRAM

PWR +12V	GND	232 TXD	232 RXD	GND	WG1 DO	WG1 D1	WG2 DO	WG2 D1	TRIG T+	TRIG T-
RED	BLACK	WHITE	PURPLE	BLACK	YELLOW	GREEN	ORANGE	BROWN	BLUE	BLACK



RFID UHF □ □ □ □ □ □ □ □



RFID UHF

- RFID UHF 2D Barcode, ACM Goldbridge RFID UHF 2D Barcode 2D Barcode.
- RFID UHF 2D Barcode, ACM Goldbridge RFID UHF 2D Barcode.
- RFID UHF 2D Barcode, ACM Goldbridge RFID UHF 2D Barcode.

RFID UHF

RFID UHF 2D Barcode

- 1, 門禁系統
- 2, 門禁系統
- 3, 門禁系統 門禁系統
- 4, 門禁系統 門禁系統
- 5, 門禁系統
- 6, 門禁系統
- 7, 門禁系統 門禁系統
- 8, 門禁系統



Vehicle access control system



Personal ID access control



Hand free applications



Asset management



Application



UHF CARD



門禁系統

門禁系統
UHF 門禁系統 : 門禁系統 1unit, 門禁系統 10pcs,
門禁系統 : 32 * 32 * 6cm, 門禁系統 : 3kg.



Our Standard Packing

Single Demension : 320*320*60MM

Single Carton for each reader

6 pcs each lot with foam and yellow sticky tape fully wrap .



00 00

000 2000 0000 00000 RFID 000 00 000 0 000000. 0000 00 00
000 00 000 00 000 0 00 0000, 0000 0000 000 00 00 00 / 00
0000 00000 00000 00 000000. 0000 CO, FTA, Form F, Form E ...
Ect0 00 0000 0000 00000 00 0000 00000 00 0 0 000000. 0000 0000 0
00 00 0000 00000 0000 00 0 00000. EXW, FOB, FCT, CIF,
CFR ... 00 0000 000000 000000. 0000 00 0 0000 00 0000 00000
0 0 00000.

Figure 5. Antennas

The ACM812A is a compact uhf antenna, while the ACM802A, ACM818A, and ACM801A are larger antennas. The ACM801A is a larger antenna (up to 200 mm) and is not shown. The ACM801A is a larger antenna (up to 200 mm) and is not shown.





ACM812A

2-5m 2000 UHF 200

Wiegand 26 200, RS232 / 485

ACM818A

10-20m 2000 UHF 200

Wiegand 26 200, RS232 / 485

ACM802A

8-10m 2000 UHF 200

Wiegand 26 200, RS232 / 485





ACM801A
 10-15m UHF 天线
 Wiegand 26 接口, RS232 / 485
 ACM 8017
 UHF 天线 接口 接口
 UHF + WIFI + GRPS
 ACM 918K
 UHF 4- 接口 接口 接口 接口

接口 接口

- 1, 接口 接口 接口 接口 24 接口
- 2, 接口 接口 接口 接口, 接口 接口 接口 接口 接口.
- 3, OEM / ODM 接口

7, 00 : 000 00 000 00 0 0 0000 : T / T, 000 000, 000

□□□ 20 □ □□ □□□□ RFID □□ / NFC □□ / RFID □□□ / RFID □□, RFID □□ □ □□□ □□ □□ □□ □ □□□□ □ □□□□□.