

Goldbridge Wiegand RS485 0000 WG 00 00 0000 00 0000 00 0000 00 00

項目	規格	規格(2)	規格(4)
ACM 型	ACM-WG01	ACM-WG02	ACM-WG04
接続方式	TCP/IP 対応 RS485	TCP/IP 対応 RS485	TCP/IP 対応 RS485
動作電圧	10VDC ±5%, 動作電流 10mA 消費電流 10mA, 動作電流 10mA 動作温度範囲 -40℃ ~ 70℃.	20VDC ±5%, 動作電流 10mA 消費電流 10mA, 動作電流 10mA 動作温度範囲 -40℃ ~ 70℃.	40VDC ±5%, 動作電流 10mA 消費電流 10mA, 動作電流 10mA 動作温度範囲 -40℃ ~ 70℃.
PCB サイズ	160mm*106mm	160mm*106mm	218mm * 106mm
外形寸法	273mm*228mm*65mm		
電源電圧	12VDC 4-7A		
動作電流	100mA 以内		
動作温度	-40℃ ~ 70℃ (HID, EM, 動作電流 10mA)		
動作湿度	2%	4%	4%
動作時間	1分	2分	4分
動作モード	1-600Hz(動作電流)		
動作モード q " 動作	動作電流		
動作電圧	-40℃ ~ 70℃		
動作湿度	% RH , 動作電流 10mA		
Q" 動作電流	動作電流 20,000mA		
Q " 動作電流 動作電流(動作電流)	100,000mA 動作電流 動作電流		
動作電流	動作電流, 動作電流 動作電流		
動作電流 動作電流 動作電流	100m (動作電流 80m)		
動作電流 動作電流	TCP/IP: 動作電流 動作電流 動作電流		
動作電流:	PCB 動作, 動作電流, 動作電流. 動作電流		
動作電流, 動作電流, 動作電流	動作電流		
動作電流 動作電流	動作電流 動作電流 動作電流 動作電流. 動作電流 動作電流 動作電流 動作電流, 動作電流 ACB-EA05 動作電流.		
動作電流 動作電流	動作電流		
動作電流 動作電流	動作電流		
動作電流	動作電流	動作電流	動作電流
動作電流 動作電流	動作電流	動作電流	動作電流
動作電流 動作電流	動作電流		
動作電流 動作電流	動作電流		
動作電流	動作電流		

□□ □□	□
□ □□ □□ □□ □□	□
□□ □ □□ □□□ □□ □□	□
□□□(□□□□□□, □□□□□□)	□

OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

APPLICATION

Bus, supermarket, school, government, hospital, factory



ADVANTAGE

WHY CHOOSE US?

- 1 **FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 **LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 **HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.



CERTIFICATE





RE:Access Control Power Supply

NEW  ACM-Y802-3A Power Supply and door release exit button Dual Function AC110V-240VDC, 12V 3A	 M801B-3A /5A Access Control Door Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC	 M806B-3A /5A Access Control Door Backup battery Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC		
NEW  ACM-Y803A Voltage: DC 12V /3A	NEW  ACM-Y806-3A Voltage: DC 12V /3A AC110V-240VDC	NEW  ACM-Y806-5A Voltage: DC 12V /5A AC110V-240VDC	NEW  ACM-Y801-3A Voltage: DC 12V /3A AC110V-240VDC	NEW  ACM-5A 12V 5A door control system 12V 5amp access power supply with battery backup (Special For access control board use) Size: 279x234x67MM Input Voltage:110-240V Voltage: DC 12V /3A

RE:Door Loop / Door Closer

ACM401 Door Loop 	ACM601F 200mm Metal ACM601S 200mm stainless steel 	ACM-101 130mm Longer ACM-102 180mm Longer 	ACM-301 400mm Longer 	ACM-201 400mm Longer 	Door Closer ACM-M59 25-45KG ACM-M60 45-65KG ACM-M61 65-85KG 
---	---	---	---	--	---

RE:Sensor and Siren For Access Control System

 Item: AS603 Piezo Strobe Siren Operating voltage: 12VDC	 Item: AS31 Operating distance: 16mm ±5mm Switch output: NC	 Item: AS32 Operating distance: 18mm ±5mm Switch output: NC	 Item: AS36 Operating distance: 40mm ±10mm Switch output: NC	 Item: AS57AC Operating distance: 18mm ±5mm Switch output: NC Applies to steel door	 Item: ACM-MD601 Standard Wall Mount Door Holder Holding force: 60kg(120Lbs)	 Item: ACM-MD602 Glass door Mount Door Holder with door signal Holding force: 60kg(120Lbs)
---	--	--	---	---	---	---

RE:Remote Control For Access Control System

 Item: ACM-K19 Metal WIRELESS Remote Control	 Item: ACM-K18 WIRELESS Remote Control	 Item: ACM-K20 WIRELESS Remote Control For Automatical Door,NO/NC/COM 115*40mm	 Item: ACM-K19A Metal Access Control WIRELESS Remote Control 2 channel	 Item: ACM-K19B Metal Access Control WIRELESS Remote Control 4 channel
---	---	---	--	---

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

PRODUCT CATEGORY

RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.

[View More](#)



ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control

[View More](#)



RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,

[View More](#)



ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG

[View More](#)



FAQ

Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.

[Contact Us](#)



[BACK TO HOMEPAGE >](#)

Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School

□ □ □ □

□□ □□□□ □□□ □□□ □□ □ □ □□□□ □□□□□□.
 □□ □ □□□ □□ □□ □□ □□□□□□.
 □□□ □□□ □ □□ □□ □□□ □□□□□.



EXW

FCA FOB

CIF CFR





ACM-K2A/B

LED 1000mAh Realese 1000mAh

ACM-Y180

1000mAh 1000mAh (180kg)

ACM-Y806-5A

1000mAh 5A





ACM225

RFID 12khz

ACM-210

RFID Wiegand

ACM26X

125Khz EM RFID
115mm×75.5mm×16.8mm

RFID Tag

- 1, 24-hour service.
- 2, OEM/ODM service.
- 3, OEM/ODM service.
- 4, fashion desing, 1~5, 7~30.
- 5, 1~5, 7~30.
- 6, 1~5, 7~30.
- 7, T/T, Western Union, Paypal.
- 8, DHL, FEDEX, TNT, UPS, EMS, SEA, AIR.

RFID Tag

Q: 1. What is the tag?

A: The tag is a small electronic device that can store and transmit data. It is used for identification and tracking.

Q: 2. What is the tag used for?

A: The tag is used for identification and tracking. It can be used for inventory management, asset tracking, and access control.

Q: 3. 請問 磁鐵 與 磁片 有 什麼 區別?

A: 磁鐵 磁鐵 與 磁片 磁片 有 區別, 磁鐵 磁鐵 與 磁片 磁片 有 區別。

Q:4. 請問 磁鐵 與 磁片 有 什麼 區別?

A: 磁鐵 與 磁片。 磁鐵 5000pcs 與 3-7, 100,000pcs 與 7-15

Q:5. 請問 磁鐵 與 磁片 有 什麼 區別?

A : 磁, 磁, 磁 與 磁 磁鐵 與 磁 磁鐵 磁鐵。 OEM 磁鐵 與 磁鐵。

Q:6. 請問 磁 磁鐵 與 磁鐵 有 什麼 區別?

磁鐵 20 與 磁鐵 RFID 與/NFC 與/RFID 與/RFID 磁鐵, RFID 與 與 磁鐵 與 磁鐵 與 磁鐵 與 磁鐵。