



Single Infrared Beam Sensor



Detection distance up to 20 meters



Infrared light receiver



Infrared light projector



Installed on both sides of the gate

Invisible to the naked eye, the photo is just a simulation



Vehicle barrier

Pedestrian gate



Automatic door, sliding door switch, anti-pinch induction

Installed on both sides of the door, wired to connect the door controller.
When someone passes the infrared beam that is folded in half, the door will open automatically.





Door and window security

The shooting is installed on both sides of the door and window, the main unit is installed indoors, when someone intercepts the infrared beam, the host will alarm



Anti-theft, can not be used alone, need to install the alarm host





12
 5
 5
 °C
 4
 9
 2
 2
 1
 6
 m
 m

00 00

ACM 00 Goldbridge 00 00

0000 RFID 0 000 00 0 00 00 0000 00 manufactuer 0 00 00 0 0000 0000 00 20 0 0000 00000000. 0000 RFID 00
 0 00 00 0000 00 0000 00 0 00 0000 00000. 0000 00 0000 0000 00000. RFID 00, RFID keyfob, RFID 00, RFID 00 0
 0000 RFID 00, UHF 0000 00, eletric 00 00 00, . 0000 00 0000 00 0000 00 000000.



0000

3 0 00 00 0000 00 0000 000000 !!!

0000 000000 20 00 0000 00 0000 0 00 rfid 00 0000 00 00 00 0000 0000 00 0 0 0000 000000.

0000, 000000 0000 00 0000 00 0000 000000!

0000 0000 0 0000 0000 0000 000000 000000 000000 000000!



金橋 CO., LTD

地址:

Building 405, Shangbu Industrial Area,
Futian District, 深圳, 518031

電話 : + 0086-755-83767678 傳真 : +
0086-755-88391348

負責人 : Lily Jiang

WhatsApp / wechat : +
0086-13554918707

電子郵件 : lily-jiang1206

電子郵件 : sales (at) goldbridge sz.com

公司網址 : [http : // www. goldbridge sz.com](http://www.goldbridge.sz.com)