

$\frac{3}{m} \cdot \frac{n}{d}$, $\frac{2}{5} / \frac{6}{3} = \frac{2}{5} \cdot \frac{3}{6}$, $\frac{2}{5} * \frac{2}{5} m$

I
S
O
/
I
E
C
1
4
4
4
3
A
1
3
.
E
E
M
H
z

☐
☐
☐
☒
☒
☐
☐
☐

/
☐
☐
☐
☐
☐

☐
☐
☐
☐
☐
☐

Q
R

Chuangxinjia Chips List

ALL LF, HF, UHF all available. Contact us freely for other RFID NFC chip.

Frequency HF 13.56mhz Protocol ISO/IEC 14443A

MIFARE Classic® 1K	MIFARE Classic® EV1 1K	MIFARE Classic® 4K	
--------------------	------------------------	--------------------	--

MIFARE and MIFARE Classic are registered trademarks of NXP B.V. and are used under license.

MIFARE Plus® S 1K	MIFARE Plus® S 1K SE	MIFARE Plus® S 2K / S 4K	
MIFARE Plus® X 2K / X 4K	MIFARE Plus® EV1 2K / 4K		

MIFARE and MIFARE Plus are registered trademarks of NXP B.V. and are used under license.

MIFARE® DESFire® EV1 2K	MIFARE® DESFire® EV1 4K	MIFARE® DESFire® EV1 8K	MIFARE® DESFire® Light
MIFARE® DESFire® EV2 2K	MIFARE® DESFire® EV2 4K	MIFARE® DESFire® EV2 8K	
MIFARE® DESFire® EV3 2K	MIFARE® DESFire® EV3 4K	MIFARE® DESFire® EV3 8K	

MIFARE DESFire are registered trademarks of NXP B.V. and are used under license.

NTAG® 213 (144 bytes)	NTAG® 215 (504 bytes)	NTAG® 216(888 bytes)	
NTAG® 424 DNA	NTAG® 413 DNA	NTAG® 424 DNA TT	

NTAG® are registered trademarks of NXP B.V. and are used under license.

MIFARE Ultralight® C(148 bytes)	MIFARE Ultralight® EV1 (48 bytes/128 bytes)		
MIFARE Ultralight® AES(144 bytes)			

MIFARE and MIFARE Ultralight are registered trademarks of NXP B.V. and are used under license.

Frequency HF 13.56mhz Protocol ISO/IEC 15693 and IOS/IEC 18000-3

ICODE® SLI	ICODE® SLIX	ICODE® SLIX-S	ICODE® SLIX-L
ICODE® SLIX 2	ICODE® ILT	ICODE® ILT-M	ICODE® DNA

ICODE® are registered trademarks of NXP B.V. and are used under license.

Frequency UHF 860-960Khz Protocol ISO18000-6C/Class 1 Gen 2

UCODE® 8	UCODE® 9	UCODE® DNA	UCODE® G2iM
----------	----------	------------	-------------

UCODE® are registered trademarks of NXP B.V. and are used under license.

Frequency LF 100-150Khz Protocol ISO11784/85 ,ISO 14223

HITAG® S 256	HITAG® S 2048	HITAG® μ	
HITAG® RO64	HITAG® 1	HITAG® 2	

HITAG® are registered trademarks of NXP B.V. and are used under license.



1pcs per poly bag

50pcs per white box

10-20 boxes per carton



Customized Gift Card Holder

Customized Envelope Type Card Holder





RFID 30MM

RFID 00/00000 0000/QR0000 00 000000 00 0 0000 0 0000 0000 00 0 00 00000 00000 00000. 00 0000 0 0000 00, 00 00 0

- 00 00, 00 00 00 00 00 00
- 00 000

- 0000 00 00 0 0000
- 0 00
- 0 0000
- 00 00


NFC NFC 0000 00000?

NFC(0000 00 00) 0 NFC 00 00 00 0000 00 00 0000 0000 0 00 00 000000. 00000 000000 00 NFC 00000 00000 00 00 NFC 0000 00000 00 0000 0000 00 0000 0000 00 00 00 000000 0000 00000.




RFID NFC 0000 00000000

00 0000 00, NFC 00, 00000 00, NFC 0000, NFC 0000 00 00 000000. E-Ticket NFC 00 00; NFC 0 00; NFC Wi-Fi, NFC 00000 00 0



APPLICATION





ACM-EMI-S

125Khz TK4100 11 RFID 11 11

ACMM-MF1

13.56mhz MF1K 11 F08 RFID 11

ACM 1111

125khz,13.56mhz,860-960mhz 11 11
11





ACM-S001-UHF

RFID 860-960Mhz 125mm x 75mm

ACM-UHF-P 125mm x 75mm

RFID 860-960Mhz 125mm x 75mm

ACM-NFC-125mm

RFID 13.56Mhz 125mm x 75mm

RFID 860-960Mhz 125mm x 75mm

RFID 860-960Mhz 125mm x 75mm
RFID 860-960Mhz 125mm x 75mm
RFID 860-960Mhz 125mm x 75mm



Shipment



Our Service

