

POWER SUPPLY CONTROL

INPUT: AC 110-240V 50-60HZ

OUTPUT: DC 12V 3A ☐

DC 12V 5A ☐

CAUTION

INDOOR USE ONLY

THE FOLLOWING TWO CONDITIONS

1.THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE

2.THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED

□□□ □ □□ □ □□ **12V 7AH** □□ □□□ □□ □□ □
□ □□ **AC110V ~ 240V**

5A □□ □□ □□ □□

□□□ □□ □□ □ □□ □□ □□□□ □□□□.

□ □□ □□ □□□ □□□, □□□ □□ □□□ □□, □□ □□ □□□ □□


□□ □□□ □□□□□ □□□□□.



[illegible]

W
D
C
V
;
/
n
c
.
S

□□□ □□□




External terminal



External wiring port for easy wiring, easy to use, save installation time

Remote control module slot



The access control power board slot design can insert the remote control module into the slot and unlock it with one button.

For strong current



Ordinary access control power supply provides 1.5-1.8A current output, 208K 5A access control power supply provides 5A current output



◀ L212x W165 xD70mm

L217x W173 xD76mm ▶
Weight: 1.02kg



00 000 000 000 00 0000 00000.
 000 000 0 00 00 000 00 0 0000.



EXW
FCA FOB
CIF CFR


00 00 (00 00 00)

000 2000 000 000 RFID 000 000 0 00 0 00000.
 000 00 00 000 00 00 000 0 00 000, 000 00 00
 00 00 / 000 000 000 0000 000 0 00 0000. 000
 000 CO, FTA, 00 F, Form E ... ECT 00 000 00
 0 000 000 000 0000 00 0 0 0000. 000 000 000
 00 0000 000 00000. EXW, FOB, FCT, CIF, CFR
 ... 00 000 000 00 00000. 000 00 0 00000 000
 000 0000 0 0 0000.

00000 000 0000 **3** 0 00 00 0000 00000 !!!


000 20 0 000 00 0000 000 0 00 000 00 00 00 00, 000 000 00 000 0000 000 00000 00000000! 000 00 000 00000
 0. 0000 "000"00!
 000 000 0 000 000 000 0000 0000 000 000000 0000 0000.

00 00




ACM-WEG01.

000 1 000 00 0 0 0000.



ACM-WEG02.

□□□ 2 □□ □□ □ □ □□□□.



ACM-WEG04.

□□□ 4 □□ □□ □ □ □ □□□.

You May Like



ACM-K2A / B.

□□ □□ □□ LED□□□□ □□ □□ □□



ACM-Y280.

□□ □□ □□□ (280kg / 600lbs)



ACM-Y806-5A.

□□□ □□□□□ □□ □□ □□ 5A



ACM225.

□□ □□□ RFID □□□ □□ 12KHz.



ACM-210.

RFID Wiegand



ACM26X.

125KHz EM RFID : 115mm x 75.5mm x 16.8mm

ACM Shenzhen Goldbridge

RFID , 20 . RFID . RFID , RFID , RFID .



公司 简介

公司 简介 公司简介。

1. Any 公司 24 小时 服务
2. 公司 24 小时 服务, 24 小时 服务 24 小时 服务 24 小时 服务
3. OEM / ODM 服务
4. 设计, fashion desing, 设计 服务, 设计 服务
5. 服务 :
- A : 公司 24 小时 服务 24 小时 服务 24 小时 服务。
- B : 公司 24 小时 服务 24 小时 服务。
- C : 公司 24 小时 服务 24 小时 服务 2-3 天 服务 2 ~ 3 天 服务。
6. 服务 : 公司 24 小时 服务 1 ~ 5 天, 公司 24 小时 服务 7 ~ 30 天
7. 服务 : T / T, Western Union, Paypal, Ali Trade Assurance 公司 24 小时 服务 24 小时 服务。
8. 服务: 公司 DHL, 公司, TNT, UPS, EMS, 公司 24 小时 服务 24 小时 服务 24 小时 服务 24 小时 服务。

公司 简介

1. 公司 24 小时 服务 24 小时 服务 ACM Goldbridge 公司 24 小时 服务 24 小时 服务。
2. 公司 ACM Goldbridge 公司 24 小时 服务 24 小时 服务。
3. 公司 24 小时 服务 24 小时 服务。