

Multi-functions remote control for universal

Range: 300MHZ-930MHZ

Controlable
buttons

self-
adjustable

Controllable
multi-door



此遥控器为通用型遥控器，可控制多种设备。

该遥控器支持多种频率，包括 300MHz、433MHz、868MHz、915MHz 等。其工作频率为 300MHz-930MHz。该遥控器支持多种功能，包括开门、关门、锁门、解锁等。其工作距离为 100m（视环境而定）。该遥控器支持多种编码方式，包括学习码、固定码等。其工作电压为 3V。该遥控器支持多种品牌，包括 PT1527、EV1527 等。其工作温度为 -20℃~60℃。该遥控器支持多种颜色，包括黑色、白色、红色等。其工作湿度为 10%~90%RH。该遥控器支持多种尺寸，包括 45mm x 25mm x 15mm。其重量为 10g。该遥控器支持多种材质，包括塑料、金属等。其工作寿命为 10 年。该遥控器支持多种认证，包括 CE、FCC、RoHS 等。其工作频率为 300MHz-930MHz。该遥控器支持多种功能，包括开门、关门、锁门、解锁等。其工作距离为 100m（视环境而定）。该遥控器支持多种编码方式，包括学习码、固定码等。其工作电压为 3V。该遥控器支持多种品牌，包括 PT1527、EV1527 等。其工作温度为 -20℃~60℃。该遥控器支持多种颜色，包括黑色、白色、红色等。其工作湿度为 10%~90%RH。该遥控器支持多种尺寸，包括 45mm x 25mm x 15mm。其重量为 10g。该遥控器支持多种材质，包括塑料、金属等。其工作寿命为 10 年。该遥控器支持多种认证，包括 CE、FCC、RoHS 等。

注意：

* Support Learning Code (1527) PT1527, EV1527 遥控器支持 1527 码遥控器。

* 遥控器为黑色，遥控器为白色，遥控器为红色，遥控器为蓝色，遥控器为黄色。

* 遥控器工作电压为 3V，遥控器工作电压为 10MW，遥控器工作电压为 100mW。

* 0000 00 0000 00 4 00 00 00 0000 0000 00, 000 0 00 00 000 00 0 0 0000.

* 00 00 : 00000 0000 000, 000 00, 00 0, 00 00 000 0000 00000.

□□□, □□□□ □ □□ □□□□ □□.

11

1. 00 000 0000 00 00 (1527) 0 00000.

2. □ □□ □□□□ □ □ □□□.

[illegible]

□□ □□□ □□□ □□□ □□□□ □□□ □□□□□.

4. $\frac{1}{2}$ 的 2 倍是 $\frac{1}{4}$ ， $\frac{1}{4}$ 的 2 倍是 $\frac{1}{2}$ 。

□□□:

□□ : □□ □ PVC.

□□ □□ : □□ / □□ □□ □□ □□□ □ FOB

RF 000 : 433MHz.

□□□□ □□ □□ : □□□□ □□ □□ (1 □ □□)

□□□□ □□ : 4 □□ □□

□□□ □□ : □□ □□ (1527), □□ □□ (2262).

$$x_i : 4 \text{ } (A, B, C, D)$$

		:	
--	--	---	--

□□ □□ : DC12V.

□□ □□ : <25mA

□□ □□ : + 13dBm.

□□□ □□ : ± 0.2MHz

□□ □□ : 50m (□□ □□)

111

□□ □□ □□ : 5.4 * 2.9 * 0.9cm / 2.1 * 1.14 * 0.35oz

□□ □□ □□ : 28g / 1.0oz.

□□□ □□ : 5.5 * 3.0 * 1.0cm /2.16 * 1.18 * 0.39oz

重量 : 30g / 1.05oz.





Self-adjustable frequency
remote control

300MHZ-930MHZ



Multi frequency universal duplicator





**Anti-theft alarms,
Security systems,
Remote controlling devices,
Motor-driven curtain, roller blind door,
Garage / gate barriers, ,
Short-range wireless remote control products,
Industrial control products home/store alarm,
Car alarms, cars, automobile, motorcycles,
All kind of doors/ controllers and other industrial lighting etc. products.**

11

[illegible]

- 電源電圧 : 12 V, RF 出力電圧 : 0 dBm
- 送信電力 : > 97 dBm.
- 送信電流 : > 100mA (送信時)
- 制御電圧 : MCU 制御電圧 3.3V
- 動作電圧 : 20.
- 動作電流 : EV1527 動作電流
- 動作時間 : 連続, 断続, 断続時間 (5 s, 10 s, 15s)
- 動作モード : 送信, NC, com.
- PCB寸法 : 35 x 30 x 18 mm (l, w, h)

- 電池 種類 : 2 x 3 V CR2016 電池 2個

電圧 : 電池 種類 250V

電池 種類

-clearing 電池 :

電池 種類 電池 8 個 電池 種類 電池 種類.

電池 種類 電池 種類 電池 種類.

--momentary 電池

電池 種類 電池 種類

- 電池 種類 : (電池 - 電池 種類 電池 種類 電池 種類.)

電池 種類 電池 種類 電池 種類, LED 電池 種類 電池 種類.

- 電池 種類 電池 種類 3 個, LED (電池 種類) 3 個 電池 種類.

LED 電池 種類 電池 種類 電池 種類 電池 種類 A, LED 電池 種類 3 個 電池 種類.

電池 種類 B, LED 電池 種類 3 個 電池 種類.

3 個 電池 LED 電池 種類 電池 種類 電池 種類.

電池 種類 : 電池 種類 電池 種類

電池 種類 : RF.

電池 種類 : 433 MHz.

WHY CHOOSE US?

- **Long History & High Reputation**

Founded in 1999. Great Creativity Group dedicates in R&D, producing and sale of RFID products and Plastic Card. We own 12,000 square meters factory, 3000 square meters office and 8 branches so far.

- **Advanced Equipments & Ultimate Production Ability**

2 Modern high standard production lines with monthly output 30,000,000pcs cards. Brand-new CTP machines and Germany Heidelberg offset printing machines. 10 sets of compounding machines.

- **Self R&D Customization**

Our company offering management application project, equipment application, scheme and personalized RFID end product.

- **Strict Quality Control**

Strict QC System from raw material to finished products. We have passed certified ISO9001, SGS, ROHS, EN-71, BV etc. We promise all products will be examined strictly and we ensure that the products we deliver to you with top quality.

Honers & Certificates



FAQ

Q Do you accept Trade Insurance ?

Yes of course, please click [here](#) to issue a trade insurance order.

A

Q Do you offer a customized sourcing service ?

A Yes please contact our sales team directly.

Q What format files shall we send for printing?

Adobe illustrator would be best, cdr, Photoshop and PDF files are also OK.

A

Q How long is your warranty time?

A Function warranty time is 3years, printing warranty time is 1year.

You may negotiate with our sales team when ordering.

Q Do you own your own factory?

A Yes we have 3000 square meter workshop for RFID/NFC products.

Q Could I get the free sample for testing?

A Yes, in order to show our sincerity, we could support the free sample to you for testing..

Q Do you also supply OEM service?

A Yes, Since we keep professional manufactory with own moulding line and product line, so you could put your LOGO on our products to make them unique

FAQ

Q Do you accept Trade Insurance ?

Yes of course, please click [here](#) to issue a trade insurance order.

A

Q Do you offer a customized sourcing service ?

A Yes please contact our sales team directly.

Q What format files shall we send for printing?

Adobe illustrator would be best, cdr, Photoshop and PDF files are also OK.

A

Q How long is your warranty time?

A Function warranty time is 3years, printing warranty time is 1year.

You may negotiate with our sales team when ordering.

Q Do you own your own factory?

A Yes we have 3000 square meter workshop for RFID/NFC products.

Q Could I get the free sample for testing?

A Yes, in order to show our sincerity, we could support the free sample to you for testing..

Q Do you also supply OEM service?

A Yes, Since we keep professional manufactory with own moulding line and product line, so you could put your LOGO on our products to make them unique