

NFC 卡片 1K NFC 卡片 MIFARE 卡片 1K NFC 卡片

RFID 卡片

RFID 卡片 NFC
RFID(Radio Frequency Identification) 卡片 卡片 卡片 卡片 卡片 卡片 卡片 卡片, 卡片 卡片 卡片 卡片, 卡片, 卡片 卡片, 卡片 卡片 卡片 卡片.
UHF 卡片 卡片 卡片, 卡片, 卡片 卡片, 卡片, 卡片 卡片 卡片 卡片 卡片 卡片 卡片 卡片.
NFC(卡片 卡片) 卡片 NFC 卡片 卡片 卡片 卡片 卡片 卡片 卡片 卡片 卡片 卡片.
NFC 卡片 卡片 卡片 NFC 卡片 卡片. 卡片 NFC 卡片 卡片 NFC 卡片, NFC 卡片, NFC 卡片 卡片, NFC 卡片 卡片, NFC 卡片 卡片 卡片 NFC 卡片 卡片.

卡片	
卡片	LF(125KHz): TK4100, EM4100, EM4200, EM4305, T5577, 5200e TC HF(13.56MHz): 卡片 F08, NFC 卡片 UHF(860-960MHz): Alien H3, Impinj Monza 卡片
卡片	LF: ISO11784 /785 , HF: ISO14443A /15693 , UHF: ISO18000-6C
卡片	85.5*56 *0.84 mm 卡片 卡片
卡片	64卡片, 144卡片, 504卡片, 888卡片, 1K 卡片, 128卡片 卡片
卡片	PVC, 卡片 卡片, ABS, 卡片 卡片 卡片
卡片 卡片	≥1000000卡片
卡片 卡片	LF/HF: 1-5cm, UHF: 1-10m (卡片 卡片 卡片 卡片)
卡片	卡片 卡片, 卡片 卡片, 卡片 卡片, 卡片 卡片 卡片, 卡片 tc
卡片 卡片	
卡片	卡片 kscreen 卡片, 卡片 卡片 卡片
卡片	卡片 卡片, 卡片 卡片, QR 卡片, 卡片, e tc
卡片 卡片	URL, 卡片, 卡片, 卡片
卡片	
卡片	卡片: 39x27x7cm, 卡片: 50x25x22cm
卡片	200卡片/卡片, 5000 PC/ctn
卡片	35 kg/ctn

Specification



NFC Smart Ring

Material: ceramic, tungsten steel, wood
Size: US6,7,8,9,10,11,12
Chip: NFC, RFID, dual chip
Feature: waterproof IP68

Excellent Craftsmanship and Quality
Your Reliable Choice of Fashion Jewelry
Comfort fit for women or men
All handmade jewelry, well polished
and one by one quality controlled.

Mind Chip Types

Frequency HF 13.56mhz Standard ISO14443A

NTAG® 424 DNA	NTAG® 413 DNA	NTAG® 424 DNA TT	
NTAG® 213	NTAG® 215	NTAG® 216	

NTAG® is registered trademarks of NXP B.V. and are used under license.

MIFARE Classic® 1K	MIFARE Classic® 4K	MIFARE® EV1 Mini	
--------------------	--------------------	------------------	--

MIFARE® and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.

MIFARE® DESfire® 2K	MIFARE® DESfire® 4K	MIFARE® DESfire® 8K	
---------------------	---------------------	---------------------	--

MIFARE® and MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.

MIFARE Ultralight® EV1	MIFARE Ultralight®C	MIFARE Ultralight® Nano	MIFARE Ultralight® AES
------------------------	---------------------	-------------------------	------------------------

MIFARE® and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.

MIFARE Plus® SE 1K	MIFARE Plus® S 2K	MIFARE Plus® S 4K	MIFARE Plus® X 2K
--------------------	-------------------	-------------------	-------------------

MIFARE Plus® X 4K	MIFARE Plus® 2K	MIFARE Plus® 4K	
-------------------	-----------------	-----------------	--

MIFARE® and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.

Frequency HF 13.56mhz Standard ISO/IEC 15693 and ISO/IEC 18000-3

ICODE® DNA	ICODE® SLIX 2	ICODE® SLIX	ICODE® SLIX-L
ICODE® SLIX-S	ICODE® ILT	ICODE® ILT-M	

ICODE® is registered trademarks of NXP B.V. and are used under license.

Frequency UHF 860-960Khz Standard ISO18000-6C/Class 1 Gen 2

UCODE® 8	UCODE® 9	UCODE® DNA	UCODE® G2iM
----------	----------	------------	-------------

UCODE® is registered trademarks of NXP B.V. and are used under license.

Frequency LF 100-150 kHz Standard ISO 11784/85, ISO 14223

HITAG® S	HITAG® RO	HITAG® 1	HITAG® 2
----------	-----------	----------	----------

HITAG® is registered trademarks of NXP B.V. and are used under license.



Mind NFC Smart Ring

Mind focuses on NFC ceramic rings, tungsten rings, and wood rings. And we believe that quality will speak for themselves.



NFC ceramic ring

[View more](#)



NFC tungsten ring

[View more](#)



NFC wood ring

[View more](#)



Applications

- Identification, cashless payment
- Share and transfer information
- Start apps and turn on and off Wi-Fi or Bluetooth
- lock and unlock door
- unlock your smart phone or tablet



Craft Options



Glossy finish



Matt finish



Frosted finish



Laser LOGO



Color LOGO




Metal inlaid LOGO

Ring Size

Perimeter	51.8mm	54.3mm	57.2mm	59.4mm	62.2mm	65.0mm	66.9mm
Diameter	16.5mm	17.3mm	18.2mm	18.9mm	19.8mm	20.7mm	21.3mm
US Size	6	7	8	9	10	11	12

How To Measure Your Ring Size



NOTICE: Tighten the lines to avoid excessive measurement results

UNITED STATES RING SIZE EQUIV

Unit: Millimeters

Size	Diameter	Circumference	Size	Diameter	Circumference
3.5	14.7mm	46mm	9.5	19.35mm	60.8mm
4	14.9mm	47mm	10	19.76mm	62.1mm
4.5	15.25mm	48mm	10.5	20.17mm	63.4mm
5	15.7mm	49.3mm	11	20.6mm	64.6mm
5.5	16.1mm	50.6mm	11.5	20.98mm	65.9mm
6	16.5mm	51.9mm	12	21.4mm	67.2mm
6.5	16.92mm	53.1mm	12.5	21.9mm	68mm
7	17.32mm	54.4mm	13	22.2mm	69.7mm
7.5	17.73mm	55.7mm	13.5	22.61mm	71mm
8	18.14mm	57mm	14	23.01mm	72.3mm
8.5	18.54mm	58.3mm	14.5	23.42mm	73.6mm
9	18.95mm	59.6mm	15	23.83mm	74.8mm


Ring Models



MRA01
ceramic+ epoxy



MRA02
ceramic+ epoxy
custom printing



MRA03
carbon fiber + ceramic



MRA04
100% pure ceramic



MRB01
tungsten steel



MRC01
wood

Ring Colors

color and printing all can
be customized



Our Service

1. 24 hours online service.
2. We can provide you with the latest market information and the latest market information.
3. **OEM / ODM** service.
4. We can provide you with the latest market information and the latest market information.
5. We can provide you with the latest market information and the latest market information.

6, 請 照 照: 照 照 照 照 1~5, 照 照 照 照 7~30 照 照 照 照。

7, 照: 照 照 照 照 照 照: T/T, 照 照, Paypal, Ali 照 照

8, 照: 照 照 DHL, FEDEX, TNT, UPS, EMS, SEA 照 照 照 照 照 照 AIR Forwarders 照 照 照 照 照 照。

照 照:

照 照 照 照 照 照 照 照 照, **ACM Goldbridge** 照 照 照 照 2 照 照 照 照。

照 ACM Goldbridge 照 照 照 照 照 照 照 照。

照 照 照 照 照 照 照 照 照 照。

照 照 照 照

Q: 1. 照 照 照 照 照 照?

A: 照 照 照 照 照 照 照 照 照 照。 照 照 照 照 照 照 toyou 照 照 照 照 照 照。 照 照 照 照 照 照 照 照 照 照。

Q: 2. 照 照 照 照 照 照 照 照?

A: 照 照 照 照 T/T, 照 照, 照 照 照 照。

照 照 照, 照 照 照 (DHL, FedEx, TNT UPS 照) 照 照 照 照。

Q: 3. 照 照 照 照 照 照 照 照 照 照 照 照?

A: 照 照 照 照 照 照 照 照 照 照, 照 照 照 照 照 照 照 照。

Q: 4. 照 照 照 照 照 照 照 照 照 照?

A: 照 照 照 照 照 照。 照 照 照 5000 照 3-7, 100,000 照 7-15

Q: 5. 照 照 照 照 照 照 照 照 照?

A: 照, 照, 照 照 照 照 照 照 照 照 照 照。 OEM 照 照 照 照 照 照。

Q: 6. 照 照 照 照 照 照 照 照 照 照?

照 照 20 照 照 照 照 RFID/NFC 照 照 /RFID 照 照 照 照 /RFID 照 照 照 照 照 照 照 照 照。