

000 000 00 **8000** 0000 00 000 **RFID** 000 00 00
0

ACM-A50 00 00 0000 0000 0000, 00 00 00 0, 0000 0000 00
00 0 0000 00 00 Wiegand 00 0 0000 00 0000 00 0000. 0
0 0000 0000, 00 0 0000 0000 00



0
0
0
0
0
0
0
0
1
2
3
4
5
6
7
8
9
+
1
%

W
G
2
6
7
3
4
□
□
□
□
□
□
1
3
5
x
4
6
: x
1
8
m
m

W
G
2
6
/
3
4
E
□
□
□
□
□
□
□
□
8
6
□
E
M
□
□
□

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

1
9
x
1
2
5
5
m
m

□□

1. □□□ □□□ □ □□□ □□, □□□□ □□ □□ □□ □□□□, □□ □□ □ □□ □□.
2. Wiegand 26 □□ □ □□□ □□□□ □□ □□□□ □□□ □ □□□□.
3. □□ □□, □□□□, □□□□ 3 □□ □□ □□ □□.
- □□□ □□ 4.reader □□, 0.1 □ □□.
5. □□ □□ □□□ □□□□ □□ 8000 □□ □□□ □□ □□.
- □□□ □ □□□ □□□ □□□ 6.high □ □□□□□ □□, □□.
7. □□ □□ □ □□□ □□ □□.

□□ □

Touch waterproof metal door control controller

Credit card production,
touch password,
8000, large capacity data Duikao



Support fast data copy



Lightning delivery



Global sales



Package mail



Technical support



After-sale

ACM-A50 可 支持 RFID 可 支持 可 支持 LED 可 支持 8000 可 支持 , 可 支持 : 可 支持 / 可 支持 / 可 支持 / 可 支持 / 可 支持



Champagne



Red



Gold



Green



Silver

Dear Customers,

Please note that we have different kinds of colors for your choice regarding this item (Gold, White, Green, Red, Silver). Please leave message for the needed color so that we can ship accord to your needs when you place a order. The default color will be silver color.

[www.wiegand.com](#), [www.oem.com](#) / OEM [www.wiegand.com](#) [www.oem.com](#)

Wiegand 26/34 [www.wiegand.com](#), [www.oem.com](#) [www.wiegand.com](#) [www.oem.com](#)

LED light

metal touch keypad

enter the password to
open the door and the
system seting butting

acrylic panel

support scratch resistant,
waterproof function

external ararm, voice function

with exrenal WG blind tamper
alarm, voice function

card reader area

support 8000 users;
card,code,card+code




03.Three ways to open the door:

credit card, password, credit card+password



8000 user capacity storage and reading function;The password of the 4-6 bit is more difficult to crack than the fixed number of passwords;
Three kinds of open form: password, credit ID card, password +ID card;
Add cards and delete cards, extended voice and other functions.



□□□ □□□□□ □□□□□

□□□□□□□□□□



ACM-Y100S

□□ □□ □□ □□ (5PIN) □□ □□□□□□ □□ □□ □
□ □□

ACM-Y280

280kg (600lbs) □□ □□ □□□□ □□ □□ : □□
□□□ □, □□ □, □□ □, □□□ □.

ACM-K2A

□□ □ Realese □□ □□□ □□, K2A □□ : 115
× 70 × 25mm, K2B □□ : 86 × 86 ×
25mm



ACM-Y806-3A

□□ □□ □□ □□ 12V 5A, □□□ □□□□ □□ □ □□

ACM26X

125Khz wiegand 26/34 □□, □□ :
115mm × 75.5mm × 16.8mm

ACM-EMI-S

125Khz EM 00 00

0000 0000

0000 0000

1. 00 24 00 0000 00
2. 00 0000 0 00 00, 0000 0 00000 0000 0000 0000 00
- 0000 3.OEM / ODM
4. 0000, fashin desing, 00000 0 000000 00, 00 00 00
5. 00 0 0000 :
: 00 0000 00000 00 00 0 00 00
B : 00 0000 00000 00 0 00 0 00000
C : 0000 00 00 2-3 0 00 00 00 0000 00
6. 00 00 : 00 0000 00 0 1 ~ 5 0, 00 0000 00 7 ~ 30 0
7. 00 : 00 00 00 : T / T, 0000 0000, 0000
8. 00 : 0000 DHL, 0000 000000, TNT, UPS, EMS, 0000 0000 00000 0 0000 0000 00 0000 0000, 0000 00 0000 0000 00 000000 0000 0 0000 00.

00 00

- ACM Goldbridge 0000 0000 00 00 00 00 00000 000000.
- 0000 ACM Goldbridge 00 0 00 0000 000000.
- 0000 0000 0000 0000 000000.

00000 00

Q : 1. 0000 0000?
: 00000 00 00000 00 0000 0000000. 00 00 00 00 0 00 00 0000 0000 0000 0000 00 0000 000000.

Q : 2. 00 0 000?
: 00 00 0 T / T, 0000, 0000 0000.
0000 00, 00 00 000000 (DHL, FedEx, TNT UPS 0) 0000 0 00000.

Q : 3. 0000 0000 000?
: 0000 00 0000 00, 00 0000 00.

Q : 4. 0000 0000 00 00 0 00000?
: 0000 00 000000. 5000pcs 0000 000000 3-7 0 0 100,000pcs 0000 7-15 0

Q : 5. 0000 0000 0000 0000 0000 0 0 00000?
: 00 00 00, 00000 00, 00, 00 0 00. OEM 0000 00 000000.

Q : 6. 0000 00 00 00 000?
0000 RFID 00 / NFC 00 / RFID keybod / RFID 00, RFID 00 0 00000 20 0 00 0000 00 0000 00 0 00 00 0 000000.