Product Description:

00000 000 00 00 **LH TK4100** 0 **125kHz** 000 00 000 00 **RFID** 000 00

$\Pi\Pi$:

- 2. 0000 0 00 00000 00 0000, 0 00 00.
- 3. 000 00 00 : 4 0 000, 000 00 00.
- 4, 0 00000 00 UID 00000 0 00.
- 5, 000 00 00000 000
- 6. 00 00, 000 00, 00 00
- 7. 20 🛮 🛳 🖂 🖂 🖎
- 8. 00 00 8. 00 00 00

\prod

- [] LF / HF / UHF RFID []

- CPU $_{\square}$: RealizingiSo / IEC 14443 $_{\square}$ ISO / IEC7816 CPU $_{\square}$ $_{\square}$

20 [] [] [] **RFID** [] []

	□ □□□□ □□ LF 125kHz PVC.
000 00	85.5 * 54 * 0.86 mm
	0.8 mm, 086mm, (0.9-1.0 mm 1.00 mm)
	LF / HF / UHF 125 kHz, 13.56 MHz, 860-915 MHz
	TK4100, EM4200.
00 000	00, 000000 00 0 0
	PVC / PET / ABS / 🔲

	000		
	125khz.	TK4100, T5577.	
		EM4305, EM4200 □	
	13.56 MHz.	0000 ISO14443A 00 000 0 0000	
	860 ~ 960MHz.		
00	CMYK 000 00, 000 00, 000 0 0		
00	000, QR 00, 00 00, 000 0 URL 0		
□□□ opitons.	0000 000 : 30	000 / HICO LOCO 27500E, 3500oe, 4000oe	
	00 000 : 00 00 / 00 00 / 000 00 / 000		
	□□□ □□ : 13/39/128.		
000 00 000 0 0000	00, 00, QR 00, 0 / 00 00, 00 00, 000 0		
00			

Product Display

Standard Card Size



RFID Card Structure









Contactless RFID Card

Available with an execptionally wide variety of chips



Available Product





Access contorl card

Hotel key card



Business cord





PVC ID card

School ID card



Mnbership card

000 00 00:

 \square , PVC \square

□□□□ □□ : 2750oe HICO, 4000oe HICO, 300OE LOCO.

· 000 0, 00 / 00 000, UV 00, 00 00.

- 0000 C 000 00 00 C 0000 C

l· 000 000 0 000 00.

• 000 000 00 000 000 000 00000.



RFID Card	Available Chip
125KHZ Card	EM4200, EM4305, T5577, TK4100, HYS256
13.56MHZ Card	MF1 S50, MF1 S70, F08, TI2048, ICODE SLI-S, ULTRALIGHT, ULTRALIGHT C
UHF Card	Alien H3
Dual	125KHZ+13.56MHZ
Frequency	125KHZ+UHF
Card	13.56MHZ+UHF































Embossed numbering



QR code



Inkjet numbering



Embossed numbering (Golden)



Embossed numbering (Silver)




Flat numbering(Black)



Engrave numbering(Golden)



Flat numbering(Siver)



Flat numbering (golden)

Product Process







Binding

Coiling winding

Embedding







Offset printing

Digital printing

Lamination







Quality Checking

Packing

Warehouse

RFID Application



Concert Wristband



Hotel Card Application



Access Control System



Business Card



Warehouse Management



Magnetic Stripe Card

RFID [] [] [] :

 $RFID \ (Radio\ Frequency\ Identification)\ \square\square\square\ \square\square,\ \square\square,\ \square\square\ \square\square\square\square,\ \square\square\square\square\ \square\square\square\square\square\ \square\square\square\square\square.$

Packing & Delivery



Packing

with or without polybag separate package

200pcs/box, 180pcs/bag, 150pcs/bag

25boxes/carton, 16boxes/carton, 6boxes/carton or as required



Shipping

We have different shipping options available for your choice

International door to door Express

By Air(Faster and Cheaper for large order)

By Ship(Cheapest shipping way)

Our Service

- 3, OEM / ODM $\sqcap \sqcap$
- 4, 000, fashin descing, 0000 0 00000 00, 00 00

- 2) 00 000 00 00 000 000 000 2-3 0 000 000.
- **6,** 0 00 00 : 00 000 00 0 1 ~ 5 0, 00 000 00 7 ~ 30 0

A : □□ □□ □ T / T, Paypal, Western Union.
000 00, 00 00 00000 (DHL, FEDEX, TNT UPS 0)0 000 0 0000.
A: Wecould
Q: 4. 000 00 000 00 000 0 0000? A: 000 00 000 000 000 000 000 000 000 00
Q: 5. 000 000 0 0 0 000?
A: 00 00 000 00, 00 0 000 000 000 0000. OEM 000 00 00000.
000 20 0 000 RFID / NFCTAGS / RFID KeyBod 00 / RFID 000 00 00 00 00 00 00 00.