


00:

- SMS 00 0000 0000 0000 0000.
- 000 00 00 00 000000 0 0000.
- 00 00 00 0000 000 000000.
- 00 000 0 00 GSM 000000 000 0 0000.
- 00 000000 000000 00 0000 0000 0000.
- 00 - 0000 00 0000 ID 00000 0 0 00 00000 000000.
- 0000 0000 00 20000 0000 000000 0000 0 00000.
- 00 00 0000 0000 0000 00 0000 00 3A/240VAC 00 10.
- 00 00 00000. (0000, 0000, 00, 00 0, 00 0 0000 00 00).
- 0000 0000 0000 00 0000 000000 SMS 0000 00000, 0 0000 00000 0000 0 00000.
- 00000 00000. GSM GPRS 0000 000000 0000 00000000 0000 0000 00 0 00 "0000"00 00/00 0000 000000.

GSM REMOTE CONTROL GATE OPENER



GSM	850/900/1800/1900MHz
Relay	NC/NO 3A/240VAC
DC	9-24VDC/2A
Power	12V 50mA/25mA
SIM	3V SIM
Antenna	50Ω ACM
Frequency	3m/9.84m
Temperature	-20-60°C
Humidity	Relative 90%
Dimensions	82X76X27mm/3.23X2.99X1.06"



1. Signal light

2. Relay light


3. Power port

4. Normal open


5. Com

6. Normal close









GSM Remote Control Gate Opener



- ✓ No Call Charge
- ✓ Remote On/Off Control
- ✓ GSM850/900/1800/1900MHz
- ✓ Up to 200 Authorized Number





00 00:



RE:Access Control Power Supply

 NEW ACM-Y802-3A Power Supply and door release exit button Dual Function AC110V-240VDC, 12V 3A	 M801B-3A /5A Access Control Door Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC	 M806B-3A /5A Access Control Door Backup battery Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC		
ACM-Y803A Voltage: DC 12V /3A 	ACM-Y806-3A Voltage: DC 12V /3A AC110V-240VDC 	ACM-Y806-5A Voltage: DC 12V /5A AC110V-240VDC 	ACM-Y801-3A Voltage: DC 12V /3A AC110V-240VDC 	ACM-5A 12V 5A door control system 12V 5amp access power supply with battery backup (Special For access control board use) Size: 279x234x67MM Input Voltage:110-240V Voltage: DC 12V /3A 

RE:Door Loop / Door Closer

ACM401 Door Loop 	ACM601F 200mm Metal ACM601S 200mm stainless steel 	ACM-101 130mm Longer ACM-102 180mm Longer 	ACM-301 400mm Longer 	ACM-201 400mm Longer 	Door Closer ACM-M59 25-45KG ACM-M60 45-65KG ACM-M61 65-85KG 
---	---	---	---	--	---

RE:Sensor and Siren For Access Control System

 Item: AS603 Piezo Strobe Siren Operating voltage: 12VDC	 Item: AS31 Operating distance: 16mm ±5mm Switch output: NC	 Item: AS32 Operating distance: 18mm ±5mm Switch output: NC	 Item: AS36 Operating distance: 40mm ±10mm Switch output: NC	 Item: AS57AC Operating distance: 18mm ±5mm Switch output: NC Applies to steel door	 Item: ACM-MD601 Standard Wall Mount Door Holder Holding force: 60kg(120Lbs)	 Item: ACM-MD602 Glass door Mount Door Holder with door signal Holding force: 60kg(120Lbs)
---	--	--	---	---	---	---

RE:Remote Control For Access Control System

 Item: ACM-K19 Metal WIRELESS Remote Control	 Item: ACM-K18 WIRELESS Remote Control	 Item: ACM-K20 WIRELESS Remote Control For Automatical Door,NO/NC/COM 115*40mm	 Item: ACM-K19A Metal Access Control WIRELESS Remote Control 2 channel	 Item: ACM-K19B Metal Access Control WIRELESS Remote Control 4 channel
---	---	---	--	---

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Proudcts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !



Q: 3. 請問 磁鐵 與 磁片 有 什麼 區別?

A: 磁鐵 磁鐵 與 磁片 磁片 有 區別, 磁鐵 磁鐵 與 磁片 磁片 有 區別。

Q:4. 請問 磁鐵 與 磁片 有 什麼 區別?

A: 磁鐵 與 磁片. 磁鐵 5000pcs 與 3-7, 100,000pcs 與 7-15

Q:5. 請問 磁鐵 與 磁片 有 什麼 區別?

A : 磁, 磁, 磁 與 磁 磁鐵 與 磁 磁鐵 磁鐵 磁鐵. OEM 磁鐵 與 磁鐵.

Q:6. 請問 磁 磁鐵 磁鐵 磁鐵?

磁鐵 20 磁 磁鐵 RFID 磁/NFC 磁/RFID 磁/RFID 磁鐵, RFID 磁 與 磁鐵 磁鐵 磁鐵 與 磁鐵 與 磁鐵.

Q:7. 請問:

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- LONG HISTORY** 20 years experience in RFID & Access Control industry
- OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



