


 $4. \square \square \square \square : 126 \times 105 \times 41$ mm

 $\begin{picture}(200,000)(0,0) \put(0,0){\line(0,0)} \put(0,0){\line($









- 000 000 000 000 000000.



Electric control locks all kinds installation schematic diagram





[] & []

 $\ \square$ $\ \square$: 26 * 26 * 10cm, $\ \square\square$: 46kg. $\ \square\square$ $\ \square$ 50 $\ \square\square$ $\ \square\square$









ACM-Y043

EXPRING ELIM LOOK

ACM-Y044

EXPRING ELIM LOOK

ACM-Y090

00000 00 00 00 RIM 00 00







ACM-Y066

□□□ Smart Lock (□□ □□ □□)

ACM-Y091

00000 00 00 00 RIM 00 00

ACM-Y062

 $\hfill \square \square$ Smart Lock ($\hfill \square \square \square \square$)







ACM-Y034

□□□ : 148 × 107 × 35mm

ACM-Y037

 $\square\square\square\square\square:125\times98\times36~\mathrm{mm}$

ACM-Y048

□□□ □□ : 140 × 116 × 55 mm

You may need







ACM-Y100S

ACM-Y130

ACM-Y280

 $280 \mathrm{kg} \ \square \ \square \square \square \square \square \square : \square \square \square, \square \square$

- $1,\, \bigcirc \bigcirc \bigcirc \bigcirc 24\, \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$
- 3, OEM / ODM □□
- 4, $\bigcirc \bigcirc$, fashin desing, $\bigcirc \bigcirc$ & $\bigcirc \bigcirc$, \bigcirc , \bigcirc , \bigcirc
- 5, 000 000 :
- 1), 00 000 0000 0000 00 000 0000 0000.
- 2), 00 000 00 00 0 00000.
- 3), 000 00 000 000 000 00 000 00 2 \sim 3 0 00000
- 6, 00 00 : 00 00 1 ~ 5 0, 00 00 7 ~ 30 0