

□□ □□

□□	□□ □□□: □□ □□
□□ □□	250 L X 27 H X 48 D(mm)
□□□ □□	180 L X 38 H X 11 D(mm)
□□□	280KG(600□□□)
□□□	□□□ □□ □□, NO/NC/COM
□□	12/24VDC
□□ □□□	12V/500mA, 24V/250mA
	□ □□: □□ □□ □□□□
□□	□□ □□: □□
	□□□ □□: □□
□□	CE, ROHS, CMA
□□	□□□ □□, □□□
□□	□□□, □□□, □□□, □□□
□□	□.: 2kg

Details

SECURITY

ANTI-RESIDUAL MAGNETISM DESIGNED



Can't fix the screw when the door close.

FEEDBACK

SIGNAL DETECTION FEEDBACK FUNCTION



VOLTAGE

DUAL VOLTAGE 12 OR 24 VDC TO SELECTABLE



TIME DELAY

WITH AJUSTABLE TIMER:0-15s



Turn right to adding delay time, turn left to reducing delay time

WATERPROOF

IP68 WATERPROOF, EPOXY SEALED DESIGNED FOR OUTDOOR USE



2 Wires PCB



5 Wires PCB with feedback function



12V/24V 5 Wires PCB with feedback function



6 Wires PCB with timer



7 Wires PCB with timer and feedback



9 Wires PCB with timer and feedback



Waterproof lock PCB

Parameter



Name	280KG Electromagnetic lock
Voltage	12VDC or 12/24VDC(optional)
Current	380mA
Holding Force	280KG or 600LB
Indicate	LED
Material	Anodized aluminum
Waterproof	IP68(optional)
Feedback	Door Status Output, NO/NC/COM(optional)
Time delay	0-155s(optional)
Lock Size(mm)	250 LX 27 H X 48 D
Armature Size	180 LX 38 H X 11 D
Application	Wooden doors, fireproof doors, glass door etc
Weight	2KG



Remark: Please don't fix the screw of armature plate tightly. Let the rubber ring maintain proper elasticity.


Size

Specification(Unit:mm)




	ES180A	ES230A	ES280A	ES380A	ES180G	ES230G	ES280G	ES300G	ES380G	ES500G
L	190	258	252	265	170	250	240	240	250	266
L1	/	238	232	244	42	70	70	70	/	/
L2	/	202	197	209	126	210	200	200	220	/
B	32	42	50	56	20.5	25.4	27.5	27.5	36	42
B1	/	25	35	35	9	12.5	15	15	20	18
H	21	27	29	35	34	42	50.5	50.5	56	67
H1	/	5	4	5	5	5	6	6	6	6

Iron plate size (unit: mm)




ITEM	L	L1	B	H
ES180	130	120	33	11
ES230	180	165	38	11
ES280	158	134	43	11
ES300	158	134	43	11
ES380	168	134	48	11.5
ES500	185	165	61	16


2 Lock Diagram




Installation




Bracket Installation



3 Wiring Diagram



PCB Diagram







280
kg



□□ □ □□

□□ □□
□□□ DHL, FEDEX, TNT, UPS, EMS, SEA □ By AIR□ □□□ □□ □□ □□□□.
□□□ □□ □□□□□ □□□ □ □□□□.

□□
□□□ □□: □□ □ 1unit, □□ □ 12pcs,
□□ □□: 54.3*13.5*19.3cm, □ □□: 25kg. □□□□ 50□□ □□





ACM-Y280N

280kg(600lbs) 280kg(600lbs) 280kg(600lbs) 280kg(600lbs)
 280kg(600lbs) 280kg(600lbs) 280kg(600lbs) 280kg(600lbs)

ACM-Y180

180kg(300lbs) 180kg(300lbs) 180kg(300lbs) 180kg(300lbs)
 180kg(300lbs) 180kg(300lbs) 180kg(300lbs) 180kg(300lbs)

ACM-Y280

280kg(600lbs) 280kg(600lbs) 280kg(600lbs) 280kg(600lbs)
 280kg(600lbs) 280kg(600lbs) 280kg(600lbs) 280kg(600lbs)



ACM-Y350

□ □ □ □ □ □ □ □ □ □
 350kgs(800lbs): □ □ □ □ □, □ □ □ □, □ □ □,
 □ □ □ □.

ACM-Y500

□ □ □ □ □ □ □ □ □ □
 500kgs(1000lbs): □ □ □ □ □, □ □ □ □, □ □
 □, □ □ □ □.

ACM-Y280-W

□ □ □ □ □ □ □ □ 280kgs(600lbs) □ □. □ □ □
 □ □ □: □ □ □ □ □, □ □ □ □, □ □ □, □ □ □ □.

You may need



ACM-Y100S

□□ □□ □□(5PIN) □□ □□ □□ □□ □□ □
□ □□

ACM-Y130

□□□ □□□□(NC/NO□□)
□□ □□: 110x28x31mm

ACM-Y066

□□□ □□□ □□(□□ □□)
□□ □□: 130x98x41mm□□

ACM-Y280-ZL

280Kg/350Kg □□□□ ZL □□□

- 1, 我們需要 24 小時服務熱線。
- 2, 我們的客戶是 B 類客戶，我們的產品是 B 類產品。請提供詳細說明。
- 3, 我們 OEM/ODM
- 4, 我們 fashin desing, 樣品 & 包裝, 價格查詢
- 5, 我們有經驗:
 - 1), 我們需要您的設計圖紙或樣品照片以便我們能夠準確地複製。
 - 2) 我們需要知道您需要的數量。
 - 3) 我們需要知道您的預算和交付時間。
- 6, 我們有 : 標準尺寸 1~5cm, 大尺寸 7~30cm 等
- 7, 我們: T/T, Western Union, Paypal,
- 8, 我們: 通過 DHL, FEDEX, TNT, UPS, EMS, SEA 及 AIR 運輸。我們可以根據您的需求提供最合適的物流方案。

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

ADVANTAGE



WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.



OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



Door Lock Production Line

Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID Cards & Tags Production Line

RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



