




RFID RFID

ACM208 Wiegand







□□

□□ □□ □□ □□, □□□□ □□ □□ □□□□ □□  
□□, □□ □□ □ □□ □□.

2. □□ Wiegand 26 □□ □ □□□ □□ □□□□ □□□ □ □□□□.

3. □□ □□, □□ □□, □□ □□□ □ □□ □□ □□ □□.

□□ □□□, 0.1 □ □□ 4. □□□ □□.

5. □□□ □ □ □□□□□ □□□□ □□ □□ □ □□ □□□ □□ 2000□□□.

□□ □□ □ □ □□□ □□□ □□□ 6.high □ □□□□□ □□ □□  
□□.

7. □□ □□ □ □□□ □□ □□.

□□□□

ACM208B RFID Door Access Control System with LED Display 2000 Users



ACM208

**Metal**  
Standalone

**RFID**

Door Access Control

Capacity Of Cards  
2000 Users



# Metal keyboard

Metal keyboard with backlight.



## LED status indicators

LED status indicators



□□□□

Wiegand 26 □□ □□, □□ □□ □□ □□ □□ □ □ □□



□□ □□□□□□.

□□□ □□ □□□ □□ □□ □□, □□□ □□□ □□□ □□ □□□ □□ □□ □□□ □□□ :





### ACM223

RFID & 125Khz EM 1000/4000 User

### ACM209-NW

RFID AccessControl ( ), 125Khz EM

### ACM208

RFID





### ACM210

RFID 125KHz 125KHz EM, 125KHz EM, 125KHz EM

### ACM225

RFID 125KHz EM, 125KHz EM, 125KHz EM

### ACM211B

RFID 125KHz EM, 125KHz EM, 125KHz EM



- 1, 24 24 24 24 24
- 2, 24 24 24 24 24
- 3, OEM / ODM
- 4, 24 24, fashin desing, 24 24 & 24 24 24, 24 24 24
- 5, 24 24 :
  - 1), 24 24 24 24 24 24 24 24 24 24.
  - 2), 24 24 24 24 24 24 24 24.
  - 3), 24 24 24 24 24 24 24 24 24 24 2 ~ 3 24 24 24

