





External terminal



External wiring port for easy wiring, easy to use, save installation time

Remote control module slot





The access control power board slot design can insert the remote control module into the slot and unlock it with one button.

For strong current



Ordinary access control power supply provides 1.5-1.8A current output, 208K 5A access control power supply provides 5A current output







Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School

□ □ □ □

□□□ □□□ □□□ □□ □ □□□ □□ □□□□.
 □□ □□ □□ □□ □□ □□ □□□ □□ □□□□.
 □□□ □□□ □ □□ □□ □□ □□□□.



EXW

FCA FOB

CIF CFR



□□ □□(□□ □□ □□□)


□□□ 2000□ □□ □□□□ RFID □□□ □□ □□□ □ □□□□□.
 □□□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□
 □□□□□ □□ □□/□□ □□□ □□□ □□□ □□□□ □□ □□
 □□. CO, FTA, Form F, Form E...Ect□ □□ □□□ □□
 □ □□ □□□ □□□ □ □□□□. □□□ □□□ □□□ □□ □□
 □□ □□□ □□□□. EXW, FOB, FCT, CIF, CFR...
 □□ □□□ □□□□□. □□□ □□ □ □□□ □□ □□□ □ □□
 □□□□ □ □ □□□□.

3

20 ! " "


!

.




ACM-WEG01

1



ACM-WEG02

2



ACM-WEG04

4

You May Like



ACM-K2A/B

LED 100mm x 100mm Realese 100mm x 100mm



ACM-Y280

100mm x 100mm x 100mm (280kg/600lbs)



ACM-Y806-5A

100mm x 100mm x 100mm 5A



ACM225

RFID 12khz



ACM-210

RFID Wiegand



ACM26X

125Khz EM RFID
115mm×75.5mm×16.8mm



ACM Goldbridge

RFID 20 , RFID , RFID keyfob , RFID , RFID



০০০ ০০ ০০০০ ০০০০ ০০০০ ০০ ০০০ ০০০০০০!
 ০০০ ০০০ ০ ০০০ ০০০ ০০০ ০০০০ ০০০০ ০০০ ০০০০০ ০০০০০.