

328 USB 1D , , USB

ABS	
170*88*70mm	
DC 5V/300mA	
135±10g	
USB, RS-232	
CMOS	
LED	
32 MCU	
UPC-A,UPC-E/E1,EAN-13,EAN-8,ISBN/ISSN,39	
,39(ASCII),32 ,Trioptic 39,25 ,25 (20f5),25 ,(NW7),128 ,UCC/EAN128,ISBT128,93	
,11 (USD-8),MSI/,/	
350 /	
,	
10-650mm	
, (LED)	
35%	
0-360°, ±65°, ±60°	
0~50oC / 32~122oF	
0~50oC / 32~122oF	
5~95%()	
1.5m	



Two Pairing Method


One Scanner To One Receiver



Multiple Scanner To One Receiver



Long Transmission Range




Under obstacles environment

Transmission Distance: 100m/ 328ft (Max)



In barrier free environment

Transmission Distance: 400 m/ 437yd(Max)




Instant Upload Mode

Synchronously upload barcode to your device when scanning



16M



Storage Mode

Store barcodes in internal memory then upload when you need it.
(Save up to 100000 codes)

2-in-1 Connections

No driver needed

Wireless



USB Wired



Plus & Play



PC



Laptop



Tablet



Phone



Mac OS



Windows



Linux



30 Days Working Once Charging

scans 2000 barcodes each day in auto-off mode




2600mAh



How to Use This Barcode Scanner?

1. For better scanning function, please hold this scanner at right angle, don't decode it at 90°.



2. For truly decoding the barcode, scanning laser must cover the whole barcode.



How to Assemble/Disassemble the Cable?

Plug sharp things like toothpick or clip into the right hole and then pull out the cable easily.





Shakeproof



Super decoding



Compatible
different terminal



High Cost-Effective

WE PROVIDE THE MOST COMPLETE
PROFESSIONAL SCANNING APPLICATION



Logistics express
barcode



Supermarket
barcode



Medical
barcode



Factory
inventory



Machine
customization





Shipping







ACM26X RFID 卡片

125Khz wiegand 26 /34 卡片,
尺寸:115mm×75.5mm×16.8mm

ACM26G RFID 卡片

125Khz /13.56Mhz 卡片
Wiegand 26/34 /RS232

KR600E RFID 卡片

125KHz 卡片 ID/ 13.56Mhz 卡片 卡片,
Wiegand 卡片 26卡片





ACM-EMI-S RFID 卡片

125Khz EM 卡片 卡片

卡片 86*54mm

ACM-MF1 RFID 卡片

MF1 1K 卡片 卡片

ACM-ABS003 RFID 卡片

125Khz EM/13.56Mhz/UHF Keyfob, 卡片

卡片 颜色: 黑色, 绿色, 紫色, 黄色, 红色, 橙色

卡片 卡片

- 卡片 卡片 卡片 卡片 卡片 卡片 卡片, ACM Goldbridge 卡片 卡片 卡片 2 卡片 卡片 卡片.
- 卡片 卡片 卡片 ACM Goldbridge 卡片 卡片 卡片 卡片.

- □□□ □□□ □□□ □□□ □□□□□.

- [illegible]

□ □ □ □ □ □

Q: 1. What are the main components of a system?

A: ၀၀၀၀ ၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀၀၀၀၀. ၀၀ ၀၀ ၀၀ ၀၀ ၀ ၀၀ ၀၀ ၀၀၀ ၀၀၀ ၀၀၀၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀၀၀၀၀.

Q: 2. □□ □ □□□ □□□ □□□?

A: □□ □□ □ T/T, □□□, □□□ □□□.

□□□ □□, □□ □□ □□(DHL, FedEx, TNT UPS □)□□ □□ □ □□□□.

Q: 3. □□□ □□□□ □□ □□□ □□□ □□ □ □□□□?

A: ০০০ ০০০০ ০০ ০০০ ০০০ ০ ০০, ০০০ ০০০০ ০০ ০০০ ০০০ ০ ০০০০.

4. How many people are there in your family?

A: □□□ □□ □□□□. □□□□□ 5000pcs □ □□ 3-7□, 100,000pcs □ □□ 7-15□

□□:5. □□□ □□□ □□ □□□□?

A: □□, □□, □□ □ □□□ □□□□ □□ □□ □□ □□□□□□□□. OEM □□□ □□ □□□□□□.

[illegible][illegible]