



NFC Tag/Sticker/Label

- ★ Mobile Payment
- ★ Identification
- ★ Loyalty & Membership Management
- ★ Small Information Stored & Exchange
- ★ Social Interactive

[Read More>>](#)



RFID NFC 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99

01:

- 1 : 10mm, 8.7mm, 5*5mm 10mm, 8.7mm, 5*5mm
- 2 : 10mm, 8.7mm, 5*5mm 10mm, 8.7mm, 5*5mm
- 3 : 10mm, 8.7mm, 5*5mm 10mm, 8.7mm, 5*5mm
- 4 : 10mm, 8.7mm, 5*5mm 10mm, 8.7mm, 5*5mm
- 5 : 10mm, 8.7mm, 5*5mm 10mm, 8.7mm, 5*5mm
- 6 : 10mm, 8.7mm, 5*5mm 10mm, 8.7mm, 5*5mm
- 7 : PC 10mm, 8.7mm, 5*5mm 10mm, 8.7mm, 5*5mm



NEC 215 RFI D 3 m PVC, ABS

D
D
D
D
D
C
M
Y
K
D
D
D
D
D

(Serial No & Chip UID), QR, Chip ID, URL, VCARD)

□ □ 2 5 m m , 3 m m , 3 5 m m , 4 m m , 5 m m S t o c k e M o l d □ , □ . 5 - . 9 m m □ □ □ , □ □ □ □ □ □ □ □

RFID □ □□ □□□

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				

				
Dia.15/18	Dia.20/25/30	Dia.35/40/50	30 × 30 40 × 40	45 × 45 50 × 50
0.5g	0.8g	2.5g	1.5g	2.0g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF	LF/HF	LF/HF/UHF	LF/HF/UHF	LF/HF/UHF
				
40 × 30 45 × 22	54 × 27 65 × 25	Dia.30(Outer) Dia.5 (Inner)	Dia.35(Outer) Dia.14 (Inner)	Dia.70(Outer) Dia.50 (Inner)
2.5g	2.5g	2.5g	2.5g	2.5g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF/UHF	LF/HF	LF/HF	LF/HF	LF/HF

PRODUCT DISPLAY



PRODUCT DISPLAY



PRODUCT DISPLAY





APPLICATIONS



OPENGED OR NOT

NFC helps you to find out
More information
Sourcing

Cashless Pay

One Mobile phone
One World
Easy Pay & Modern Life
High Security




DATA Exchanging

Easy & Fast
Exchanging personal info
No need business card

Social Media

Launching your App
Connecting the world
Sharing with friend
Cool, funny and convenient





ACM-EMI-S

125kHz TK4100 □ RFID □□ □□

ACMM-MF1

13.56MHz MF1K □□ F08 RFID □□

ACM inlay

125kHz, 13.56MHz, 860-960MHz □□
□□□



ACM-S001-UHF

□□□ □□□□□ UHF □□ □□ □□□

ACM-UHF-P □□ □□ □□□

□□□ □□□□□ 860-960MHz Windshiled □
□□

ACM-NFC □□□

□□ □□ □□□□□ NFC □□ □□□

1, □□ □□□ **24** □□ □□□ □□□□□

20 RFID /NFCTAGS/RFID KeyBod/RFID Wristband