

**RFID TK4100 125khz** RFID 125khz RFID

**RFID :**

1. PVC RFID 1.8mm ID 1.8mm ID
2. RFID 85.5 \* 54 \* 0.86mm
3. RFID 0.8mm, 086mm, 1.00mm (0.9-1.0mm)
- 4, RFID UID
- 5, RFID
6. RFID ISO / IEC 14443 ISO / IEC7816
7. 20 CPU
8. delivery8

**RFID ! RFID**

**RFID**

- RFID LF / HF / UHF RFID
- RFID 85.5 \* 54 \* 0.86mm
- RFID 0.8mm, 086mm, 1.00mm (0.9-1.0mm)
- CPU : ISO / IEC 14443 ISO / IEC7816
- RFID COS

**RFID :**

**20 RFID**

RFID	125Khz EM 1.8mm ID 1.8mm ID	
RFID	85.5 * 54 * 0.86mm	
RFID	0.8mm, 086mm, 1.00mm (0.9-1.0mm)	
RFID	UID	
RFID	LF / HF / UHF 125Khz, 13.56Mhz, 860-915Mhz	
RFID	TK4100, EM4200	
RFID	PVC / PET / ABS /	
RFID	CMYK	
RFID	125Khz	TK4100, T5577
		EM4305, EM4200
	13.56Mhz	ISO14443A
	860 ~ 960Mhz	ISO18000-6C
RFID	CMYK	



