



감지 범위 : 3-17cm 정도

이 센서로 어떤 작업을 할 수 있을까?

이 센서를 사용하여 손이 닿지 않는 곳에서 물체를 감지할 수 있습니다. 이를 통해 다양한 응용 분야에 활용할 수 있습니다.

ACM-505MHW는 무선 수신 컨트롤러로 2.4G 무선 통신을 지원합니다. 센서는 12-30V DC 전압을 필요로 하며, 86MHz 주파수를 사용합니다. 센서는 16m (부분)의 감지 범위를 가지며, 3-17cm 정도의 감지 범위를 가집니다.

이 센서는 86MHz 주파수를 사용하며, 12-30V DC 전압을 필요로 합니다. 센서는 16m (부분)의 감지 범위를 가지며, 3-17cm 정도의 감지 범위를 가집니다.

2
p
c
s
1
□
5
✓
□
)□
,□
□
□
□
□
□
□
□
□
□
□
)□
~~8~~
1
□
3
p
A
□
)□
1
2
□
3
5
m
A
)□
□
□
□
□
□
2
,□
□
)□
□
2
2
□

E G B b B m . 3 F II Z C n O O O O O O O O O 3 O , O O O O D C I 2 F 3 V O O O)

3
h
A
O
D
C
H
2
V
O
)
O
O
O
O
O
O
O
O
)
O
O
h
A
(
D
C
1
2
V
O
O
O
O
O
O
)
O
A
2
O
V
D
C
O
O
O
)

1
2
3
4
5
6
7
8
(
9
0
1
2
3
4
5
6
7
8
9
0
)

1111 2222

INFRARED TOUCH-FREE SWITCH

Infrared touch-free switch for automatic door





TWO-COLOR
LED LIGHT




TEMPERED
GLASS SURFACE



PHYSICAL
SHOOTING

LASER CARVING CRAFT PANEL

Shiny texture, fashionable style



3~30CM SENSING DISTANCE

Adjustable sensing distance



LED LIGHT PROMPT

Adjustable sensing distance





Standby blue light flashes slowly



Induction red light flashes quickly

Dimensions(mm)



THREE OPTIONS

Wired, one for one (wireless), one for two (wireless)



Wired



one for one (wireless)



one for two (wireless)



00 00

0000 2000 0000 0000 RFID 0000 0000 0 00 0 000000. 0000 00 00 00
0 00 00 0000 0 00 0000, 0000 00 00000 00 / 0000 0000 0000 00
0 0 00 00000. 0000 0000 0000 0000 0000 0000 00 0 0 00000.
CO, FTA, Form F, Form E. ... 00. 0000 0000 0000 00 00000 0000
000000. EXW, FOB, FCT, CIF, CFR. ... 00 0000 0000 00 000000.
0000 00 0 000000 0000 0000 00000 0 0 00000.

□□□ □□□ □□□□

□□□ □□ □□□ □□ □□□□ □□□□. □□, □□, □□ □□□□, □ □□□. □□□ □□□ □□□□ □□□ □□□□□□□□. □□□ □□□ □□ □□□ □□□□□□□□.





□□ □□□ □□ □□ □□ □□

K2B : 86 * 86mm.

□□ □□□ □□ □□ □□ □□

K9A : 115 * 40mm

□□ □□□ □□, (□□□□□ □□, □□□ / NC) K5B :
86 * 86mm





□□ □□□ □□, (□□ □□□□, □□□), K4B : 86 * 86mm

□□□□□ □□ Hihg □□ Kirsite. K14B : 86 * 86mm.

□□□□□ □□ □□ □□ □□ □□; K815B : 86 * 86mm.

□□□□ □□□□

- 1, □□ □□□ 24 □□ □□□ □□ □ □□□□.
- 2, □□ □□ □□ □ □□ □□, □□□ □ □□□ □ □□□ □□□ □□□□□
- 3, OEM / ODM □□
- 4, □□□, fashin desing, □□□□ □ □□□□□ □□, □□ □□ □□
- 5, □□ □ □□□ :

- 1), 請 提供 詳細 的 產品 規格 說明書。
- 2) 請 提供 產品 的 樣品 或 圖片。
- 3), 請 提供 產品 的 價格 表 或 報價 單 2-3 份
- 6, 請 提供 : 產品 規格 表 1 ~ 5 份, 產品 規格 表 7 ~ 30 份
- 7, 請 : T / T, Western Union, Paypal 產品 規格 表 1 份 圖片。
- 8, 請 : 產品 DHL, 產品, TNT, UPS, EMS, 產品 規格 表 說明書 說明書 產品 規格 表 1 份 圖片。

常見問題

Q : 1. 產品 規格 說明書?

A : 請 提供 產品 規格 說明書 或 圖片 說明書。 請 提供 產品 規格 說明書 或 圖片 說明書。 請 提供 產品 規格 說明書 或 圖片 說明書。

Q : 2. 產品 規格 說明書?

A : T / T, Paypal, Western Union.

產品 規格, 產品 規格 說明書 (DHL, FedEx, TNT UPS 等) 產品 規格 說明書。

Q : 3. 產品 規格 說明書 或 圖片 說明書?

A : 請 提供 產品 規格 說明書 或 圖片 說明書, 產品 規格 說明書 或 圖片 說明書。

Q : 4. 產品 規格 說明書 或 圖片 說明書?

A : 請 提供 產品 規格 說明書。 產品 規格 5000pcs 或 3-7 份, 100,000pcs 或 7-15 份

Q : 5. 產品 規格 說明書 或 圖片 說明書?

A : 請 提供 產品 規格 說明書, 產品, 產品 規格 說明書 說明書 說明書。 OEM 產品 規格 說明書。

Q : 6. 產品 規格 說明書 或 圖片 說明書?

產品 RFID 規格 / NFC 規格 / RFID KeyBod / RFID 規格, RFID 規格 20 份 產品 規格 說明書 說明書 說明書 說明書 說明書 說明書 說明書 說明書。