



Follow are related products specification:



2.45G directional integrated reader

Frequency:2.45G

Work mode:read only

Read distance:50~80m(adjustable)

Interface: RS485/TCP/IP (optional)



GPRS information machine

Interface:USB /TCP/IP

With one sim card slot

With two port,can connect with two readers at
the same time

With GPRS port for communication



2.45G card

Frequency:2.45G

Work mode:read only

Read distance:1~80m(depends on reader)


Storage:4K byte

Work life: read /write tags is 2 years, read-only
type label is 4 to 5 years

Material:ABS




SCENE APPLICATION




RFID Unmanned Supermarket Management



RFID Vehicle Tracking Management



Trash Can management system




RFID books management



Running race timing system



RFID laundry management



RFID Warehouse Inventory Management

□□ □□



11 11

2000 年 1 月 1 日 RFID 標籤 已 開始 使用。 標籤 已 被 用 於 貨 物 的 追蹤 和 倉 庫 管理， 標籤 已 被 用 於 貨 物 的 追蹤 和 倉 庫 管理 / 貨 物 的 追蹤 和 倉 庫 管理。 標籤 已 被 用 於 貨 物 的 追蹤 和 倉 庫 管理。 標籤 已 被 用 於 貨 物 的 追蹤 和 倉 庫 管理。 CO, FTA, Form F, Form E ... Ect 已 被 用 於 貨 物 的 追蹤 和 倉 庫 管理。 標籤 已 被 用 於 貨 物 的 追蹤 和 倉 庫 管理。 EXW, FOB, FCT, CIF, CFR ... 已 被 用 於 貨 物 的 追蹤 和 倉 庫 管理。 標籤 已 被 用 於 貨 物 的 追蹤 和 倉 庫 管理。 標籤 已 被 用 於 貨 物 的 追蹤 和 倉 庫 管理。

□□□ □□□

- 1, 00 0000 00 00 0 0000 24 00
- 2, 00 0000 0 00 00, 0 000 0 00 000 000000.
- 0, OEM / ODM 000
- 4, 000, fashin desing, 00000 00000 00, 00 00 00
- 5, 00 0 000 :
- 1), 00 000 0000 00 000 0000 00 00000000.
- 2), 00 000 0000 00 0 00 0 0000
- 3), 000 00 000 2-3 0 00 000 00 000 00 00
- 6, 0 00 00 : 00 000 00 0 1 ~ 5 0, 00 000 00 7 ~ 30 0
- 7, 00 : 000 00 000 00 0 0 0000 : T / T, 000 000, 000

□□□□ □□

