Wiegand26 Wi-Fi

 GOLDBRIDGE Industrial Co.,Limited
 Danny

 000
 000

 000
 000

 000
 000

 000
 000

 000
 000

 000
 000

000 00 00000 000 0000:_

- 000 00 00
- 000 00 0000(000/000 00/00)
- 00 0 00 00 00 00 0 00 00
- 000 00 00 / 00 00 / 00000 00 00 / 000 00
- RFID [] []
- 00 00 00 0 00 0000 0

00 000 Wi-Fi0 00000. 000 00 000 00 \sim





- > Ultra-low power consumption: 🔲 🔲 is less than 30mA
- > Protocol: Wiegand26 Input/Output
- > Searching time: Less than 0.1s after reading card
- > Backlight keypad: Easy to operate at night
- > Access ways: Card, code, card code, Mobile APP

00	
00 00	EM
000 00	□□□ 10,000□
	DC 12-24V
00 00 00	2~5cm
Standby Current	30mA 🔲
00 00 00	≤3A
00 00 00	20A 🔲
00 000 00	0 ~ 300[
00 00 00 00	100μS 🔲
00 00	-40°C~60°C
00 00	10%~90%
	119x49x19mm





Mobile APP Card, code, card + code,

Backlight keypad Easy to operate at night





Wiegand 26: Output & Input Door Relay Time:0~300s





ACM223

 \bigcirc RFID $\bigcirc\bigcirc\bigcirc$ \bigcirc $\bigcirc\bigcirc$ $\bigcirc\bigcirc$ $\bigcirc\bigcirc$ $\bigcirc\bigcirc$, 125Khz EM 1000/4000 $\bigcirc\bigcirc\bigcirc$ $\bigcirc\bigcirc$



ACM208B

RFID 00 00 00 0 000 00



ACM210-W

RFID [] [] [] [] [] [] [] [] [] []



ACM-A10



ACM-A20

 $\hfill \square \square$ RFID $\hfill \square \square$, 125Khz EM, Wiegand $\hfill \square \square$ $\hfill \square$



ACM-A30



ACM-A40

EM RFID $\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$ PIN $\bigcirc \bigcirc$



ACM-A60



ACM-A88

You may need

 $0000\ 000\ 00\ 0000\ 00\ 00\ 0000\ 0000\ 0$



ACM-Y100S



ACM-Y280

 $280 kg (600 lbs) \ \, \square \ \, \square \square \ \ \, \square \ \, \square$



ACM-K2A/B



ACM-Y806-3A

12V 5A $_{\square\square}$ $_{\square\square}$ $_{\square\square}$ $_{\square\square}$ $_{\square\square}$ $_{\square\square}$ $_{\square\square}$ $_{\square\square}$ $_{\square\square}$



ACM26X

125kHz 26/34 Wiegand [], []: 115mm \times 75.5mm \times 16.8mm



ACM-EMI-S

EM 125Khz 🔲 🔲



























SHENZHEN GOLDBRIDGE INDUSTRIAL CO., LTD

Address: Futian District, Shenzhen of China

Telephone: +86-755-83767678

Contact Person: Lily Jiang

WhatsApp and Mobile Phone: +86-13554918707

Skype: lily-jiang1206

E-mail: sales@goldbridgesz.com

Website: http://www.goldbridgesz.com