

# omni-directional barcode scanner

## Features

- 1. Use the latest high-performance hardware decoding chip to decode various complex 1D barcodes
- 2. 20 scanning lines, 5 scanning directions, scan barcode fast and efficiently
- 3. Support automatic sleep and wake-up function to improve working life of core component
- 4. New and stylish appearance, swivel base for a variety of scanning applications
- 5. Super cool blue and red two-color LED indicator and double beeper sound to deal with various noisy environments
- 6. The wire is made of high temperature resistant material and high quality inner copper wire to meet various environmental requirement and with longer working life.
- 7. Support multiple communication interfaces, plug and play, and automatically match the device automatically

## Application field

Mainly used in large supermarkets, shopping malls, specialty stores (pharmacies, clothing stores, smoke hotels, jewelry stores), etc.

working parameter	visible laser diode 650nm
light source	0~200mm @ UPC/EAN PCS=90%
scan depth/depth of field)	5 Scanning direction
scan angle	20 lines
scan lines	1650 scans/second
scan speed	0.1mm
minimum resolution	30% (UPC/EAN 100%)
print contrast	Two color LED(red&blue)
LED indicators	Two Programmable Beeper
Sound	HID USB, USB virtual COM, RS232
Host system interfaces	
Physical parameter	
Size	LxWxH:114mm*114mm*156mm
Weight	290g(without cable)
Cable	standard 1.8M
Power parameter	
Voltage	5vdc+/-10%
EAC	
Laser level	meet CDRH Class IIa, IEC 60825-1 Class 1
barcode Capability	

UPC/EAN/JAN,UPC-A & UPC-E,EAN-8 & EAN-13, JAN-8 & JAN-13, ISBN/ISSN, Code 39 (with full ASCII), Codabar (NW7), Code 128 & EAN 128,Code 93,Interleaved 2 of 5 (ITF),Addendum 2 of 5, IATA Code,MSI/Plessey, China Postal Code,Code 32 (Italian Pharmacode),RSS 14,RSS Limited, RSS Expanded

## Specification of Scanner:



**CAUTION**  **LASER LIGHT, WHEN OPEN  
DO NOT STARE INTO BEAM**  
Complies with IEC 60825-1 and IEC 60825-2  
permanently Laser Notice No. 50 dated July 14, 2011  
THOROS II (1906A) 1, 2011-2012 2011  
ACCURACY: 1/8" @ 30' ± 0.001"  
FLARE LASER PRODUCTS, INC.


















## How to Use This Barcode Scanner?

1. For better scanning function, please hold this scanner at right angle, don't decode it at 90°.



2. For truly decoding the barcode, scanning laser must cover the whole barcode.



---

## How to Assemble/Disassemble the Cable?

Plug sharp things like toothpick or clip into the right hole and then pull out the cable easily.





Shakeproof



Super decoding



Compatible  
different terminal



High Cost-Effective

WE PROVIDE THE MOST COMPLETE  
PROFESSIONAL SCANNING APPLICATION



Logistics express  
barcode



Supermarket  
barcode



Medical  
barcode



Factory  
inventory



Machine  
customization

## Shipping



## You May Like





### **ACM26X RFID Card Reader**

125Khz wiegand 26 /34 Card  
Reader,  
Size:115mm×75.5mm×16.8mm

### **ACM26G RFID Card Reader**

125Khz /13.56Mhz Reader  
wiegand 26/34 /RS232

### **KR600E RFID reader**

125KHz Proximity ID/ 13.56Mhz  
card reader, Wiegand output 26bit





### **ACM-EMI-S RFID card**

125Khz EM Proximity Card

Size 86\*54mm

### **ACM-MF1 RFID Crad**

MF1 1K Compatiable Card

### **ACM-ABS003 RFID**

#### **Keyfob**

125Khz EM/13.56Mhz/UHF Keyfob,

Color Optional: Blue,

Red,Black,Yellow, Grey,Green

Quality Warranty

- Warranty Service will be honored if the damage is not caused by human, ACM Goldbridge provides 2 years warranty for relative products.
- On the contrary, ACM Goldbridge will charge extra if repair.
- More information, please browse our service center.

## Our Service

- 1, Any inquiries will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashion design, reasonable & competitive price, fast lead time
- 5, After-sale Service :
  - 1), All products will have been strictly quality checked in house before packing
  - 2), All products will be well packed before shipping
  - 3), All our products have 2-3 year warranty if the damage is not caused by human
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
- 7, Payment : You can pay for the order via : T/T, Western Union, Paypal
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.

## FAQ

Q: 1. How can I place an order?

A: Please list your requirement to us via email. Then we will send the offer to you at earliest time, after order confirmation, we will arrange production ASAP.

Q: 2. What about the payment and shipment?

A: Trade Assurance and T/T, Paypal, Western Union.

Clients can choose by sea, air or express (DHL, FedEx, TNT UPS etc.)

Q: 3. How can I get a sample to check your quality?

A: We could provide free sample to you, and the freight cost paid by you.

Q: 4. How long can I expect to get the samples?

A: It depends on the quantity. Normally 3-7 days for 5000 pcs and 7-15 days for 100,000 pcs

Q: 5. Can your products be customized?

A: Almost all of your products are customized, including the material, size, thickness and printing. OEM orders are highly welcome.

Q: 6. Are you a trading company or factory?

We are one of the biggest manufacturers of RFID cards/NFC tags/RFID keyfobs/RFID wristbands/RFID reader and access control products in China more than 20 years.