Product Description



12V New Door Access Control system Switch DC Power Supply

3A Current power supply

Built-in reverse surge protection and Shortcircuit protection function.

This power supply is suitable for building intercom, various entrances access control, particularly suitable for all kinds of electric locks

Ρ a D đ m е t ₽ a Ð a ട്ടാ е t ė р t i 0 n

\$ 6 mm * 67 mm * 37 mm ripplevoltageUppāntvoltage5 *6Hz Frequency

DG1 PV tvoltage DAtPAt 5A rrent(optional)

⊕u1t‰++v4bb% agetrimrange1.‰a¢1ptability∓11miseDelay

A o c p s s C o n t a o t , E l e c t r i c L o c k , R e l e a s e B u t t o n

albfdtimeadtyp2ms₩@rkt6āg€emperature

Steelmateresabneainted ShoteCtSefiet protection

S α Ċ ŧ a b Ł Ð Ħ b r 0 1 Ε 1 е С t r i С 1 0 С k W a m Ø a ħ

- h
- y

Detailed Images

1: NO terminal and COM terminal, normally open no output, the key trigger output DC12V, connected electronically controlled lock(0-15 seconds delay, a positive, three negative);

2: NC terminal and COM terminal, normally closed output DC12V, after the power button is

triggered, then the electric or magnetic latch, Power locks (0-15 seconds delay, 2 positive, 3 negative); 3: DC12V output voltage regulation, 4 is positive , 5 negative ;

4: open button input terminal (for negative power supply) , which can be accessed switch output(relay output, low)control Electric lock access control system ;

5: open button input terminal (on the positive power supply) , which can be accessed switch output(relay output, high level) control ,Electric lock access control system ;

6: 12V input voltage door, dedicated to the direct control of the output voltage electric lock access control

PRODUCT INTRODUCTION





POSITIVE

BACK






Application


Access Control Power Supply Manual

Input voltage range, small size, high reliability, electromagnetic compatibility, efficiency, protection function, with remote control door, electric lock on the temperature (as compared with the frequency power) greatly reduced. Features: Input voltage: 110 ~ 240V AC: Input Frequency: 50 ~ 60Hz; Output voltage: DC12V; Output Current: 3A; Output voltage trim range: ± 10% ~ ± 15%; Load: 1% typical; Output stability: 0.5% typical; Ripple and noise: 1%, peak to peak (100mVpp typical); Insulation voltage: Junior / sub-polar inter-1500V AC, primary / shell between 1500V AC, subpolar / shell between 500V AC: Hold Time: full load typically 20ms; Operating temperature: -20 ~ +65 °C: Overload protection: All outputs in a short circuit, overload are protected; power output of 0-15 seconds delay locks: Outer steel case size: 120mm × 95mm × 38mm Weight: 315g Output terminal wiring



Attention! then electronically controlled lock must be transferred to 0 seconds delay, to prevent burning of electric locks.

Access controller Keypad



Packing & Delivery

Every order we will check the quality firstly to ensure our customer get the best product. Our staff will pack it carefully to avoid the damage of transportation. We will ship every goods out as soon as possible.



Shipping Way (Just for new customers reference)


We are one of the leading exporter of RFID products in China since 2000 years . With rich international trade experience we know the international shipping very well , We know which express or air/sea line is cheap and safe to your country . We can supply various certificate for you to clean your custom to such as CO , FTA , Form F , Form E ...Ect . We wil provide our professional suggestion for your shipping . EXW , FOB , FCT , CIF , CFR ...trade term are ok for us . We can be your reliable partner for products and shipping .

Click here to order and have your FREE SAMPLE in 3 days!!!

We are professional comprehensive security access control products supplier with 20 years experience, we make sure to offer the best solution of access control system solution! So, send your inquiry details in the below, click "<u>Send</u>" now!


We are looking forward to forming successful business relationships with new clients around the world in the future.

Related Products




ACM-WEG01

It can control 1 door.



ACM-WEG02 It can control 2 door.



ACM-WEG04

It can control 4 door.

You May Like



ACM-K2A/B

No touch Door Realese Exit Button with led

· & .
Thy

ACM-Y280 Surface mounted magnetic lock (280kg/600lbs)



ACM-Y806-5A

Power supply 5A for access control

4	the)	
		6	
	8	9	

ACM225

Touch Keypad RFID Access Control 12khz



ACM-210 Metal Waterproof RFID Wiegand Access Control



ACM26X

125Khz EM Card RFID Reader Size: 115mm×75.5mm×16.8mm



ACM-EMI-S

125Khz TK4100 chip rfid proximity Card



ACM-STICKER RFID stickers,125khz,13.56mhz and 860-960mhz



ACM-WBT-EM Round Shape 125khz 13.56mhz 1K Wristband

Our Company

ACM Shenzhen Goldbridge industrial company

As a one of leading exporter of RFID products in China , we have been in this field for 20 years already . We have rich production and exportation experience on RFID products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader . We are also the access control solution provider.



Our Service

Your satisfactory is our goal.

- 1. Any inquires will be replied within 24 hours
- 2. Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3.0EM/ODM Available
- 4. High quality, fashin desing, reasonable & competitive price, fast lead time
- 5.After-sale Service :
- A:All products will have been strictly quality checked in house before packing

B: All products will be well packed before shipping

C:All our products have 2-3 year warranty if the damage is not caused by human

6. Faster delivery : Around $1 \sim 5$ days for sample order, $7 \sim 30$ days for bulk order

7. Payment : You can pay for the order via : T/T, Western Union, Paypal, Ali trade assurance

8.Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.

Quality Warranty

1.Warranty Service will be honored if the damage is not caused by human, ACM Goldbridge provides 2 years warranty for relative products.

2.On the contrary, ACM Goldbridge will charge extra if repair.

3. More information, please browse our service center.

Our Contact

Contact us

Please send us inquiry and order now to have your FREE SAMPLE in 3 days!!!

We are professional to offer best solution of comprehensive security rfid card access control products supplier with 20 years experience,

So, Contact us and send your inquiry details in the below now!

We are looking forward to forming successful business relationships with new clients around the world in the future.