Transmitter:

• Working voltage: 6VDC (Built-in button battery)

• Operating Current: 8mA

• Powerd by: 2pcs CR2016/3V batteries (Included)

• Service Life of the Battery: 50000 cycles tested

• Transmitting Frequency: 433MHZ

• Key: 1 Key

• Case material: Plastic



WI-FI Remote Control:

• Wi-Fi Standard: 2.4GHz (Can't support 5GHz)

• Voltage: 12VDC

• RF Frequency: 433MHz • Load: Max. 1000W • Standby Current: <0.1W

• Working Mode: Momentary/Toggle • DC Encoding Type: Learning code • Adjustable Locking Delay: 0/5/10sec

• Firing Range: 160 feet(open) in theory, 15%-30% in reality

• No. of Transmitters that are able to connect to one Receiver: Up to 40

How to download APP





eWeLink APP Instruction:

- 1. Download "eWeLink" app in APP Store for iOS or in Google play for Android
- 2. Cut off the power before installing the device. Then power it up after completing the installation
- 3. Press and hold the WIFI-KEY 5 seconds until the green LED flashing fast
- 4. The APP will auto-search and connect access control keypad around you
- 5. Input home WiFi SSID & password. (If no password, keep it blank)
- 6. eWelink will search the device and add it to your account, it takes 1-3 minutes. When this complete, you can give your device a name



Electric Magnetic Lock:

• Input Voltage: 12VDC

• Current: 500mA

• Holding Force: 280Kg/600Lbs

• Output Contact: NO/NC/COM; LED: Red shows locked; Green shows unlocked

• Lock Size: 250Lx48.5Wx25H(mm) / 9.84"x1.91"x0.98"

• Armature Plate Size: 180Lx38Wx11H(mm) / 7.09"x1.5"x0.43"

• Suitable: Wooden door, Glass door, Metal door, Fireproof door

• Cover Finish: Anodized aluminum

• Lock Finish: Zinc

• Armature Plate Finish: Zinc



Push to Exit Button:

- Dimensions: 90Lx35Wx26.5H(mm) / 3.54Lx1.38Wx1.04H(inch)
- Standard Structure: Stainless steel Panel, Steel Button
- Mechanical Life: 500000 tested
- Current Rating: 3A@36VDC Max
- Output Contact: NO/COM
- Operating Temp: 10~+55°C(14-131F)
- Operating Humidity: 0-95% (relative humidity)
- Panel Material: Stainless steel Panel, Wire Drawing Finished
- Suitable for hollow door



Adapter:

• Type: 12V 1A Power Supply Wall Charger

• Input: AC100V-240V 50/60Hz

Max Output: DC12V / 1A (1000mA)
AC Cord length: 4 feet / 1.2meter

• Wire Type: 22AWG

• Output transformer adapter : 5.5X2.1mm (Inside diameter 2.1mm, Outside diameter 5.5mm)

• Net weight: 66g / 2.3oz

• Certificate: FCC



Package:

- 1 x Electromagnetic lock
- 1 x Remote receiver
- 2 x Remote transmitters
- 1 x Exit button
- 1 x Power adapter
- 1 x Buzzer
- 1 x English manual

Support OEM /ODM

Security ForAll

Proximity Card

RFID Key fob



125Khz Proximity Card: F08 Mifare 1K Card: NXP S50 Mifare 1K Card: NXP S70 Mifare 4K Card: Temic T5577 Blank Card:



125Khz EM: F08 Mifare 1K:

Biometric/Face/RFID Standalone Access Control











Standalone Waterproof Metal RFID Access Control













ACM-208A ACM-209A ACM-208B ACM-230T











Long range UHF RFID Reader /Writer











Access Control Door Electromagnetic Lock











Eletric Deadbolt Lock /Rim Lock / Fingerprint Lock











Access Control Power Supply & Door Release Button









PRODUCT CATEGORY

RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.







ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control



RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,







ELECTRONMAGNETIC

LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG



FAQ

- Q1 How can I place an order?
- Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.
- Q2 What about the payment and shipment?
- T/T, Paypal, Western Union etc.
 You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)
- Q4 How can I get a sample to check your quality?
- We could provide the sample to you, pls check the sample cost and freight cost with us.
- Q5 How long can I expect to get the goods?
- A5 It depends on the quantity and shipping way. You can check with us before ordered.
- Q6 Can your products be customized?
- Almost all of our products are customized, including the material, size, thickness and printing. OEM orders are highly welcome.