

## Product Description

### **Hot Sale NFC Tag Social Media for Phone NFC Event Tag Durable Waterproof NTAG213/215/216 Chip Epoxy NFC Sticker Tag**

Features:

- 1: Normal size or mirco size can less than 10mm, 8.7mm,5\*5mm etc
- 2: Aluminum or double copper antenna that are soft can suit any shape of products.
- 3: PET waterproof, resistance of chemical and heating or PVC, Paper
- 4: Custom 4C LOGO printing or white sticker, wet inlay face customers different requirements.
- 5: Can be anti metal, suitable for metal surface
- 6: Shape and size can be customized
- 7: Pack by pcs or roll perfect fit your installation



H  
o  
b  
s  
a  
c  
k  
N  
E  
E  
d  
S  
a  
g  
S  
o  
c  
i  
a  
l  
M  
e  
d  
i  
a  
f  
o  
r  
p  
h  
o  
n  
e  
N  
F  
C  
E  
v  
e  
n  
t  
T  
a  
g  
D  
u  
r  
a  
b  
l  
e  
W  
a  
t  
e  
r  
p  
r  
o  
o  
f  
N  
T  
A  
G  
2  
1  
3  
/  
2  
1  
5  
/  
2  
1  
6  
C  
h  
i  
p  
E  
p  
o  
x  
y  
N  
F  
C  
S  
t  
i  
c  
k  
e  
r  
T  
a  
g  
M  
a  
a  
e  
e  
p  
h  
p  
e  
r  
p  
v  
c  
o  
p  
o  
x  
y  
A  
B  
S  
e  
t  
c



Num  
bers  
spr  
in  
ting  
(S  
er  
ia  
l  
N  
o  
&  
C  
h  
i  
p  
U  
l  
D  
e  
t  
c  
)  
Q  
R  
B  
ar  
c  
o  
d  
e  
e  
t  
c  
C  
h  
i  
p  
p  
r  
o  
g  
r  
a  
m  
/  
e  
n  
c  
o  
d  
e  
/  
l  
o  
c  
k  
/  
e  
n  
c  
r  
p  
t  
i  
o  
n  
w  
i  
l  
l  
b  
e  
a  
v  
a  
i  
l  
a  
b  
l  
e  
a  
s  
w  
e  
l  
l  
(  
U  
R  
L  
/  
T  
E  
X  
T  
/  
N  
u  
m  
b  
e  
r  
a  
n  
d  
V  
c  
a  
r  
d  
)  
E  
p  
o  
x  
y  
/  
H  
o  
l  
e  
p  
u  
n  
c  
h  
e  
t  
c

D  
i  
a  
m  
e  
t  
e  
r  
2  
5  
m  
m  
.  
3  
m  
m  
.  
3  
5  
m  
m  
.  
4  
m  
m  
.  
5  
m  
m  
s  
t  
o  
c  
k  
e  
m  
o  
u  
l  
d  
s  
i  
z  
e  
.  
5  
.  
9  
m  
m  
t  
h  
i  
c  
k  
n  
e  
s  
s  
O  
E  
M  
s  
i  
z  
e  
.  
s  
h  
a  
p  
e  
a  
n  
d  
c  
r  
a  
f  
t  
s  
a  
c  
c  
o  
r  
d  
i  
n  
g  
t  
o  
y  
o  
u  
r  
e  
n  
g  
i  
n  
e  
e  
r  
i  
n  
g

## RFID Chip Technical Data

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				


Details Image

SHARE YOUR SOCIAL MEDIA, BUSINESS OR MUSIC WITH ONE TAP



- ✔ Share Your Profiles with one tap
- ✔ Easy set up and link management


Just touch to save or share your contact information.











## Packing & Delivery



## Application

### Factory Supplier 25mm/30mm NFC Printable Mobile Phone Tap Anti-metal Sticker Tag to Share Social Media Business Profile

Features:

- 1: Normal size or mirco size can less than 10mm, 8.7mm, 5\*5mm etc
- 2: Aluminum or double copper antenna that are soft can suit any shape of products.
- 3: PET waterproof, resistance of chemical and heating or PVC, Paper
- 4: Custom 4C LOGO printing or white sticker, wet inlay face customers different requirements.
- 5: Can be anti metal, suitable for metal surface
- 6: Shape and size can be customized
- 7: Pack by pcs or roll perfect fit your installation



Product Summary  
25mm / 3mm  
NFC  
Printable  
Mobile  
Phone  
Setup  
Antenna  
Metal  
Stainless  
Steel  
Ker  
T  
Tag  
to  
Share  
Share  
Social  
Media  
Business  
Support  
Online  
Mobile  
App  
Developer  
Product  
Support  
FAQ  
About  
Contact



Num  
bers  
spr  
in  
ting  
(S  
er  
ia  
l  
N  
o  
&  
C  
h  
i  
p  
U  
l  
D  
e  
t  
c  
)  
Q  
R  
B  
ar  
c  
o  
d  
e  
e  
t  
c  
C  
h  
i  
p  
p  
r  
o  
g  
r  
a  
m  
/  
e  
n  
c  
o  
d  
e  
/  
l  
o  
c  
k  
/  
e  
n  
c  
r  
p  
t  
i  
o  
n  
w  
i  
l  
l  
b  
e  
a  
v  
a  
i  
l  
a  
b  
l  
e  
a  
s  
w  
e  
l  
l  
(  
U  
R  
L  
/  
T  
E  
X  
T  
/  
N  
u  
m  
b  
e  
r  
a  
n  
d  
V  
c  
a  
r  
d  
)  
E  
p  
o  
x  
y  
/  
H  
o  
l  
e  
p  
u  
n  
c  
h  
e  
t  
c

D  
i  
a  
m  
e  
t  
e  
r  
2  
5  
m  
m  
.  
3  
m  
m  
.  
3  
5  
m  
m  
.  
4  
m  
m  
.  
5  
m  
m  
s  
t  
o  
c  
k  
e  
m  
o  
u  
l  
d  
s  
i  
z  
e  
.  
5  
.  
9  
m  
m  
t  
h  
i  
c  
k  
n  
e  
s  
s  
O  
E  
M  
s  
i  
z  
e  
.  
s  
h  
a  
p  
e  
a  
n  
d  
c  
r  
a  
f  
t  
s  
a  
c  
c  
o  
r  
d  
i  
n  
g  
t  
o  
y  
o  
u  
r  
e  
n  
g  
i  
n  
e  
e  
r  
i  
n  
g

## RFID Chip Technical Data

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				

Details Image

SHARE YOUR SOCIAL MEDIA, BUSINESS OR MUSIC WITH ONE TAP




- ✔ Share Your Profiles with one tap
- ✔ Easy set up and link management



## What you can share:



Just touch to save or share your contact information.








				
Dia.15/18	Dia.20/25/30	Dia.35/40/50	30 × 30 40 × 40	45 × 45 50 × 50
0.5g	0.8g	2.5g	1.5g	2.0g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF	LF/HF	LF/HF/UHF	LF/HF/UHF	LF/HF/UHF
				
40 × 30 45 × 22	54 × 27 65 × 25	Dia.30(Outer) Dia.5 (Inner)	Dia.35(Outer) Dia.14 (Inner)	Dia.70(Outer) Dia.50 (Inner)
2.5g	2.5g	2.5g	2.5g	2.5g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF/UHF	LF/HF	LF/HF	LF/HF	LF/HF



Laminated PVC



Transparent PVC Tag



Tag with Epoxy



Self-adhesive Tag



On Metal Tag



Laser printing

Application

# APPLICATIONS



## OPENGED OR NOT

NFC helps you to find out  
More information  
Sourcing

## Cashless Pay

One Mobile phone  
One World  
Easy Pay & Modern Life  
High Security



## DATA Exchanging


Easy & Fast  
Exchanging personal info  
No need business card

## Social Media

Launching your App  
Connecting the world  
Sharing with friend  
Cool, funny and convenient



## Related Products



### **ACM-EMI-S**

125Khz TK4100 chip rfid proximity  
Card

### **ACMM-MF1**

13.56mhz MF1K compatible F08

RFID card

## ACM-INLAY

125khz,13.56mhz,860-960mhz card  
inlay



## ACM-S001-UHF

UHF anti-tamper label for car  
parking system

## **ACM-UHF-P Windshield Sticker**

860-960Mhz windshiled sticker for car management

## **ACM-NFC-Sticker**

NFC tag label for phone payment management

- 1,Any inquires will be replied within 24 hours**
- 2, Professional manufacturer and supplier, Welcome to visit our website and ourfactory**
- 3, OEM/ODM Available**
- 4, High quality, fashin desing, reasonable & competitive price, fast leadtime**
- 5, After-sale Service :**
  - 1) All products will have been strictly quality checked in house before packing**
  - 2) All products will be well packed before shipping**
  - 3) All our products have 2-3 year warranty if the damage is not caused by human**
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 daysfor bulk order**
- 7, Payment : You can pay for the order via : T/T, Western Union,Paypal, Ali trade assurance**
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS,EMS, Forwarder by SEA and By AIR, You also can choose your own shippingforwarder.**

### **Quality warranty:**

Warranty service will be honored if the damage is not caused byhuman, ACM Goldbridge provides 2 years warranty for relative products. On the contrary, ACM Goldbridge willcharge extra if repair. More information, please browse ourservice center.

## **FAQ**

### **Q: 1. How can I place an order?**

**A:**Please list your requirement to us via inquiry. Then we will send the offer to you at earliest time,after order confirmation,we will arrange production ASAP.

### **Q: 2.What aboutthe payment and shipment?**

**A:**Trade Assurance and T/T ,Paypal, Western Union.

Clients can choose by sea, air or express(DHL,FedEx, TNT UPS etc.)

### **Q: 3. How can i get a sample tocheck your quality?**

**A:**We could provide free sample to you, and the freight cost payed by you.

### **Q:4. How long can I expect toget the samples?**

**A:**It depends on the quantity. Normally 3-7 days for 5000pcs and 7-15 days for100,000pcs

**Q:5. Can your products be customized?**

**A:Almost all of your products are customized ,including the materia, size,thickness and printing. OEM orders are highly welcome.**

**Q:6.Are you a trading companyor factory?**

**We are the one of the biggest manufacturer of RFID cards/NFCtags/RFID keybod /RFID wristband in China more than20 years.**