Product Description


4 Antenna Ports 25m Long Range Low Power Consumption High Reading Speed impinj R2000 Chip UHF Reader Module





RFID MODULE


4ports 25m long range low power consumption high reading speed anti-collision impinj R2000 Chip uhf rfid reader module




Product technical parameter

Model number	ACM-MU10M ACM-MU13M ACM-MU82M ACM-MU85M ACM-MU89M			
Frequency	865~868MHz (EU),902~928MHz(US)			
Protocol	ISO180L0-6C9EPC GEN2)			
RF power	30dbm (adjustable)			
Current Dissipation	1500mA			
Inventory speed	200pcs/s			
Work mode	answer mode/real-time inventory mode			
Read distance	0~15m(depends on antenna and tag)			
Power supply	+3.7~5VDC (low power dissipation)			
Interface	RS232 (3.3V TTL level)			
Antenna ports qty	With four antenna ports			
Connector for antenna	SMA			
GPIO	2 input and 2 outputs			
Firmware upgrading	Support			
Operation temperature	-20~+55C			
Storage temperature	-20~+85C			
Size	76*65*11mm			
Weight	44g			

Product show









Product show

Module connect with interface board through wire cable

Module connect with antenna through MMCX connector



Related Products

Shenzhen Goldbridge focus on innovation R&D production and sales of IOT RFID products and application solution, rfid reader category including UHF desktop reader writer, UHF integrated reader, UHF R2000 fixed reader, UHF OEM module, RFID handheld reader, uhf rfid tags, active 2.4G rfid reader, EM 125KHZ Long range reader, industrial RFID hardware and integrated software, obtained the national high-tech enterprise certification FCC, CE and ROHS.

Raleted Long distance range RFID Reader & Tags ACM-803A -9dbi ACM-812A -8dBi ACM-811A-8dBi Muti-tag Reader, 2-6 meter, 235x235x57mm 6-9 meters, 255x255x45MM 6-10 meters, 260X260X45mm ACM-819A-12dBi Muti-tag Reader, ACM217-UHF UHF Reader and Writer - Provide Free program and SDK ACM919L 4 Ports UHF Reader Impinj R2000 ,270mm*180mm*27mm 10-20 meters, 460x460x55MM ACM08Y ACM8017 UHF Handheld Reader ACM09G-TCP/IP Or Wiegand UHF +WIFI+GRPS Quad Active 2.4G Reader 30-70meter, RFID EM 125Khz 70cm-1meter Band+Barcode 1D/2D Provide FREE SDK and Demo Middle long range Reader ACM-MU13M One Port Module Korea certificate 0-15m Size: 8x25x3.5mm ACM-MU82M 4 Antennas Ports Module ACM-MU85M One Antenna Port Module-30dbm adjustable 0-15m 4ports 25m speed anti-collision impinj R2000 used for handheld reader. ,55.5x39.5x7.6mm 67.5mmx51mmx7.9mm UHF Anti-metal Tag, Anti-tamper windshield sticker UHF ISO PVC Card Tag, 86x54mm ACM-UHF-M3: 135x22x12mm tag (ACM-S001) (ACM-UHF Card) ±2mm

Email: sales@goldbridgesz.com Web: http://www.goldbridgesz.com

About Us

Similar Products



GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company



As a one of leading exporter and manufactuer of RFID products in China, . We have been in this field for 17 years already. We have rich production and exportation experience on RFID products. Our strength products are: RFID card, RFID keyfob, RFID wristband, RFID tag and various RFID reader. We are also the access control solution provider.

FACTORY PHOTOS















