

## Product Description

### **Wiegand Touch-Screen Waterproof security door lock standalone access card systems RFID Card Keypad Reader Access Control System**

ACM-A30 Waterproof metal Standalone Access Controller, for single door entrance, with card reader and keyboard input in one function, Support Wiegand output&input, can be used as a card reader. Built-in data memory, quickly identify proximity readers



P  
a  
P  
a  
m  
e  
t  
e  
t  
D  
a  
s  
a  
m  
e  
p  
e  
r  
o  
n

P  
o  
w  
e  
r  
D  
e  
p  
h  
y  
:  
A  
c  
c  
u  
n  
t  
e  
n  
f  
a  
c  
e  
a  
c  
e  
1  
1  
5  
S  
x  
1  
7  
z  
x  
6  
2  
2  
m  
m

W  
G  
2  
6  
/  
3  
4  
i  
W  
p  
a  
g  
a  
n  
d  
o  
u  
t  
p  
u  
t  
p  
o  
r  
t  
U  
s  
e  
r  
c  
a  
a  
p  
a  
c  
i  
t  
y  
E  
M  
f  
D  
t  
a  
p  
d

R  
e  
l  
a  
t  
i  
v  
e  
b  
e  
n  
e  
f  
i  
t  
i  
t  
y  
:  
4  
d  
i  
p  
n  
q  
n  
s  
r  
s  
p  
w  
p  
n  
o  
n  
o  
o  
d  
e

1  
2  
5  
K  
H  
z  
E  
M  
b  
m  
p  
a  
5  
6  
h  
h  
e  
C  
a  
a  
n  
d  
a  
r  
d  
c  
a  
r  
d

C  
a  
r  
d  
R  
e  
a  
d  
i  
n  
g  
D  
i  
s  
h  
a  
n  
c  
e

S  
i  
l  
v  
e  
r  
/  
R  
e  
d  
b  
r  
o  
n  
z  
e  
A  
G  
n  
e  
n  
B  
t  
e  
n  
b  
o  
l  
d  
e  
n  
/  
W  
h  
i  
t  
e  
B  
r  
o  
n  
z  
e

C  
A  
R  
D  
P  
e  
R  
I  
N  
g  
M  
A  
R  
D  
e  
R  
I  
N  
W  
e  
i  
t  
h  
G  
:  
1  
9  
P  
X  
P  
I  
C  
S  
K  
U  
S  
X  
X  
S  
S  
e  
:  
m  
m

## Advantage

- 1.completely independent access control, directly through the keyboard to achieve password, card management and other functions.
- 2.supports Wiegand 26 output&input, can be used as a card reader.
- 3.support card, password, card with password three seed certification management.
- 4.reader sensor with high sensitivity, less than 0.1 seconds.
- 5.supports a password to open the door, stand-alone card capacity up to 8000.
- 6.high-quality stainless steel materials, with tamper alarm and door sensor alarm



functions.

7.exit button and doorbell input function.

## Product function

- ◆ Touch panel, doorbell button
- ◆ Metal case with blue backlight
- ◆ WG26/34 input/output
- ◆ Support Card, Pin, Card + PIN
- ◆ Full programming from the keypad
- ◆ Humanized tamper alarm function
- ◆ Can set up a management card
- ◆ Active and passive lock signal output
- ◆ Imported double point relay output signal
- ◆ Contactless for RFID transponder technology
- ◆ Connection for external release button (Exit button)
- ◆ Memory capacity: 8000 user cards and 1 passwords
- ◆ Does not need to connect on computer, it can works alone
- ◆ The same series of access control support data copy and backup
- ◆ Can be used when the password read head and one machine



## Product Show

ACM-A30 Metal Standalone Rfid Door Access Control Capacity of Cards 8000 Users with Metal Keypad and LED Indicators

# Welcome To Goldbridge Ltd

## ACM-A30 touch metal access controller

RFID card,  
password,  
RFID card+password,  
8000 users, large capacity !



Lightning delivery



Global sales



Package mail



Technical support



After-sale

Available Color for Touch Keypad Access Control. And [Support OEM/ODM](#)



Red Bronze



Green Bronze



Golden



Silver



White Bronze

[Detailed Image](#)

Supports Wiegand 26/34 output, can be used as a card reader door access control


## ACM-A30 Model

---





## Wiring diagram



Attention when electronically controlled lock must be transferred to 0 seconds delay, to prevent burning of electric lock.

## You May Like

We are Professional Access Control Manufacturer, We have Full System for Access Control Product as below:



### ACM223

Touch Keypad RFID & Keypad Access Control , 125Khz EM 1000/4000 USer capacity

## ACM209-NW

Keypad Metal RFID Single door  
AccessControl (Non-waterproof),  
125Khz EM

## ACM208

Waterproof RFID Single door Access  
Control and Reader



## ACM210

Metal RFID Single door Access Control  
(Non-waterproof)

## ACM225

Touch Keypad RFID Access  
Control, 125Khz EM, Can connect  
wiegand reader

## ACM211B

Touch Keypad Metal case Waterproof  
RFID Access Control, Can connect  
wiegand reader

## Our Service

- 1, Any inquiries will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashion design, reasonable & competitive price, fast lead time
- 5, After-sale Service :
  - 1), All products will have been strictly quality checked in house before packing
  - 2), All products will be well packed before shipping
  - 3), All our products have 2-3 year warranty if the damage is not caused by human
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
- 7, Payment : You can pay for the order via : T/T, Western Union, Paypal, Ali trade assurance
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.

## FAQ

### **Q: 1. How can I place an order?**

A: Please list your requirement to us via mail. Then we will send the offer to you at earliest time, after order confirmation, we will arrange production ASAP.

### **Q: 2. What about the payment and shipment?**

A: Trade Assurance and T/T, Paypal, Western Union.  
Clients can choose by sea, air or express (DHL, FedEx, TNT UPS etc.)

### **Q: 3. How can I get a sample to check your quality?**

A: We could provide free sample to you, and the freight cost paid by you.

### **Q: 4. How long can I expect to get the samples?**

A: It depends on the quantity. Normally 3-7 days for 5000pcs and 7-15 days for 100,000pcs

### **Q: 5. Can your products be customized?**



A: Almost all of your products are customized ,including the materia, size, thickness and printing. OEM orders are highly welcome.

**Q:6.Are you a trading company or factory?**

We are the one of the biggest manufacturer of RFID cards/NFC tags/RFID keybod /RFID wristband□rfid reader and access control products in China more than 20 years.