

Product Description:

Single Wiegand input converter to TCP/IP, Wiegand converter to Ethernet, WG26-TCP converter

Specification:

The Wiegand Network TCP/IP converter module uses the TCP SERVER/CLIENT protocol or the UDP SERVER/CLIENT protocol, which can be agreed with the software developer.

The default IP address is 192.168.0.7 (can be changed according to actual needs)

Default listening port: 20108 (can be changed)

Converter size: 83×71×25mm

Housing: aluminum alloy

Description:

The interfaces such as RS232, RS485, and USB in the protocol converter are unified, but the protocols are not uniform. There are no international standards, national standards, and industry standards. Therefore, commercially available products have different data on the same interface (data is in different forms such as hexadecimal, length, and format). The network card reader is an inductive card reader. After each card reading, the device number, IP address number and card number of the device are sent to a specific IP address of the network. The signal can be received and processed by a PC, a network server or other network device. (such as recording reading card events, time attendance management, patrol management), you can also send control commands to other devices (such as access controllers) to start the operation of specific functions (such as opening the door).

The converter comes with two Wiegand interfaces and a network RJ45 interface, which can realize two-way data conversion between the two Wiegand interfaces and the network; the Wiegand26 and Wiegand34 formats are supported by default, and can be customized according to user requirements.


Wiegand conversion Network TCP/IP module basic functions

1. The network interface uses a mature network module, 10/100M adaptive;
2. Support DHCP or fixed IP;
3. Support TCP SERVER/CLIENT; UDP SERVER/CLIENT;
4. Support settings such as gateway DNS;
5. Custom MAC address;
6. It can run across gateways, switches and routers, and is applicable to various LAN, enterprise network, Internet and other network environments;
7. Aluminum alloy casing for easy installation and use;
8. The RS485 interface is reserved on the circuit board for extended applications.

The converter requires a power supply of 9-24V 100mA. (Please determine if the reader supply voltage matches when using 24V power supply)



WG to TCP Converter diagram



Our Service

- 1, Any inquiries will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashion design, reasonable & competitive price, fast lead time
- 5, After-sale Service :
 - 1), All products will have been strictly quality checked in house before packing
 - 2), All products will be well packed before shipping
 - 3), All our products have 2-3 year warranty if the damage is not caused by human
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
- 7, Payment : You can pay for the order via : T/T, Western Union, Paypal, Ali trade assurance
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.

Quality Warranty

- Warranty Service will be honored if the damage is not caused by human, ACM Goldbridge provides 2 years warranty for relative products.
- On the contrary, ACM Goldbridge will charge extra if repair.
- More information, please browse our service center.

Our Company

ACM Shenzhen Goldbridge industrial company

As a one of leading manufacturer and exporter of RFID and access control and electric door locks products in China , We have been in this field for 20 years already . We have rich production and exportation experience on RFID access control locks products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader, UHF long range reader, electric door locks, . We are also the access control solution provider .



Contact us

Please send us inquiry and order now to have your FREE SAMPLE in 3 days!!!

We are professional and make sure can offer best solution of comprehensive security rfid card access control products supplier with 20 years experience,

So, Contact us and send your inquiry details in the below now!

We are looking forward to forming successful business relationships with new clients around the world in the future !



**SHENZHEN GOLDBRIDGE
INDUSTRIAL CO., LTD**

Address:

Building 405,Shangbu Industrial Area,Futian
District,Shenzhen China, 518031
Tel: +0086-755-83767678 Fax:
+0086-755-88391348
Contact Person: Lily Jiang
Mob/whatsapp/wechat:
+0086-13554918707
Skype: lily-jiang1206
E-mail: sales(at)goldbridgesz.com
Website: <http://www.goldbridgesz.com>

Send your message to this supplier