

Related UHF R2000 Fixed Reader


TCP/IP 8 ports Impinj R2000 Chip UHF Fixed RFID Readers



Product technical parameter

| | |
|----------------------|--|
| Model number | ACM-919L |
| Engine | Design based on Impinj R2000 chip |
| Frequency | 865 ~868MHz (EU standard),902-928MHz (US standard) |
| Protocol | ISO18000-6B/6C(EPC GEN2) |
| Work mode | Answer Mode,Real-time Inventory,Trigger Mode |
| Reading range | 1~15m (depends on antenna gain) |
| Tag buffer size | 700pcs (Max. 496bits EPC length) |
| Inventory | Support EPC and TID inventory |
| Antenna ports | 8 TNC antenna ports |
| Interface | RS232/RS485/TCP/IP/USB/POE/WiFi (optional) |
| Support | RSSI |
| RF power | 33dbm (adjustable) |
| Power supply | 9V |
| Current Dissipation | 0.5~1.2A |
| Reader Size | 270*180*27mm |
| Net weight | 1.3kg |
| Package size | 310*230*140mm |
| Package gross weight | 2.5kg |
| Operating Temp | -10~+60 C |
| Storage Temp | -20~+75 °C |

Product show



Product show

Spare parts:Spare parts:1pc
reader,1pc RS232 cable,
1pc USB cable,
1pc power adapter, 1pc plug

Reader dimension:
Reader Size:270x180x27mm



Shenzhen Goldbridge focus on innovation R&D production and sales of IOT RFID products and application solution, rfid reader category including UHF desktop reader writer, UHF integrated reader, UHF R2000 fixed reader, UHF OEM module, RFID handheld reader, uhf rfid tags, active 2.4G rfid reader, EM 125KHZ Long range reader, industrial RFID hardware and integrated software, obtained the national high-tech enterprise certification FCC, CE and ROHS.

Raleded Long distance range RFID Reader & Tags

| | | |
|--|--|---|
|  |  |  |
| ACM-812A -8dBi 2-6 meter , 235x235x57mm | ACM-803A -9dbi 6-10 meters,260X260X45mm | ACM-811A-8dBi Multi-tag Reader, 6-9 meters, 255x255x45MM |
|  |  |  |
| ACM217-UHF UHF Reader and Writer - Provide Free program and SDK | ACM919L 4 Ports UHF Reader Impinj R2000 ,270mm*180mm*27mm | ACM-819A-12dBi Multi-tag Reader, 10-20 meters, 460x460x55MM |
|  |  |  |
| ACM8017 UHF Handheld Reader UHF +WIFI+GRPS Quad Band+Barcode 1D/2D | ACM09G-TCP/IP Or Wiegand Active 2.4G Reader 30-70meter, Provide FREE SDK and Demo | ACM08Y RFID EM 125Khz 70cm-1meter Middle long range Reader |
|  |  |  |
| ACM-MU85M One Antenna Port Module- 30dbm adjustable 0-15m used for handheld reader. ,55.5x39.5x7.6mm | ACM-MU82M 4 Antennas Ports Module 4ports 25m speed anti-collision impinj R2000 67.5mmx51mmx7.9mm | ACM-MU13M One Port Module Korea certificate 0-15m Size: 8x25x3.5mm |
|  |  |  |
| UHF Anti-metal Tag, ACM-UHF-M3: 135x22x12mm ±2mm | Anti-tamper windshield sticker tag (ACM-S001) | UHF ISO PVC Card Tag , 86x54mm (ACM-UHF Card) |

About Us

Similar Products



GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company



As a one of leading exporter and manufacturer of RFID products in China , . We have been in this field for 17 years already . We have rich production and exportation experience on RFID products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader . We are also the access control solution provider .

FACTORY PHOTOS



Our Certificate

