

Product Description



Electronic intelligent electric rim mechanical combination lock for locker electro mechanical lock

single-end Electric Control Lock.can be opened by electric devices, turning the button or key.Suitable for right open door.It is highly secured and anti-theft.It also can avoid the someone to open the lock with other tools.

P
a
P
a
m
e
t
e
r
D
e
s
a
m
e
p
e
r
o
n

O
p
e
n
i
n
g
~~S~~
I
s
c
k
t
i
m
e
R
e
m
o
t
e
c
o
w
t
r
h
l
h
ā
h
d
i
s
t
a
n
c
e
C
e
r
t
C
E
I
M
A
t
i
o
n

Product Show

Features

1. Uses nice control system and automatically lock door by induction
2. If customer's want to replace general electric lock, timesaving, convenient, because hole of installation lock is consistent
3. There is no direction restriction, left, right, inside and outside and all kinds of other direction also apply No shock, automatically reset, low noise, low power consumption and small requirements for door closer
4. Lock size: 130x98x41mm
5. With feedback signal and LED light
6. Working voltage: 12 to 18V
7. Working current: 100mA

Detailed Images , OEM/ODM available More details for front side/back side and Accessories




Our electric control lock has used most advanced production skills and best production technologies.

The lock can be opened by electric devices, turning the button or key. It is highly secured and anti-theft. It also can avoid the someone to open the lock with other tools.


This lock can be used for the gates of residential buildings, especially the public door of the residence, governmental buildings, schools, hotels, factory warehouse etc. It also compatible with electric control door.

The coil inside the lock is flame proof. It will not be on fire when operating a long time. if power on but the lock can not function, please check the installation or send it to the agent to repair.
The internal structure of this lock has been improved which will prevent from opening the lock by knocking on it. this will make you safer.



Installation Diagram

Electric control locks all kinds installation schematic diagram



Packing & Delivery

Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR
You also can choose your own shipping forwarder.

Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,
Carton size : 26*26*10cm , Gross Weight :46kg. 50 cartons per pallet



Related Products



ACM-Y090

Intelligent Smart Lock (motor lock)
Lock size: 125x98x36mm

ACM-Y091

Intelligent Smart Lock (motor lock)
Lock size: 125x98x36mm

ACM-Y066

Intelligent Smart Lock (motor lock)
Lock size: 130x98x41mm



ACM-Y062

Intelligent Smart Lock (motor lock)
Lock size: 130x98x41mm

ACM-Y043

Intelligent Smart Lock (motor lock)
Lock size: 126x101x39mm

ACM-Y044

Intelligent Smart Lock (motor lock)
Lock size: 126x101x39mm



ACM-Y034

Intelligent Smart Lock
Lock size: 148×107×35 mm

ACM-Y037

Intelligent Smart Lock
Lock size: 125×98×36 mm

ACM-Y048

Intelligent Smart Lock
Lock size: 140×116×55 mm

You may need



ACM-Y100S

Electric Bolt Lock (5PIN) Fail safe
electric bolt with magnetic feature

ACM-Y130

Electric strike Lock (NC/NO Optional)
Lock Size : 110x28x31mm

ACM-Y280

Surface mounted magnetic lock
(280kg/600lbs)

Our Service

- 1, Any inquires will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashin desing, reasonable & competitive price, fast lead time
- 5, After-sale Service :
 - 1), All products will have been strictly quality checked in house before packing
 - 2), All products will be well packed before shipping
 - 3), All our products have 2-3 year warranty if the damage is not caused by human
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
- 7, Payment : You can pay for the order via : T/T, Western Union, Paypal.
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.