Product Description

Product Description

Features:

- 1. Reading and writing in equipment limited area above 0-60 CM of the narrow space;
- 2. Provide setups SDK, and can provide C#,VC,VB,Java development routines;
- 3. EPC area, reservations, the user area support locking unlock function, can be used for privacy and security requirements of high occasion;
- 4. Support adjacent discriminant function, can prevent with a card in short time (1-255 seconds adjustable) upload repeat inside;
- 5. Supports fast write operation, convenient for reading and writing.

Product Description:

Specifications					
Working Frequency	902~928 MHz or 865~868MHz				
Protocol	ISO18000-6C(EPC C1 GEN2)				
Communication port	Left USB to serial port / Right USB to Data output				
Software & SDK	DEMO and C#,VC,VB,Java,DELPH, etc.,				
Encryption	Can be directly encrypted, copy prevention.				
Reading range	Stable reading 0~60cm				
Writing range	Stable writing 0~10cm				
Physical parameters					

Adaptor	USB	
Output power	0∼17dBm	
Working temperature	-20°C∼+55°C	
Storage temperature	-20℃~+55℃	
Item size	142x 85x20mm	
Package size	180x120x50mm	
Net weight	500g	

ABS

Products Show:

Shell material




Back Design in Black







Software Interface:



Application:

Intelligent traffic such as ETC;

Customs border-crossing, parking lot, automatic weighting;

Logistics such as container management, pallet management, asset management etc;

Ticketing& access control;

Pharmaceuticals such as medical waste management, etc.

Related Products

Shenzhen Goldbridge focus on innovation R&D production and sales of IOT RFID products and application solution, rfid reader category including UHF desktop reader writer, UHF integrated reader, UHF R2000 fixed reader, UHF OEM module, RFID handheld reader, uhf rfid tags, active 2.4G rfid reader, EM 125KHZ Long range reader, industrial RFID hardware and integrated software, obtained the national high-tech enterprise certification FCC, CE and ROHS.?

Raleted Long distance range RFID Reader & Tags ACM-803A -9dbi ACM-812A -8dBi ACM-811A-8dBi Muti-tag Reader, 2-6 meter, 235x235x57mm 6-9 meters, 255x255x45MM 6-10 meters, 260X260X45mm ACM-819A-12dBi Muti-tag Reader, ACM217-UHF UHF Reader and Writer - Provide Free program and SDK ACM919L 4 Ports UHF Reader Impinj R2000 ,270mm*180mm*27mm 10-20 meters, 460x460x55MM ACM08Y ACM8017 UHF Handheld Reader ACM09G-TCP/IP Or Wiegand UHF +WIFI+GRPS Quad Active 2.4G Reader 30-70meter, RFID EM 125Khz 70cm-1meter Band+Barcode 1D/2D Provide FREE SDK and Demo Middle long range Reader ACM-MU13M One Port Module Korea certificate 0-15m Size: 8x25x3.5mm ACM-MU82M 4 Antennas Ports Module ACM-MU85M One Antenna Port Module-30dbm adjustable 0-15m 4ports 25m speed anti-collision impinj R2000 used for handheld reader. ,55.5x39.5x7.6mm 67.5mmx51mmx7.9mm UHF Anti-metal Tag, Anti-tamper windshield sticker UHF ISO PVC Card Tag, 86x54mm ACM-UHF-M3: 135x22x12mm tag (ACM-S001) (ACM-UHF Card) ±2mm

Email: sales@goldbridgesz.com Web: http://www.goldbridgesz.com

About Us

Similar Products



GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company



As a one of leading exporter and manufactuer of RFID products in China, . We have been in this field for 17 years already. We have rich production and exportation experience on RFID products. Our strength products are: RFID card, RFID keyfob, RFID wristband, RFID tag and various RFID reader. We are also the access control solution provider.

FACTORY PHOTOS













