

Goldbridge Wiegand RS485 Converter WG With Exit Button Switching Signal Bidirectional Transmission Access Control Reader

Parameter	Single Door Control Panel	Multi Door (2) Control Panel	Multi Door (4) Control Panel
ACM Model	ACM-WG01	ACM-WG02	ACM-WG04
Communication	TCP/IP and RS485	TCP/IP and RS485	TCP/IP and RS485
Description	Control 1 door, get in and out door by swiping card, or get in by swiping card and get out door by button	Control 2 doors, get in and out door by swiping card, or get in by swiping card and get out door by button	Control 4 doors, get in the door by swiping card, and get out door by button
Size of PCB board	160mm *106mm	160mm *106mm	218mm *106mm
Size of Case	273mm*228mm*65mm		
Power Supply	12VDC 4-7A		
Power Consumption of Circuit Board	Less than 100mA		
Input Format of Reader	Wiegand 26 (All card reader with compatible protocol, such as Motorola ,HID,EM,Mifare one etc)		
Quantity of Readers	2 pcs	4 pcs	4 pcs
Door Controled	1 door	2 doors	4 doors
Door opening time extending setting	1-600 seconds(adjustable)		
Max q ' ty of controller	No limit		
Operation Temperature	-40℃~70℃		
Operation Humidity	10-90 % RH , No Condensation		
Q ' ty of users	20,000 Users		
Q ' ty of Event Buffers(offline)	100,000 event buffers		
Power interruption protection measure	High Speed Memory, Records never lose		
Max Distance from Reader to Controller	100m (suggestion distance 80m)		
Max Distance between Controllers	TCP/IP: Depends on net coverage area		
Package included:	PCB board, software, manual, certificate. carton		
Alarm for long time door open, illegal break in, intimidate	Yes		

Fire and alarm linkage	If no connection with the expansion board, only has software interface alarm, and drive the computer speaker. If connected with expansion board, is able to alarm by hardware, if connected with strengthened expansion board, then is able to Security alarm, Model is ACB-EA05		
Complsive open and close door at long time	Yes		
Open door in remote distance	Yes		
Interlock	No	Yes	Yes
Anti pass back and tail	Yes	Yes	Yes
Multi-card open door	Yes		
Open long time at specified time	Yes		
Electronic map	Yes		
Urgency locking	Yes		
First card unlocking	Yes		
Unlock based on internal and external validation	Yes		
Keypad (card+passwor, supper password)	Yes		

OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

APPLICATION

Bus, supermarket, school, government, hospital, factory



ADVANTAGE

WHY CHOOSE US?

- 1 **FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 **LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 **HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.



CERTIFICATE





RE:Access Control Power Supply

<div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div>ACM-Y802-3A Power Supply and door release exit button Dual Function AC110V-240VDC, 12V 3A</div></div></div>	<div><div></div><div><div>M801B-3A /5A Access Control Door Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC</div></div></div>	<div><div></div><div><div>M806B-3A /5A Access Control Door Backup battery Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC</div></div></div>		
<div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div>ACM-Y803A Voltage: DC 12V /3A</div></div></div>	<div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div>ACM-Y806-3A Voltage: DC 12V /3A AC110V-240VDC</div></div></div>	<div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div>ACM-Y806-5A Voltage: DC 12V /5A AC110V-240VDC</div></div></div>	<div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div>ACM-Y801-3A Voltage: DC 12V /3A AC110V-240VDC</div></div></div>	<div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div>ACM-5A 12V 5A door control system 12V 5amp access power supply with battery backup (Special For access control board use) Size: 279x234x67MM Input Voltage:110-240V Voltage: DC 12V /3A</div></div></div>






RE:Door Loop / Door Closer

<p>ACM401 Door Loop</p> 	<p>ACM601F 200mm Metal ACM601S 200mm stainless steel</p> 	<p>ACM-101 130mm Longer ACM-102 180mm Longer</p> 	<p>ACM-301 400mm Longer</p> 	<p>ACM-201 400mm Longer</p> 	<p>Door Closer</p> <p>ACM-M59 25-45KG ACM-M60 45-65KG ACM-M61 65-85KG</p> 
---	---	---	---	--	--

RE:Sensor and Siren For Access Control System

 <p>Item: AS603 Piezo Strobe Siren Operating voltage: 12VDC</p>	 <p>Item: AS31 Operating distance: 16mm ±5mm Switch output: NC</p>	 <p>Item: AS32 Operating distance: 18mm ±5mm Switch output: NC</p>	 <p>Item: AS36 Operating distance: 40mm ±10mm Switch output: NC</p>	 <p>Item: AS57AC Operating distance: 18mm ±5mm Switch output: NC Applies to steel door</p>	 <p>Item: ACM-MD601 Standard Wall Mount Door Holder Holding force: 60kg(120Lbs)</p>	 <p>Item: ACM-MD602 Glass door Mount Door Holder with door signal Holding force: 60kg(120Lbs)</p>
---	--	--	---	---	---	---

RE:Remote Control For Access Control System

 <p>Item: ACM-K19 Metal WIRELESS Remote Control</p>	 <p>Item: ACM-K18 WIRELESS Remote Control</p>	 <p>Item: ACM-K20 WIRELESS Remote Control For Automatical Door,NO/NC/COM 115*40mm</p>	 <p>Item: ACM-K19A Metal Access Control WIRELESS Remote Control 2 channel</p>	 <p>Item: ACM-K19B Metal Access Control WIRELESS Remote Control 4 channel</p>
---	---	---	--	---

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Prouducts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

PRODUCT CATEGORY

RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.

[View More](#)



ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control

[View More](#)



RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,

[View More](#)



ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG

[View More](#)



FAQ

Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.



[Contact Us](#)



[BACK TO HOMEPAGE >](#)

Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School

Packing & Delivery

Every order we will check the quality firstly to ensure our customer get the best product. Our staff will pack it carefully to avoid the damage of transportation. We will ship every goods out as soon as possible.



EXW

FCA FOB

CIF CFR




Shipping Way (Just for new customers reference)

We are one of the leading exporter of RFID products in China since 2000 years . With rich international trade experience we know the international shipping very well , We know which express or air/sea line is cheap and safe to your country . We can supply various certificate for you to clean your custom to such as CO , FTA , Form F , Form E ...Ect . We wil provide our professional suggestion for your shipping . EXW , FOB , FCT , CIF , CFR ...trade term are ok for us . We can be your reliable partner for products and shipping .

We are professional comprehensive security access control products supplier with 20 years experience, we make sure to offer the best solution of access control system solution! So, send your inquiry details in the below, ccontact us now!!


We are looking forward to forming successful business relationships with new clients around the world in the future.

Related Products




ACM-WEG01

It can control 1 door.



ACM-WEG02

It can control 2 door.



ACM-WEG04

It can control 4 door.

You May Like





ACM-K2A/B

No touch Door Release Exit Button
with led

ACM-Y180

Surface mounted magnetic lock
(180kg)

ACM-Y806-5A

Power supply 5A for access control





ACM225

Touch Keypad RFID Access Control
12khz

ACM-210

Metal Waterproof RFID Wiegand
Access Control

ACM26X

125Khz EM Card RFID Reader Size:
115mm×75.5mm×16.8mm

Our Service

- 1, Any inquires will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashin desing, reasonable & competitive price, fast lead time
- 5, After-sale Service :
 - 1), All products will have been strictly quality checked in house before packing
 - 2), All products will be well packed before shipping

3), All our products have 2-3 year warranty if the damage is not caused by human
6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
7, Payment : You can pay for the order via : T/T, Western Union, Paypal,
8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.

FAQ

Q: 1. How can I place an order?

A: Please list your requirement to us via mail. Then we will send the offer to you at earliest time, after order confirmation, we will arrange production ASAP.

Q: 2. What about the payment and shipment?

A: Trade Assurance and T/T, Paypal, Western Union.
Clients can choose by sea, air or express (DHL, FedEx, TNT UPS etc.)

Q: 3. How can I get a sample to check your quality?

A: We could provide free sample to you, and the freight cost paid by you.

Q: 4. How long can I expect to get the samples?

A: It depends on the quantity. Normally 3-7 days for 5000 pcs and 7-15 days for 100,000 pcs

Q: 5. Can your products be customized?

A: Almost all of your products are customized, including the material, size, thickness and printing.
OEM orders are highly welcome.

Q: 6. Are you a trading company or factory?

We are one of the biggest manufacturers of RFID cards/NFC tags/RFID keyfobs/RFID wristbands/RFID reader and access control products in China more than 20 years.