

Product Description



ACM819A Long range UHF Reader 10meter~ 20meter

- Communication: Wiegand 26 output,
RS232/485, TCP/IP optional - European
frequency: 865Mhz-868Mhz American
Frequency: 902Mhz-928Mhz -Provide demo
software and free SDK

D
e
s
c
r
i
p
t
i
o
n
a
l
m
e
t
e
r

F
E
a
q
u
e
n
c
y
:
8
6
5
M
h
z
-
8
6
8
M
h
z
;
?
A
m
e
r
i
c
a
n
F
r
e
q
u
e
n
c
y
:
9
2
M
h
z
-
9
2
8
M
h
z
;
o
t
h
e
r
;

O
p
b
r
a
b
ic
n
g
t
e
m
p
e
r
a
t
u
r
e
O
p
θ
%
a
t
i
n
g
h
u
m
i
d
i
t
y
W
6
f
R
V
h
@
4
V
l
t
a
g
e

Ð
Ç
w
ê
2
S
(
P
p
w
ç
r
A
d
a
p
t
e
r
)
R
e
a
th
r
a
n
g
e
Ø
h
l
b
e
D
B
m
õ
a
s
l
ø
h
s
m
)

Ø
H
S
S
a
t
f
i
n
M
d
fl
e
e
q
u
e
n
c
y
(
s
e
t
b
y
s
o
f
t
w
a
r
e
)
R
B
B
B
m
e
s
o
f
t
w
a
r
e
a
d
j
u
s
t
a
b
l
e

R
e
f
i
d
w
a
y
S
P
e
e
d
r
a
m
m
a
b
l
e
,
A
v
e
r
a
g
e
R
e
a
d
i
n
g
p
e
r
6
4
B
i
t
s
:

R
e
m
i
n
g
g
M
ø
d
a
c
h
,
S
o
f
t
w
a
r
e
P
r
o
g
r
a
m
m
a
b
l
e

D
a
a
n
R
a
r
d
s
W
i
e
g
a
n
d
2
6
/
3
4
,
R
S
4
8
5
,
R
S
2
3
2
;
s
o
f
t
w
a
r
e
p
r
o
g
r
a
m
m
a
b
l
e

O
p
t
i
o
n
a
l
:
T
C
P
/
I
P
(
R
J
4
5
)
,
W
I
F
I
B
R
e
a
d
r
n
g
C
l
u
e

B
A
n
t
e
n
n
n
l
i
n
e
p
o
l
a
r
i
z
a
t
i
o
n
A
n
t
e
n
n
a
,
G
a
i
n
:
1
2
d
b
i

Detailed Images

SUPPORT ISO18000-6C AND ISO18000-6B PROTOCOL

RS232, RS485, Wiegand26/34, RJ45 communication interface support
Advanced tag collision processing algorithm, High literacy rate

High-Speed write data







Decomposition display >>



Show details >>


01

RS232/RS485,
Wiegand26/34, RJ45
communication
interface support



02

Support ISO18000-6C
and ISO18000-6B
protocol



03

High-Speed write data



04

Easy to install



RFID UHF 15m long range card reader can be compatible with multi-protocol, integrated design, multi-tag reading, anti-collision, suitable for logistic and warehouse management, car parking system, access control, time attendance, bus transportation etc lots of field, can read and write , fast speed read and recognized. This is a popular integrated reader, Compatible with ISO18000-6C (EPC C1GEN2) and ISO18000-6B. It is an industry grade product for harsh environment, IP-65 protection case for water-proof, easy to install. Mainly application as follows: 1. Parking management: Long range intelligent parking management and automatic charge without stop the car. 2. Production line management: Goods identification for production flow. 3. Auto Access control: Long range access control management for custom, sea port. 4. Logistics and warehouse management. 5. People auto registry for important meeting or exhibition. 6. Automatic weighing and data capture. Features: Support ISO18000-6C and ISO18000-6B protocol. RS232, RS485, Wiegand26/34, RJ45 communication interface support. Advanced tag collision processing algorithm, high literacy rate. High-Speed write data.



Application display >>

Multi-purpose machine, suitable for different occasions



Packing & Delivery



Shipping Way

We are one of the leading exporter of RFID products in China since 2000 years . With

rich international trade experience we know the international shipping very well , We know which express or air/sea line is cheap and safe to your country . We can supply various certificate for you to clean your custom to such as CO , FTA , Form F , Form E ...Ect . We wil provide our professional suggestion for your shipping . EXW , FOB , FCT , CIF , CFR ...trade term are ok for us . We can be your reliable partner for products and shipping .

Related Products





ACM26X 125kHz RFID reader

125Khz wiegand 26 /34 Reader,
Size:115mm×75.5mm×16.8mm

KR101E 125kHz RFID reader

125KHz Proximity ID/13.56MHz
MF1 card number RFID reader
Wiegand output 26bit
Dimension: 77.5*42.8*16.5mm

KR600E 125kHz RFID reader

125KHz Proximity ID/13.56MHz
MF1 card number RFID reader
Wiegand output 26bit
Dimension: 75*116*16mm





ACM26E 125khz RFID reader

125Khz/MF1 wiegand 26/34 Reader,
Size: 120mm*76mm*25mm

ACM26G RFID reader

125Khz /13.56Mhz RFID Reader
wiegand 26/34 /RS232

ACM26B?RFID reader

125Khz /13.56MHZ wiegand 26/34
RFID Reader,
Size: 124mm×76mm×23.5mm

Your may need



ACM08N RFID reader

125Khz / MF1 USB Desktop Reader

ACM812A UHF RFID reader

2meter~ 5meter UHF Reader,

Wiegand

26 output, RS232/485

ACM26C 125khz long range rfid reader

125Khz EM Long range reader

70cm-

1meter distance





ACM-EMI-S RFID card

125Khz EM Proximity Card
Size 86*54mm

ACM-MF1 RFID Card

MF1 Compatible Card.
Size 86*54mm

ACM-ABS003 Keyfob

125Khz EM/13.56mhz Keyfob, Color
Optional: Blue, Red, Black, Yellow,
Grey, Green

Quality Warranty

- Warranty Service will be honored if the damage is not caused by human, ACM Goldbridge provides 2 years warranty for relative products.
- On the contrary, ACM Goldbridge will charge extra if repair.
- More information, please browse our service center.

About us

ACM Shenzhen Goldbridge industrial company

As a one of leading exporter of RFID products in China , Our own factory is in DongGuan . We have been in this field for 17 years already . We have rich production and exportation experience on RFID products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader . We are also the access control solution provider .



Our Service

- 1, Any inquiries will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashion design, reasonable & competitive price, fast lead time
- 5, After-sale Service :
 - 1), All products will have been strictly quality checked in house before packing
 - 2), All products will be well packed before shipping
 - 3), All our products have 2-3 year warranty if the damage is not caused by human
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
- 7, Payment : You can pay for the order via : T/T, Western Union, Paypal, Ali trade assurance
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.