

## Keypad /WIFI /Blue'tooth RFID Access Controller



ACM-223/225  
\$ 3.00-5.00 [MORE](#)



ACM-207C/226  
\$ 3.00-5.00 [MORE](#)



ACM-228/229  
\$ 4.00-6.00 [MORE](#)



ACM-218BL  
\$ 10.00-15.00 [MORE](#)



ACM-A90  
\$ 20.00-30.00 [MORE](#)



ACM-301/305  
\$ 10.00-15.00 [MORE](#)

### Product Description

## Keypad Access Control



### **1. Description**

The device is a standalone access control and proximity card reader which supports EM & MF card types. It builds-in STC microprocessor, with strong anti-interference ability, high security and reliability, powerful function and convenient operation. It's widely used in high-end buildings, residential communities and other public places.

F  
e  
a  
t  
u  
r  
e  
s

S  
t  
a  
n  
d  
b  
y  
o  
w  
P  
D  
W  
E  
r  
i  
s  
l  
e  
s  
s  
t  
h  
a  
n  
3  
m  
A  
W  
G  
E  
G  
a  
n  
W  
G  
B  
A  
è  
n  
p  
a  
c  
e  
n  
d  
o  
u  
t  
p  
u  
t

B  
e  
a  
s  
t  
c  
h  
h  
à  
n  
g  
t  
s  
m  
ê  
t  
e  
r  
r  
e  
a  
d  
i  
n  
g  
c  
a  
r  
d  
Ø  
p  
e  
k  
h  
t  
g  
h  
à  
k  
è  
y  
p  
a  
d  
n  
i  
g  
h  
t

D  
a  
p  
p  
b  
e  
t  
t  
e  
x  
t  
e  
n  
s  
i  
v  
e  
n  
a  
h  
w  
e  
r  
e  
d  
d  
o  
o  
r  
b  
e  
l  
l  
A  
a  
c  
c  
d  
s  
E  
w  
h  
y  
o  
d  
e  
,  
C  
a  
r  
d  
&  
P  
i  
n  
c  
o  
d  
e

U  
n  
d  
e  
r  
p  
e  
n  
s  
i  
v  
e  
i  
n  
t  
h  
o  
d  
e  
s  
e  
l  
a  
t  
e  
d  
c  
a  
r  
d

U  
h  
a  
n  
s  
e  
a  
n  
d  
h  
a  
n  
g  
e  
c  
o  
d  
e  
s  
b  
y  
t  
h  
e  
m  
s  
e  
l  
v  
e  
s

D  
h  
e  
e  
t  
o  
s  
t  
s  
e  
r  
d  
b  
g  
n  
h  
e  
d  
N  
b  
e  
t  
e  
b  
y  
k  
e  
y  
b  
o  
a  
r  
d

S  
p  
e  
c  
i  
f  
i  
c  
a  
t  
i  
o  
n  
s





W  
b  
a  
k  
i  
l  
h  
y  
C  
o  
r  
r  
e  
g  
e  
E  
E  
h  
A  
-  
2  
4  
V  
G  
a  
p  
a  
d  
b  
y  
C  
h  
n  
s  
e  
n  
s  
≤  
3  
m  
A

W  
o  
r  
k  
i  
n  
g  
H  
e  
m  
i  
s  
p  
e  
r  
a  
t  
u  
r  
e  
r  
a  
n  
g  
e  
:  
-40  
to  
+60  
°C  
D  
i  
m  
e  
n  
s  
i  
o  
n  
s  
:  
40  
x  
60  
x  
60  
m  
m

## Installation

Drill hole according to the size of the device and fix the back shell with the equipped screw. Thread the cable through the cable hole. connect the wires according to your required function, and wrap the unused wires to avoid short circuit. After connecting the wire, install the machine. (as show below)



## wiring

D  
D  
S  
o  
r  
i  
p  
t  
i  
o  
n

**W**  
b  
e  
g  
a  
n  
d  
I  
n  
p  
u  
t  
(  
W  
i  
e  
g  
a  
n  
d  
O  
u  
t  
p  
u  
t  
i  
n  
C  
a  
r  
d  
R  
e  
a  
d  
e  
r  
M  
o  
d  
e  
)

**W**  
**h**  
**e**  
**g**  
**a**  
**n**  
**d**  
**I**  
**n**  
**p**  
**u**  
**t**  
**(**  
**W**  
**i**  
**e**  
**g**  
**a**  
**n**  
**d**  
**O**  
**u**  
**t**  
**p**  
**u**  
**t**  
**i**  
**n**  
**C**  
**a**  
**r**  
**d**  
**R**  
**e**  
**a**  
**d**  
**e**  
**r**  
**M**  
**o**  
**d**  
**e**  
**)**

~~D~~  
~~R~~  
E  
N  
B  
W  
t  
t  
o  
n  
i  
n  
p  
u  
t  
t  
e  
r  
m  
i  
n  
a  
l  
~~R~~  
~~A~~  
~~V~~  
D  
C  
R  
e  
g  
u  
l  
a  
t  
e  
d  
P  
o  
w  
e  
r  
I  
n  
p  
u  
t

**B**  
**N**  
**D**  
e  
**D**  
C  
R  
e  
g  
u  
l  
a  
t  
e  
d  
P  
o  
w  
e  
r  
I  
n  
p  
u  
t  
**N**  
**D**  
h  
**a**  
y  
n  
o  
r  
m  
a  
l  
l  
y  
-  
o  
n  
t  
e  
r  
m  
i  
n  
a  
l

**R**  
**Ø**  
**M**  
**Ø**  
**y**  
**Ø**  
u  
b  
l  
i  
c  
t  
e  
r  
m  
i  
n  
a  
l  
**N**  
**Ø**  
**h**  
**a**  
**Ø**  
**n**  
o  
r  
m  
a  
l  
l  
y  
-  
o  
f  
f  
t  
e  
r  
m  
i  
n  
a  
l



**D**  
**E**  
**k**  
**b**  
**A**  
l  
l  
b  
u  
t  
t  
o  
n  
o  
n  
e  
t  
e  
r  
m  
i  
n  
a  
l

**D**  
**E**  
**A**  
**K**  
**B**  
**E**  
**L**  
**L**  
**B**  
**U**  
**T**  
**T**  
**O**  
**N**  
**T**  
**O**  
**T**  
**H**  
**E**  
**O**  
**T**  
**H**  
**E**  
**R**  
**T**  
**E**  
**R**  
**M**  
**I**  
**N**  
**A**  
**L**

## **Diagram**

Common Power Supply

