



### **IP65 outdoor onvif tf card wireless solar power camera**

- Solar panels charge in sunny day for camera;
- Rechargeable 18650 batteries;
- DC5V-1A,AC8-24V;
- Batteries work regularly for 3-4 months;

P  
a  
P  
a  
m  
e  
t  
e  
r  
D  
a  
s  
a  
m  
e  
p  
e  
r  
o  
n

B  
u  
i  
l  
t  
-  
i  
n  
R  
e  
p  
r  
e  
s  
e  
n  
t  
a  
b  
l  
e  
(  
1  
8  
6  
5  
)  
S  
o  
l  
i  
d  
i  
f  
y  
i  
n  
g  
r  
e  
e  
n

P  
r  
o  
t  
e  
c  
t  
i  
o  
n  
S  
t  
a  
t  
i  
n  
g  
(  
I  
P  
)  
E  
f  
f  
e  
c  
t  
i  
v  
e  
n  
e  
s  
s  
I  
n  
t  
e  
l  
l  
e  
c  
t  
u  
a  
l  
P  
r  
o  
p  
r  
t  
y  
P  
r  
o  
t  
e  
c  
t  
i  
o  
n  
A  
c  
t  
o  
f  
1  
9  
8  
8  
.

M  
o  
t  
i  
v  
e  
n  
s  
o  
r  
D  
e  
m  
e  
t  
r  
i  
c  
g  
r  
a  
d  
e  
D  
a  
t  
a  
c  
o  
l  
l  
e  
c  
t  
i  
o  
n  
S  
y  
s  
t  
e  
m  
S  
o  
l  
u  
t  
i  
o  
n  
M  
o  
d  
e  
l  
l  
o  
g  
y

## Product Feature

- PIR Detection wake up /Remote mobile wake up and mobile Live View
- Resting state 200uA; working condition 250mA/3.7V
- Lens/ Visual Angel :4mm/F1. 2 / 104°
- 1080P, H.265 compression adaptive;
- Two-way audio,microphone built-in,echo cancellation;
- 6 infrared light,Max distinguish distance 5M
- WiFi 2.4GHz, IEEE802.11b/g /AP / Scan QR code to add device;
- Support external Micro TF card 8G/16G/32G;



Image Sensor 960P CMOS sensor

Sensor support options AWB AGC, IR filter and BLC

Sensor size 1/3

SNR > = 39 dB

Lens/Viewing angle 104°

Lens spec & material 4mm /F2.4 , 6 layers

Night Vision 850 nm diameter

5M distance IR-cut preferable

IR-control IR turned ON: night vision view enabled, infrared Ray, ICR auto detect.

IR turned OFF: night vision view disabled, infrared Ray OFF, ICR stay in day view mode.

Compression standard H.264/ motion JPEG ( when RF quality dropped )

Resolution & frame rate Multi stream:960P/25fps

Bit Rate CBR/VBR, output bit rate range:128~4096kbps TBD

Image adjustment Brightness, Contrast, Saturation are adjustable.

MIC input 1 Channel Internal -48dB microphone

Speaker output Internal speaker (8Ω/1W)

Sampling frequency/ 8-16KHz/16bit

Data compression technology ADPCM/32kbps  
Echo cancellation Yes  
Two-Way Talk Yes  
Effective Volume Indication tone 75dB / 0.5m  
Protocol TCP/IP, HTTP, DHCP  
Recording mode  
Motion detection recording, scheduled recording/ remote recording  
Storage TF Card storage  
Max recording duration Depends on capacity of the storage device  
Full duplex recording Recording video, two way audio, date/HH:MM:SS printing  
Playback Indication for non-reading recording/  
Storage device full management overwrite the most earest recorded video

## Quality Warranty

- Warranty Service will be honored if the damage is not caused by human, ACM Goldbridge provides 2 years warranty for relative products.
- On the contrary, ACM Goldbridge will cahрге extra if repair.
- More information, please browse our service center.

## Packing & Delivery

### Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR  
You also can choose your own shipping forwarder.

### Packaging

1unit per box, 10pcs per carton,

## Related Products





**ACM-101**

1MP/2MP Auto Tracking WiFi  
Cameras

**ACM-211V**

Surveillance WiFi 360 Degree  
Fisheye Waterproof Outdoor Camera

**ACM-101X**

Low Power Home smart intelligent  
wireless wifi camera doorbell







### **ACM-208**

125KHZ RFID Weigand Proximity  
Smart Card Reader Access Control

### **ACM-WEG02**

Weigand Access Control Board 2  
Doors Access Controller Panel

### **ACM-Y066**

Single cylinder 12V DC intelligent  
Remote Control Rim Lock

## **Our Service**

- 1, Any inquires will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashin desing, reasonable & competitive price, fast lead time
- 5, After-sale Service :
  - 1), All products will have been strictly quality checked in house before packing
  - 2), All products will be well packed before shipping
  - 3), All our products have 2-3 year warranty if the damage is not caused by human
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
- 7, Payment : You can pay for the order via : T/T, Western Union, Paypal

## FAQ

Q: 1. How can I place an order?

A: Please list your requirement to us via Email. Then we will send the offer to you at earliest time, after order confirmation, we will arrange production ASAP.

Q: 2. What about the payment and shipment?

A: T/T, Paypal, Western Union.

Clients can choose by sea, air or express (DHL, FedEx, TNT UPS etc.)

Q: 3. How can I get a sample to check your quality?

A: We could provide free sample to you, and the freight cost paid by you.

Q: 4. How long can I expect to get the samples?

A: It depends on the quantity. Normally 3-7 days for 5000 pcs and 7-15 days for 100,000 pcs

Q: 5. Can your products be customized?

A: Almost all of your products are customized, including the material, size, thickness and printing. OEM orders are highly welcome.

Q: 6. Are you a trading company or factory?

We are one of the biggest manufacturers of RFID cards/NFC tags/RFID keyboard/RFID wristband/RFID reader and access control products in China more than 20 years.