Hot Selling Rugged Rfid Barcode Reader Uhf Handheld Long Distance Rfid Reader With Display

1, Support ISO18000-6C(EPC C1G2) protocol tag, can make support ISO18000-6B tag
2, Able to decode ISO-18000B, EPC.
3, Reading Rang(Max).: 10M-20M Reading Distance
4, Free SDK and configuration software
5, Communication: TCP/IP.

Product specification

< Support ISO18000-6B and EPC Class1 GEN2 international standards;
< Integrated structure design, beautiful appearance, suitable for outdoor environment;
< Integrate high-performance linear polarized antennas, Recognize the long range distance stably;
< Supports tag echo signal detection, tag data filtering, clock stamping, and input and output functions;
< Recognition speed is fast, and the identification of single label can reach 140 timescond;
< Adopt frequency hopping working mode, strong anti-interference ability and high recognition sensitivity;
< Support sp) development in multiple languages, such as VC, VB, C, etc.
< Supports online upgrades, has a rich communication interface, and can be customized to the needs of users.

Product Advantages

1. Wake up tags:the tag which only be waked up can communicate with reader, prevent the disturbing from other tags, ensure

the correct information between reader and system's tag.
2. Read data:it can get the ID number of tag, and also get the data which in the specify area, multi tags reading will be available.
3. Write data: can write data in specify tag's storage area.
4. Can connect with the device which has W26 and W34 interface, no need to develop.
5. Communicate with controller or PC, that can get the data; provide SDK development kit, user can develop it.

Parameter Description Model 8 19 ASSOP 8 r 6 Bd PrSO 1 8 o 6 C (EPCGEN2)

WSM92n0F8MHZandy SM865-868Mhz, Otherfrequencystandard(customized)

Opened Frequently Made by FHS Sor Software Programmable RFP Bomes Software Programmable

Reading Speed
Average reading is 64bit, less than 6ms, ?software programmable

Word Mondgactiveandreadingpassive,softwareprogrammable

Now Wiegand 26/34/98, RS485, RS232, USB???E:Wiegand26/34/98,RS232,TCP,USB

Low-pulling efficiency

Ramp Hinge Power (35mm)

Buzzer indicators

Additional circular antenna

DC-0V supply

45mm * 445mm * 35mm

Web 5 GKG (Pac

WALDEN

WALDEN

Application

* Warehouse Management * Supply Chain Management * Vehicle Management * Line Management * Source Management * Asset Management * Personnel Management * Attendance Management * Product Anti-counterfeiting Management

Packing & Delivery

Every order we will check the quality firstly to ensure our customer get the best product.
Our staff will pack it carefully to avoid the damage of transportation.
We will ship every goods out as soon as possible.

Wholesale UHF RFID Antenna gate access systems 860-960Mhz uhf card handheld active long range desktop usb integrated rfid reader

Shipping Way (Just for new customers reference)?

We are one of the leading exporter of RFID products in China since 2000 years . With rich international trade experience we know the international shipping very well , We know which express or air/sea line is cheap and safe to your country . We can supply various certificate for you to clean your custom to such as CO , FTA , Form F , Form E ...Ect . We wil provide our professional suggestion for your shipping . EXW , FOB , FCT , CIF , CFR ...trade term

are ok for us . We can be your reliable partner for products and shipping .

About Us

Similar Products

GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company

As a one of leading exporter and manufactuer of RFID products in China , . We have been in this field for 17 years already . We have rich production and exportation experience on RFID products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader . We are also the access control solution provider .

FACTORY PHOTOS

Our Certificate

>>