

Product description

Feature:


- Featured with infrared technology, touch free, more convenient to use.
- Contactless, free from contagious disease spread.
- The switch responds agilely and quickly.
- IP-55 industrial protection level.
- Stainless steel plate, very durable to use.
- Suitable for doors, gates, or other exit automation control systems.
- LED indication

Specification:

- Material: stainless steel
- Contact rating: 3A, AC 120V / DC 30V
- Input voltage: DC 12V
- Working temperature: -20 to 50 Celsius degree (-4 to 122 Fahrenheit degree)
- Response range: within 10cm
- LED indication: sensor standby: blue LED on, visitors approaching: red LED on
- Item size: 11.3 * 6.9 * 3.9cm / 4.4 * 2.7 * 1.5in
- Item weight: 73g / 2.5oz
- Package size: 12.5 * 8.6 * 4.5cm / 4.9 * 3.3 * 1.7in

- Package weight: 101g / 3.5oz







8
6
I
D
x
g
m
w
n
s
2
g
p
H
r
s
m
m
)
E
D
C
r
a
2
V
c
e
C
o
n
t
a
2
t
2
8
W
l
d
A
t
i
o
n
O
u
N
Ø
h
N
C
b
f
O
M
c
t
M
e
c
h
a
n
e
s
c
e
e
d
i
f
e
S
u
i
E
m
p
t
y
d
o
o
d
o
o
r

-
2
©
P
e
B
ā
tC
f
h
g
T
ē
h
p
F
)
-
9
5
S
U
r
e
h
b
t
ē
h
a
h
u
h
i
d
y
t
y
)
D
e
t
e
c
t
i
ō
n
m
a
n
g
e

White LED indicator: power off
Blue LED indicator: LED dimming
Red LED indicator: power on (flicking)

exit button for access control Advantage:

- . Touchless / non-contact output sensor (diffuse detection)
 - Optical / infrared technology
- IP-55 ingress protection / SUS 304 stainless steel plate
- Easy to use (healthy protection)
- .. Free from widespread contagious diseases
- Sensing range: 0.1 ~ 10cm
- Application: gate / door / exit / automation control
- High capacity of the dry contact of the relay (3A / AC120V, DC30V)
- Normally Open / Normally Closed / Common relay output
- Double led indicators for sensor waiting or approached:
- (1) Sensor standby: BLUE LED ON
- (2) Visitors who have approached the sensor in 10 cm: RED LED ON

[Detailed images](#)

**Blue LED Indicator:
Power ON (Standby)**




**Red LED Indicator:
Power ON (Triggered)**



B **R** **e** **d** **c** **a** **t** **i** **n** **s** **p** **e** **c** **i** **m** **i** **s** **m** **i** **n** **i** **n** **f** **r** **a** **m** **e** **s** **w** **e** **r** **e** **s** **s** **a** **v** **e** **d**

+12V	GND	NO	COM	NC
Red	Black	Yellow	White	Orange



[Click here to order and get your FREE SAMPLE in 3 days !!!](#)

We are professional suppliers of full security access control products with 20 years of experience, we make sure to offer the best access control system solution! So, submit your inquiry details below, click "Submit" now!

We are looking forward to forging successful business relationships with new customers around the world in the future.

Application

Installation



Sensing Range



LED Indicator



A: Black / PC Lens

B: Round Shape LED Indicator

Power OFF




White
(Round Circle)

Power On / Standby




Blue LED Indicator ON
(Round Circle)

Power On / Beam Broken



Red LED Indicator ON
(Round Circle)



Packaging and delivery

Unit Type: Piece

Package Weight: 0.3kg

Package Size: 10cm x 10cm x 8cm





Shipping way

We have been one of the leading exporters of RFID products in China for 2000 years. With rich experience in international trade, we know international shipping very well, we know which express or air / sea line is cheap and safe for your country. We can provide various certificates to clean your habit like CO, FTA, Form F, Form E ... ect. We will provide our professional shipping suggestion. EXW, FOB, FCT, CIF, CFR ... trade terms are ok for us. We can be your reliable partner for products and shipments.

Our service

- 1, All inquiries will be answered within 24 hours
- 2, professional manufacturer and supplier, welcome to visit our website and factory
- 3, OEM / ODM available
- 4, high quality, fashin design, reasonable and competitive price, fast delivery time
- 5, after-sales service:
 - 1), All products will have been strictly checked in house before packing
 - 2), All products will be well packed before shipping
 - 3), All of our products have 2-3 years warranty if the damage is not caused by man
- 6, faster delivery : About 1 ~ 5 days for sample order, 7 ~ 30 days for bulk order
- 7, payment: You can pay for the order via: T / T, Western Union, Paypal
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, you can also choose your own forwarder.

FAQ

Q: 1. How can I place an order?

A: Please indicate your needs by email. Then we will send you the offer as soon as possible, after

your order is confirmed, we will arrange the production as soon as possible.

Q: 2. What about payment and shipping?

A: T / T, Paypal, Western Union.

Customers can choose by sea, air or express (DHL, FedEx, TNT UPS etc.)

Q: 3. How can I get a sample to check the quality?

A: We could provide you with free sample and the freight cost paid by you.

Q: 4. How long can I expect to get the samples?

A: It depends on the quantity. Normally 3-7 days for 5000 pieces and 7-15 days for 100,000 pieces

Q: 5. Can your products be customized?

A: Almost all of your products are customized, including matter, size, thickness and printing. OEM orders are welcome.

Q: 6. Are you a trading company or a factory?

We are one of the largest manufacturers of RFID cards / NFC tags / RFID keybods / RFID wristband, rfid reader and access control products in China for over 20 years.

20⁺ YEARS EXPERIENCE

OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba,
Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader,
UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

ADVANTAGE

WHY CHOOSE US?



- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.



Supplier's Company

