

Product Description

Magnetic Locks (Various options for choosing)


What is Feedback function?

Magnetic lock with Feedback function means it can give back signal for additional function, for example : work with alarm system



What is Delay function?

Magnetic lock with Delay function means that it can set the delay time from the open status to close status (normally set as 0 second or 3 seconds or 6 seconds or 9 seconds)



60Kg Magnetic Lock

Lock dimensions: 80 x 40 x 22 mm

Armature plate: 74 x 35 x 10 mm

Maximum tension: 60 kg (100 lbs)

Input voltage: DC12V +10%

Operating current: 12V/300mA

Surface temperature: Within + 20 degree below ambient temperature

Suitable temperature: -10 to 55 + degrees (14-131F)

Suitable humidity: 0 to 90% relative humidity

Shell: Anodized plating processing

Lock and suction plate processing: Environmentally friendly zinc plating processing

Weight: 0.55kg

Suitable for file cabinets, small doors, and more.

Connection diagram with access control device





Diagram with remote control



Using Example



Other Magnetic Locks

Features:

Use magnetic power to lock the door, 180kg(350lbs)/280kg(600lbs)/350kg(800lbs)/500kg(1000lbs) holding force.

Built-in reverse current protection device (MOV).

Alluminum shell adopts high strength material, with hard anodised processing.

Corrosion resistant.

Good quality and durable to use.

Can be opened by push button, remote controller, etc.

Fit for wooden door, metal door, glass door, fireproof door, etc.

Specifications:

Holding force: 180kg(350lbs)/280kg(600lbs)/350kg(800lbs)/500kg(1000lbs)

Voltage: DC 12V


Current: 380-430mA

Working temperature: -10 to 55 Celsius degree (14 to 131 Fahrenheit degree)


Humidity: 0 to 95%

Working mode: power-on to lock



Normal Magnetic Lock Connection Diagram




With Feedback Function Magnetic Lock Connection Diagram




With U Bracket Installation Guide




With L Bracket Installation Guide




With ZL Bracket Installation Guide




180kg 350lbs




280kg 600lbs



320kg 800lbs



500kg 1000lbs








Related Products:



Re: ACM Brand Door Electromagnetic Magnetic EM Lock

				
Magnetic lock (60kg/100lbs) , Size: 80x38x25 mm (ACM-Y60)	180KG/300LBS indicator magnetic lock, LED , Size: 170x40x21 mm (ACM-Y180/Y350/Y500)	280KGS/600LBS LED/Timer Magnetic Lock, 5bolts Size: 250x47x25 mm (ACM-Y280)	560kg/1200lbs LED Dual Door Magnetic Lock ,Size: 500x47x25 mm (ACM-Y280D)	280kgs/600lbs & 180kg/300lbs Concealed magnetic lock (ACM-Y280N:224x40x25 mm /Y180N:184x30.5x22.5 mm)


RE: Electric Strike , Electric Deadbolt Lock , RIM Lock, Cabinet Lock

				
Long type Electronic Strike LockSize: 250x25x31mm (ACM-Y132)	Electronic Strike Lock Size: 110x25x31mm (ACM-Y130)	Electronic Strike Lock Size: 149x28x31mm (ACM-Y131)	Model Item: ACM-Y138A / ACM-138B Lock Size: 149x39x34mm	Model Item: ACM-Y137S Feedback Singal Lock Size: 150x38x34mm
				
ACM-Y100-2pin Fal Safe Sturdiness Electronic lock Lock Size : 205x34x40 mm	Item: ACM-Y200 -2pin Timer-delay Lock , Power to unlock , 205x34x40 mm	Item: ACM-Y100S -2Pin Time -delay &NO/NC feedback signal Power to unlock. 205x34x40 mm	Item: ACM-Y200S -5Pin Time -delay &NO/NC/COM feedback signal, 205x34x40 mm	Item: ACM-Y300S -5Pin Time -delay &NO/NC/COM feedback signal, 235x35x42 mm
				
Model Item: ACM-YB032 Electric Display Cabinet Lock	Item: ACM-Y700A/ACM-Y700B Fail Safe Sturdiness Narrow Door lock NO/NC. 205x30x38mm	Model Item: ACM-Y138A/ ACM-138B Lock Size: 149x39x34mm	ACM-Y500U frameless glass doors and glass wall Lock Size : 148x43x39 mm	ACM-Y800 Electric Dropbolt with Key Lock Size: 268x30x38mm
				
Stainless steel electric control RIM lock,Size: 125x98x36mm (ACM-Y091)	CISA Electric RIM Lock, Size: 148x107x35 mm (ACM-Y035)	Yale Waterproof Electric RIM Lock, Size:140x116x55 mm (ACM-Y045)	Hot Sale Electric RIM Lock, Size: 126x101x39 mm, Double cylinders with push button (ACM-Y042)	Yale Waterproof Electric RIM Lock, Size:140x116x55 mm (ACM-Y047)


Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !


2 Lock Diagram




Installation




Bracket Installation



3 Wiring Diagram



PCB Diagram



Packing & Delivery

Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR
You also can choose your own shipping forwarder.

Packaging

Magnetic Lock packaging: 1 unit per box, 12pcs per carton,

Carton size : 54.3*13.5*19.3cm , Gross Weight :25kg. 50 cartons per pallet



[Click here](#) to order and have your FREE SAMPLE in 3 days!!!

We are professional comprehensive security access control products supplier with 20 years experience, we make sure to offer the best solution of access control system solution! So, send your inquiry details in the below, click "Send" now!

We are looking forward to forming successful business relationships with new clients around the world in the future.

Our Service

- 1, Any inquiries will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashion desing, reasonable & competitive price, fast lead time
- 5, After-sale Service :
 - 1), All products will have been strictly quality checked in house before packing
 - 2), All products will be well packed before shipping
 - 3), All our products have 2-3 year warranty if the damage is not caused by human
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
- 7, Payment : You can pay for the order via : T/T, Western Union, Paypal,
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.

Company Information:

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

ADVANTAGE



WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.




OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized etc



Door Lock Production Line

Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



