

## Narrow Mouth Standard-type Failsecure/safe security electric door strike lock 12v 24v electric strike

ACM-Y131 is European Long type Electric Strike Lock with adjustable mode for Fail locked & Fail Unlocked.It works with magnetic force generated by electromagnetic field for locking/unlocking

# **Product Advanatge**


ACM-Y131 is European Long type Electric Strike Lock with adjustable mode for Fail locked & Fail Unlocked.It works with magnetic force generated by electromagnetic field for locking/unlocking. particularly with short circuit protection. This model has 2 working modes: Power-to-open & Power-to-lock. It is made of high-quality aluminum for high hardness, corrosion resistance & anti-deformation. It is suitable for all types of wooden door, metal door, PVC door etc.

#### Detailed Images, OEM/ODM available

Narrow Mouth Standard-type Fail-secure/safe security electric door strike lock 12v 24v electric strike



ACM-Y131 NO/NC is the electric strike with long faceplate. It has two modes: A fail safe electric strike needs power to keep it locked. A fail secure electric strike stays locked even without power. Electric strikes come in many varieties.









Low Power Design

Rated Operating Voltage: DC 12V Current: 240mA(Fail-secure) / 120mA(Fail-safe)




Made of high-quality aluminum for high hardness, corrosion resistance & anti-deformation.




# **Quality Warranty**

- Warranty Service will be honored if the damage is not caused by human, ACM Goldbridge provides 2 years warranty for relative products.
- On the contrary, ACM Goldbridge will cahrge extra if repair.
- More information, please browse our service center.


# **Instalation Diagram**




Cutting according to the size of the electric lock




Insert extension plate



Fix extension plate




After installed, power on and test it



Fix strike lock



Finish



Metal door frame

Wooden door frame

# Packing & Delivery

#### **Shipping Way**

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.

## **Packaging**

Bolt Lock packaging: 1unit per box, 30pcs per carton,

Carton size: 54.5\*20\*30.5cm, Gross Weight: 22kg. 50 cartons per pallet





# **Related Products**

#### Click here to order and have your FREE SAMPLE in 3 days!!!

We are professional comprehensive security access control products supplier with 20 years experience, we make sure to offer the best solution of access control system solution! So, send your inquiry details in the below, click "Send" now!

We are looking forward to forming successful business relationships with new clients around the world in the future.



#### **ACM-Y130**

Standard Type electronic Stripe (NC/NO) For Wooden Door, Metal

#### Door, PVC Door



ACM-Y131 Stainless steel electronic Stripe (NC/NO) For Wooden Door, Metal Door,PVC Door



**ACM-Y132** 

280kg(600lbs) Single Door magnetic Lock Suitable For: Wooden Door, Glass Door, Metal Door, Fire Proof Door.

# You may need

## Click here to order and have your FREE SAMPLE in 3 days!!!

We are professional comprehensive security access control products supplier with 20 years experience, we make sure to offer the best solution of access control system solution! So, send your inquiry details in the below, click "Send" now!

We are looking forward to forming successful business relationships with new clients around the world in the future.



ACM-Y280 Surface mounted magnetic lock(280kg/600lbs)



**ACM-Y100S**ELECTRIC DROP BOLT LOCK
Time-delay &NO/NCPower to unlock



## **ACM-Y066**

Intelligent Smart Lock (motor lock) Lock size: 130x98x41mmWorking

Whole Set Solution Door Access Control



## **ACM-WEG02**

Network 2 Door Door Access Control Panel(RS232, RS485 Or TCP/IPCommunication)



## ACM-K2A

No touch Door Realese ExitButton,K2A: 115\*40mm ;K2B: 86\*86mm



ACM-Y806-3A

Backup Power Supply 12V/3A



ACM-Y280 Surface mounted magnetic lock(280kg/600lbs)



ACM-26X 125Khz wiegand 26 /34 Reader,Size:115mm×75.5mm×16.8m m



**ACM-EMI-S** 125Khz EM Proximity Card