Hot Selling Products

		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	support Wirgand 26 input and output
Biometric AI Face Recognition Temperature Measurement	Time Attendance And Door Access Control	Tuya Touch Keypad Access Control	WG 26 Touch Access Control
	1 2 3 4 5 6 7 8 9 * 0 #	Support 1000 user cards uade with RHDD bry cardure parawordse RHDD card+paraword Used with Rainproof Cover, can be installed outside. Image: Comparison of the card paraword of the card parawo	123 456 789 *0# 4
Standalone Access Control	Keypad Access Control	Waterproof Access Control	Keypad Access Control
	1 2 3 4 5 6 7 8 9 0 * #		
Metal Access Control	WiFi Access Control	Magnetic Lock Control System Kit	Tuya Wifi Biometric Fingerprint Lock

Specification:

1	Working voltage	DC 12V
2	Input/Output vlotage	1~250V
3	RF frequency	433MHz
4	Quiescent Current	<5MA
5	Max current	10A
6	Max load	2200W








			-		
8		11	Α		
In the provided with the provided of the provi	Bon & hord another mode bund and bon A norther mode bund and another and bund and another and bund and another and bundles and another and bundles and the dense will be be another and another and bundles and the dense will be be another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another another anoth	Ì	В	5 I	\square
4.60de recovery 4.60de recovery finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals finals fina	Signal renote Close renote		С		J
3.Code clone 	Ienigin orvivationstate abstration.Your original termote control work and termote control tremote anne as our termote to the out of the termote termote		D	5	Ø
]]	











Power		RS232		WG		RS485		USB			
+9–25V	GND	TXD	RXD	GND	D0	D1	A+	B-	D+	D-	GND
Red	Black	White	purple	Brown	Yellow	Dark green	Pink	Orange	Pale green	Blue	Gray

*Remarks: All ground wires can be used in common.

Related Products



www.goldbidgesz.com ;sales@goldbridgesz.com

20⁺years experience OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



OUR FACTORY



 Access Control and RFID Reader Production Line:
 Monthly production quantity is up to 50,000 pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- Electromagnetic lock & Smart Door Lock Production Line :
 Monthly production quantity is up to 100,000pcs ,
- Monthly production quantity is up to 100,000pcs ,
 Our factory is built with modern manufacture environment, facilities,
- equipment and professional operation technicians. Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- RFID & NFC Cards & Tags Production Line :
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
 Four Production Lines For Smart Card, PVC Card, Prelam Sheet:
- 20,000,000pcs (monthly output) Goldbridge Provides OEM&ODM services for LOGO printing, development,
- customized.

APPLICATION

ADVANTAGE



TUVRheinland*

深圳市海洋金

ACIM

WHY CHOOSE US?

FAST DELIVERY Faster delivery by air by express. (DHL,UPS or Fedex)

2 LONG HISTORY 20 years experience in RFID & Access Control industry

- 3 OEM ACCEPTABLE 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY Design and manufacture high quality products with 30 R&D; engineers.



CERTIFICATE



PRODUCT CATEGORY

