

Product Description



Stainless steel single head mute electric rim lock, access door locks for access control/ building intercom system

single-end Electric Control Lock.can be opened by electric devices, turning the button or key.Suitable for right open door.It is highly secured and anti-theft.It also can avoid the someone to open the lock with other tools.

P
a
P
a
m
d
t
e
t
D
a
s
a
m
è
p
è
r
o
n

1
F
6
8
4
B
k
A
t
m
m
W
o
r
D
i
a
g
t
u
5
A
e
n
t
S
i
g
n
a
l
t
o
h
F
D
n
t
h
e
d
o
o
r
1
C
2
H
r
1
8
9
B
D
C

P
o
w
~~E~~
e
a
b
u
n
e
o
c
k
M
o
r
e
t
t
h
a
e
n
2
i
m
t
e
i
m
e
s
s
O
p
e
n
i
n
g
~~S~~
l
o
c
k
t
i
m
e

R
e
m
o
t
e
c
o
n
t
r
o
l
l
o
c
k
i
n
s
t
a
n
c
e
:
C
e
r
t
i
f
i
c
a
t
e
d
:
C
E
M
A
t
i
o
n
:

Product Feature

1. Uses nice control system and automatically lock door by induction
 2. If customer's want to replace general electric lock, timesaving, convenient, because hole of installation lock is consistent
 3. There is no direction restriction, left, right, inside and outside and all kinds of other direction also apply
- No shock, automatically reset, low noise, low power consumption and small requirements for door closer
4. Lock size: 126×105×41mm

- 5. With feedback signal and LED light
- 6. Working voltage: 12 to 18V
- 7. Working current: 1.5A

Detailed Images , OEM/ODM available It has two models open from outside and inside.




Our electric control lock has used most advanced production skills and best production technologies.

The lock can be opened by electric devices, turning the button or key. It is highly secured and anti-theft. It also can avoid the someone to open the lock with other tools.

This lock can be used for the gates of residential buildings, especially the public door of the residence, governmental buildings, schools, hotels, factory warehouse etc. It also compatible with electric control door.

The coil inside the lock is flame proof. It will not be on fire when operating a long time.if power on but the lock can not function, please check the installation or send it to the agent to repair.

The internal structure of this lock has been improved which will prevent from opening the lock by knocking on it. this will make you safer.




Quality Warranty

- Warranty Service will be honored if the damage is not caused by human, ACM Goldbridge provides 2 years warranty for relative products.
- On the contrary, ACM Goldbridge will cahрге extra if repair.
- More information, please browse our service center.

Instalation Diagram

Electric control locks all kinds installation schematic diagram



Packing & Delivery

Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR
You also can choose your own shipping forwarder.

Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,
Carton size : 26*26*10cm , Gross Weight :46kg. 50 cartons per pallet

Related Products



ACM-Y043

EXPORTING ELECTRIC RIM LOCK

ACM-Y044

EXPORTING ELECTRIC RIM LOCK

ACM-Y090

Stainless steel electric control RIM
lock



ACM-Y066

Intelligent Smart Lock (motor lock)

ACM-Y091

Stainless steel electric control RIM lock

ACM-Y062

Intelligent Smart Lock (motor lock)



ACM-Y034

Intelligent Smart Lock

Lock size: 148×107×35 mm

ACM-Y037

Intelligent Smart Lock

Lock size: 125×98×36 mm

ACM-Y048

Intelligent Smart Lock

Lock size: 140×116×55 mm

You may need



ACM-Y100S

Electric Bolt Lock (5PIN) Fail safe
electric bolt with magnetic feature

ACM-Y130

Electric strike Lock (NC/NO Optional)
Lock Size : 110x28x31mm

ACM-Y280

280kg Single Door magnetic Lock
Suitable For: Wooden Door, Glass Do

Our Service

- 1, Any inquires will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashin desing, reasonable & competitive price, fast lead time
- 5, After-sale Service :
 - 1), All products will have been strictly quality checked in house before packing
 - 2), All products will be well packed before shipping
 - 3), All our products have 2-3 year warranty if the damage is not caused by human
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
- 7, Payment : You can pay for the order via : T/T, Western Union, Paypal
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.