



### **Standalone 125khz rfid smart card reader for door access control**

It is a widely used access control system entrances and exits at offices, factories, hotels, schools and other public places. All input/output uses anti-jamming protection and over-voltage/circuit protection.

P  
a  
P  
a  
m  
d  
t  
e  
t  
D  
a  
s  
a  
m  
e  
p  
e  
r  
o  
n

Trarancanstracansoanccapansity CommWanigaandion

3  
r  
d  
P  
a  
r  
t  
y  
E  
l  
e  
c  
t  
r  
i  
c  
L  
A  
c  
c  
e  
s  
s  
D  
e  
s  
c  
r  
i  
b  
e  
d  
i  
n  
t  
h  
e  
a  
p  
p  
e  
n  
d  
i  
x  
o  
f  
t  
h  
e  
B  
e  
h  
a  
v  
i  
o  
r  
o  
f  
t  
h  
e  
A  
l  
a  
r  
m  
,  
D  
o  
o  
r  
b  
e  
l  
l

I W  
 n b  
 e p  
 e r  
 t a  
 n n  
 c o  
 p y  
 S o  
 l u  
 t i  
 o n  
 s  
 C o  
 m m  
 o n  
 I M  
 a t  
 e r  
 i a  
 l s  
 & M  
 a g  
 i c  
 s t  
 y l  
 e s

We set  $\alpha = 0$ ,  $\beta = 1$ ,  $\gamma = 1$ ,  $\delta = 1$ ,  $\epsilon = 1$ ,  $\zeta = 1$ ,  $\eta = 1$ ,  $\theta = 1$ ,  $\iota = 1$ ,  $\kappa = 1$ ,  $\lambda = 1$ ,  $\mu = 1$ ,  $\nu = 1$ ,  $\xi = 1$ ,  $\omicron = 1$ ,  $\pi = 1$ ,  $\rho = 1$ ,  $\sigma = 1$ ,  $\tau = 1$ ,  $\upsilon = 1$ ,  $\phi = 1$ ,  $\chi = 1$ ,  $\psi = 1$ ,  $\omega = 1$ ,  $\varphi = 1$ ,  $\eta = 1$ ,  $\theta = 1$ ,  $\iota = 1$ ,  $\kappa = 1$ ,  $\lambda = 1$ ,  $\mu = 1$ ,  $\nu = 1$ ,  $\xi = 1$ ,  $\omicron = 1$ ,  $\pi = 1$ ,  $\rho = 1$ ,  $\sigma = 1$ ,  $\tau = 1$ ,  $\upsilon = 1$ ,  $\phi = 1$ ,  $\chi = 1$ ,  $\psi = 1$ ,  $\omega = 1$ ,  $\varphi = 1$ .

O  
p  
e  
r  
a  
t  
i  
o  
n  
s  
:  
C  
C  
T  
4  
T  
5  
C  
C  
e  
r  
a  
t  
t  
u  
r  
e  
O  
p  
e  
r  
a  
t  
2  
%  
9  
H  
%  
m  
i  
d  
i  
t  
y  
D  
6  
2  
H  
e  
C  
C  
C  
S  
1  
8  
C  
C  
C  
X  
4  
W  
X  
X  
D  
C  
C  
H  
H  
H  
)

## Advantage

1. For alone door
2. Support NO, NC electric lock
3. Support exit button
4. Support external Wiegand 26 reader
5. Open mode: Card + Code, card, code
6. Fashion Touch Panel Keypad


## Product Show

Detailed Images for ACM-2000C Access control product front side and back side.



## Access Controller:

Working Voltage: 12VDC+12%/1.2A  
Working Temperature: Working:0-45°C;  
Relative Humidity: Working:40%-90%;  
Unlock Relay: 12VDC/2A  
Working Frequency: 125KH  
Reading Distance: 5-15cm  
Card Type: EM or EM compatible  
WG Interface: WG26  
Dimension: 117X20X117mm(L/H/W)



[Application for Touch Keypad RFID & Keypad AccessControl](#) , 125Khz EM1000/4000 User Capacity

Inlcuding full system for accss control like locks, power supplier, keyfob, Exit button ect.



Kit2:suitable for wooden and metal door, not need bracket,convenient to install.

Working voltage: 12/24V  
Time Delay: 0s, 3s, 6s (Adjustable)  
Locking mode: Magnetic induction  
Dimension: 150X34X28 (L/W/H)



## Scope of Application



More Configuration for Access Control Product and More Related Product like Exit Button, Power Supplier, And Locks.



## You May Like

We are Professional Access Control Manufacturer, We have Full System for Access Control Product as below:





### **ACM223**

Touch Keypad RFID & Keypad Access Control , 125Khz EM 1000/4000 USer capacity

### **ACM209-NW**

Keypad Metal RFID Single door AccessControl (Non-waterproof), 125Khz EM

### **ACM208**

Waterproof RFID Single door Access Control and Reader





### **ACM210**

Metal RFID Single door Access Control  
(Non-waterproof)

### **ACM225**

Touch Keypad RFID Access  
Control, 125Khz EM, Can connect  
wiegand reader

### **ACM211B**

Touch Keypad Metal case Waterproof  
RFID Access Control, Can connect  
wiegand reader

## **Our Service**

- 1, Any inquiries will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashion design, reasonable & competitive price, fast lead time

5, After-sale Service :

1), All products will have been strictly quality checked in house before packing

2), All products will be well packed before shipping

3), All our products have 2-3 year warranty if the damage is not caused by human

6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order

7, Payment : You can pay for the order via : T/T, Western Union, Paypal, Ali trade assurance

8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.

## FAQ

### **Q: 1. How can I place an order?**

A: Please list your requirement to us via mail. Then we will send the offer to you at earliest time, after order confirmation, we will arrange production ASAP.

### **Q: 2. What about the payment and shipment?**

A: Trade Assurance and T/T ,Paypal, Western Union.

Clients can choose by sea, air or express(DHL, FedEx, TNT UPS etc.)

### **Q: 3. How can i get a sample to check your quality?**

A: We could provide free sample to you, and the freight cost paid by you.

### **Q: 4. How long can I expect to get the samples?**

A: It depends on the quantity. Normally 3-7 days for 5000pcs and 7-15 days for 100,000pcs

### **Q: 5. Can your products be customized?**

A: Almost all of your products are customized ,including the material, size, thickness and printing. OEM orders are highly welcome.

### **Q: 6. Are you a trading company or factory?**

We are one of the biggest manufacturers of RFID cards/NFC tags/RFID keyfobs /RFID wristbands/RFID reader and access control products in China more than 20 years.