

Product description



Price of the access control system with standalone home security card with 1000 users

It is an access control system widely used for the entrances and exits of offices, factories, hotels, schools and other public places. All the entrances / exits use anti-jamming protection and overvoltage / circuit protection.

P
a
P
a
m
d
t
e
r
p
a
s
a
m
è
p
è
r
o
n

T
r
a
n
s
p
a
r
t
i
c
i
p
a
t
i
o
n
s
a
c
c
e
p
t
a
b
l
e
i
t
y
C
o
m
m
u
n
i
c
a
t
i
o
n

Thirdd party electronic lockers
sdsoconnsrnsrnso
lorn
t
e
x
r
i
t
t
p
b
c
u
e
t
o
n
,
a
l
a
r
m
,
d
o
o
r
b
e
l
l

E
W
t
e
g
a
n
d
a
n
g
l
i
t
C
o
m
m
o
n
s
h
y
e
e
s
a
M
e
s
t
y
k
e
a
n
d
M
a
g
i
c

W
e
b
S
e
r
v
e
r
A
d
m
i
n
i
s
t
r
a
t
i
o
n
O
p
t
i
c
a
l
M
e
t
h
o
d
s
P
r
o
v
i
d
e
n
t
i
f
y
i
n
g
S
p
a
r
t
i
c
i
p
a
n
t
s
i
n
t
h
e
S
t
u
d
y

o
p
e
r
a
t
i
o
n
s
p
e
r
a
t
u
r
e
O
p
e
r
a
t
i
o
n
s
m
i
d
d
i
t
y
D
B
h
e
n
s
i
t
y
x
W
m
H
)

Benefit

1. By door only
2. Support NO, NC electric lock
3. Support exit button
4. Support external Wiegand 26 reader
5. Open mode: Card + code, card, code
6. Fashion Touch Panel keyboard

Product show

Detailed pictures for ACM223 access control product including card sensor, key, doorbell button.





Card sensor

Cipher key

Door bell button



Kit2:suitable for wooden and metal door, not need bracket,convenient to install.

Working voltage: 12/24V
Time Delay: 0s, 3s, 6s (Adjustable)
Locking mode: Magnetic induction
Dimension: 150X34X28 (L/W/H)



Scope of Application



More configuration for access control products and other related products such as exit button, power supply and locks.



You might like it

We are professional access control manufacturer, we have complete system for access control product as below:





ACM223

RFID touch keypad and keypad access control, user capacity 125Khz EM 1000/4000

ACM209-NW

Keypad Metal RFID Single door AccessControl (Non-waterproof), 125Khz EM

ACM208

RFID waterproof single door access control and reader





ACM210

Metal RFID Single Door Access Control (Not Waterproof)

ACM225

Touch Keypad RFID Access Control, 125Khz EM, Can connect wiegand reader

ACM211B

Touch keypad Metal case Waterproof RFID access control, can connect wiegand reader

Our service

- 1, All inquiries will be answered within 24 hours
- 2, professional manufacturer and supplier, welcome to visit our website and factory
- 3, OEM / ODM available
- 4, high quality, fashin design, reasonable and competitive price, fast delivery time
- 5, after-sales service:
 - 1), All products will have been strictly checked in house before packing
 - 2), All products will be well packed before shipping
 - 3), All of our products have 2-3 years warranty if the damage is not caused by man
- 6, faster delivery : About 1 ~ 5 days for sample order, 7 ~ 30 days for bulk order
- 7, payment: You can pay for the order by: T / T, Western Union, Paypal, Ali trade assurance
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, you can also choose your own forwarder.

FAQ

Q: 1. How can I place an order?

A: Please list your needs by mail. Then we will send you the offer as soon as possible, after your order is confirmed, we will arrange the production as soon as possible.

Q: 2. What about payment and shipping?

A: Trade assurance and T / T, Paypal, Western Union.

Customers can choose by sea, air or express (DHL, FedEx, TNT UPS etc.)

Q: 3. How can I get a sample to check the quality?

A: We could provide you with free sample and the freight cost paid by you.

Q: 4. How long can I expect to get the samples?

A: It depends on the quantity. Normally 3-7 days for 5000 pieces and 7-15 days for 100,000 pieces

Q: 5. Can your products be customized?

A: Almost all of your products are customized, including matter, size, thickness and printing. OEM orders are welcome.

Q: 6. Are you a trading company or a factory?

We are one of the largest manufacturers of RFID card / NFC tag / RFID keybod / RFID bracelet, rfid reader and access control products in China for more than 20 years.