Products Description

Products Description

ADoor exit button for access control system, waterproof touch exit butto
Feature:
. No touch / Touch free Exit Sensor (Diffused Detection)
· Optical / Infrared Technology
· IP-55 Ingress Protection / SUS 304 Stainless steel Plate
· User friendly (Healthy protection)
·· Free from contagious diseases spread
·· Detection range: 0.1 ~ 10 cm
· Normally open/Normally close/Common relay output
· Twin led indicators for sensor standby or approached :
(1) Sensor Standby: BLUE LED ON

Details Images

Details Images

Stainless Steel Door Release Button

Waterproof IP67

ACM-K819-A	ACM-K819-B	ACM-K819-C	ACM-K819-D
115X40mm	86X50mm	115X70mm	86X86mm

Power Supply: 12V-24DC	Panel Material: 1.8mm Thick Stainless Steel	Operating temp: -20℃ ~ +55℃(14-131F)
Output Contact: NO/NC/COM	Mechanical Life: 500,000 tests	Suitable Humidity: 0-95% (relative humidity)

www.goldbidgesz.com

EXIT

| A	K841-A	(115x40mm)	B	K841-B	(86x50mm)
C	K841-C	(115x70mm)	D	K841-D	(86x86mm)

Touchless

Infared Sensor Exit Button

Power Supply: 12V-24DC
Output Contact: NO/NC/COM
Panel Material: 1.8mm Thick Stainless Steel
Mechanical Life: 500,000 tests
Operating temp: -20℃ ~ +55℃(14-131F)
Suitable Humidity: 0-95% (relative humidity)

Products Detail

Heavy Duty Switch

Model: K870M/K886M

Latch Industrial Switch;
NO/NC/COM;
1.8mm thick 304 stainless steel panel.

▶ Features:

- NO/NC/COM
- 1.8mm thick 304 stainless steel panel

Model	K870M			K886M		
Size	115L*70W*50H(mm)			86L*86W*50H(mm)		
View	Front	Side	Back	Front	Side	Back
Photos						

▶ Product Parameter

Model	K870M	K886M
Size(mm)	115L*70W*50H	86L*86W*50H
Weight(KG)	0.15	0.14 (ACM-K886R)
Power Supply	DC12V	
Output Contact	NO/NC/COM	
Contact Rating	10A/125-250VAC	

Panel logo Material	1.8mm thick 304 stainless steel panel
Panel logo	Customizable
Mechanical Life	500,000 Tested aging test qualified
Operating Temp	-20°C～+55°C(-4-131F)
Operating humidity	0-95% (RH)
Package Quantity	1 PCS/box, 100 PCS/ctn.

▶ Dimensions （K870M）

115.0mm 83.0 mm 22.0mm 70.0mm

50.0mm 76.0mm

36.0mm 30.0mm

35.0mm

CE RoHS

Heavy Duty Switch

▶ **Dimensions (ACM-K886M)**

▶ **Customized plate is available.**

Model	K870M		K886M	
Pattern	Custom - LOGO	Custom - Pattern	Custom - LOGO	Custom - Pattern
Photos	PRESS TO EXIT LOGO	EMERGENCY	PRESS TO EXIT LOGO	EMERGENCY

▶ **Customizable red button**

Model	K870R		K886R	
Pattern	Custom - LOGO	Custom - Pattern	Custom - LOGO	Custom - Pattern
Photos	PRESS TO EXIT LOGO	EMERGENCY	PRESS TO EXIT LOGO	EMERGENCY

CE **RoHS**

Recommend Products

Recommend Products

Locker Lock System

Hotel Door Lock System

Home Office Smart Lock System

Access Control System

Car Parking System

Related Products

EXIT BUTTON
➤ Email: **sales@goldbridgesz.com** ◄

Model	Size
K6A	91x28x20mm
K6AL	
K6D	115x70x25mm
K6DL	115x70x25mm
K6DW	115x70x25mm
K4A	86x50x33mm
K4AL	

Model	Size
K6B	86x86x38mm
K6BL	86x86x38mm
K4B	86x86x33mm
K4BL	86x86x33mm

Model	Size
K14E	115x40mm
K14EL	115x70mm
K14F	115x40mm
K14FL	115x70mm
K14A	115x40mm
K13AL	
K14	115x70mm
K14DL	115x70mm

Model	Size
K14B	86x50mm
K14BL	86x50mm
K13B	86x86mm
K13BL	86x86mm
K13BE	86x86mm

Model	Size
K13AB	115x40mm
K13A	115x70mm
K13D	86x50mm
K13BD	86x86mm
K14C	80x30x24mm
K14CL	80x30x24mm

Model	Size
K15A	53x53x25mm
K15AL	53x53x25mm
K15B	53x53x25mm
K15C	53x53x25mm

Model	Size
K7A	91x28mm
K7B	115x70mm
K8A	86x86x38mm
K8BL	86x86x38mm
K4AC	86x86x38mm
K4AD	86x86x38mm

Model	Size
K6AM	115x40mm
K6BM	115x70mm
K6CM	86x50mm
K6DM	86x86mm
K15BG	53x53x25mm
K15BR	53x53x25mm

Model	Size
K14BR	80x30x25mm
K14BG	80x30x25mm
M40	115x40mm
M70	115x70mm
M50	86x50mm
M86	86x86mm

TOUCH BUTTON
➤ Email: **sales@goldbridgesz.com** ◄

Model	Size
K9A	86x86x20mm
K9B	86x50x20mm
K40A	86x86x18mm
K40B	86x86x18mm
K40C	86x40x18mm

NO TOUCH EXIT BUTTON

Model	Size
K2B	86x86x35mm
K2A	115x70x25mm
K9C	86x86x11.5mm
K10A	86x86x14mm

Model	Size
K201G	92x92x33mm
K201	113x63x20mm
K406	80x32x23mm
K-WS	80x80x28mm

Model	Size
K505 Capacitive	86x86x14mm
K505W Capacitive	86x86x14mm
K505MH Infrared	86x86x14mm
K505MHW Infrared	86x86x14mm

Model	Size
K841A	115x40mm
K841C	115x70mm
K841B	86x86mm
K842A	115x40mm
K843A	115x40mm

PLASTIC BUTTON
➤ Email: **sales@goldbridgesz.com** ◄

Model	Size
K1	86x86x25mm
K1-1	86x86x24mm
K1-2	86x86x25mm
K1-3	86x86x20mm
K11A	76x23x14mm

Rated Current: 40A, Power off: 20s delay

Model	Size
P86	86x86x35mm
P77	77x77x45mm

EMERGENCY DOOR RELEASE
➤ Email: **sales@goldbridgesz.com** ◄

Model	Size
K3R	86x86x50mm
K3Y	86x86x50mm
K3G	86x86x50mm
K3W	86x86x50mm

Model	Size
K3RR	86x86x50mm
K3RG	86x86x50mm
K3	87x87x60mm
Transparent	

Model	Size
K4G LED/Buzzer Red	
K4GB LED/Buzzer Green	
K4GL Without LED	90x93x45mm
K4RG	

Company Information

20+ YEARS EXPERIENCE

OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba,
Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader,
UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999

Customized Services

Qually Assurance

Fast Delivery

Best After-Sales Service

ADVANTAGE

WHY CHOOSE US?

1 **FAST DELIVERY** Faster delivery by air by express. (DHL,UPS or Fedex)

2 **LONG HISTORY** 20 years experience in RFID & Access Control industry

3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe

4 **HIGH QUALITY** Design and manufacture high quality produtcs with 30 R&D; engineers.

ACM
2021.9.1
深圳市海洋金桥××有限公司
SHENZHEN GOLDBRIDGE IN××IAL CO.,LTD

Supplier's Company

OUR FACTORY

- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs , We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc

- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.

- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

APPLICATION

Bus, supermarket,school, government, hospital, factory

CERTIFICATE

| Access Control CE | Access Control Rohs | EM Lock EMC Certificate | EM Lokc ROHS Certificate |
| RFID Card Reader CE | RFID Card Reader Rohs | UHF Reader CE Certifiate | UHF Reader ROHS |

PRODUCT CATEGORY

RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.

View More

ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control

View More

RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware
- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,

View More

ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG

View More

FAQ

Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.

Contact Us

BACK TO HOMEPAGE