Products Description

Notes.

1)This switch support no neutral wire required (single Live Wire),Before you buy, please confirm whether your House wiring is No

neutral required. So A capacitance is a must to be connected to both ends of the bulbs for normal work.

3) Built-in RF433 frequency allows for another control via RF remote control switch with encoding 1527 (Note: 433 RF Remoter is not

included in the package, please purchase separately)

Specification:

Type: 1/2/3 Gang Touch Wi-Fi Switch

Material: PC V0 fireproof + tempered glass panel.

Rated Voltage: AC90V-260V, 50/60Hz.

Load Power:3-300W/gang(Note:If it is used for LED or energy saving bulb,the power load should be

less than 100W)

RF Frequency: 433MHz.

Wi-Fi: 2.4GHz, IEEE 802.11 b/g/n Support by : Android and iOS

APP: Tuya /Smart Life

Features:

[Remote Control] The user can use a smartphone to remotely control the home electronics remotely anytime, anywhere as long as the

phone has 2G / 3G / WIFI network compatible with iOS and Android operating system with Smart Life and Tuya app

[Voice Control]Compatible with Amazon Alexa (Echo / Dot / Dot / Tap), Google Assistant, IFTTT. Flight ticket counter with Amazon

Alexa or Google Home to turn your switch on or off with your voice, No hub required

[TIMING]The intelligent timer switch will automatically turn on after setting a timer for this switch, which is essential for

daily scheduling, and bring you a comfortable and intelligent lifestyle

Tips--App



OUR FACTORY



- Access Control and RFID Reader Production Line:
- Monthly production quantity is up to 50,000pcs , We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- Electromagnetic lock & Smart Door Lock Production Line:
- Monthly production quantity is up to 100,000pcs.
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians
- · Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- RFID & NFC Cards & Tags Production Line:
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development.

ADVANTAGE

APPLICATION







- OEM ACCEPTABLE 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY Design and manufacture high quality produtes with 30 R&D; engineers.

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



























Be sure that you are using 2.4GHz WiFi when connecting with the smart bulb. And WiFi must be detectable status. Many routers have


 $5~\mathrm{GHz}$ and $2.4~\mathrm{GHz}$ network and your phone will always automatically connect to the $5~\mathrm{GHz}$ network. So, you have to completely turn

off your 5 GHz network by going to your router settings (enter the router IP address into your internet browser, usually something

like 192.168.1.1), forcing your phone to connect to the 2.4 GHz network.

In addition, the router encryption mode must be WPA2-PSK type and the authentication type must be AES

Can choose color There are two kinds of black and white



















Product parameter

Product Name: Smart Switch (WiFi+RF) Panel material: Super clear tempered glass panel


Voltage: 110~240V Wireless type: WiFi 2.4G Back shell:Fire-resistant PC









Can choose color There are two kinds of black and white








wiring diagram

No need for neutral mode



US Standard Wiring Diagram

No Neutral Line Mode

