



## **Narrow Panel Type Electronic Bolt Magnetic Door Lock Combination Safe Lock electric bolt lock**

Y-700A (LED) is an Fail Safe electric bolt with all-metal construction.with 304 stainless steel solid bolt and 2000kg holding force. The Door signal is NC.It can operate at the temperature of 60 °C or -40 °C below zero based on the all-metal linkage parts. With the diversified design of durable magnetic valve, special photoelectric control system, ultra-low temperature and power consumption design, anti-intrusion and smart circuit

Specifications:

P  
a  
P  
a  
m  
d  
t  
e  
t  
D  
a  
s  
a  
m  
e  
p  
e  
r  
o  
n  
F  
a  
i  
l  
S  
a  
f  
e  
(  
U  
n  
l  
F  
o  
o  
c  
c  
p  
t  
e  
d  
r  
w  
h  
e  
n  
p  
o  
w  
e  
r  
o  
f  
f  
)

2  
5  
I  
H  
x  
a  
3  
W  
e  
p  
3  
8  
H  
t  
C  
e  
m  
m  
)  
V  
D  
C  
1  
2  
y  
e  
S  
t  
a  
r  
1  
E  
m  
A  
r  
e  
n  
t  
S  
t  
a  
n  
d  
b  
y  
M  
A  
r  
r  
e  
n  
t

[illegible]

A  
u  
t  
o  
l  
o  
g  
o  
g  
y  
T  
o  
n  
e  
D  
e  
l  
a  
y  
I  
n  
d  
u  
W  
t  
t  
h  
n  
D  
B  
m  
m  
a  
n  
c  
e

W  
o  
o  
d  
d  
e  
n  
D  
o  
o  
r  
,  
G  
l  
a  
s  
s  
D  
o  
o  
r  
I  
n  
t  
e  
r  
i  
o  
r  
a  
l  
D  
o  
o  
r  
,  
P  
V  
C  
D  
o  
o  
r

L  
i  
g  
h  
t  
o  
n  
i  
n  
d  
i  
c  
a  
t  
e  
s  
l  
o  
c  
k  
e  
d  
L  
E  
D  
g  
h  
t  
o  
f  
f  
i  
n  
d  
i  
c  
a  
t  
e  
s  
u  
n  
l  
o  
c  
k  
e  
d

L  
S  
W  
H  
T  
R  
E  
C  
C  
I  
N  
F  
O  
R  
M  
A  
T  
I  
O  
N

e  
e  
t  
a  
i  
l  
e  
c  
w  
r  
i  
n  
i  
n  
g

3  
4  
s  
t  
a  
i  
n  
l  
e  
f  
t  
s  
e  
c  
o  
n  
d  
e  
r  
y  
a  
r  
y  
i  
n  
g




We consider the following problem: Given a set of  $n$  points in the plane,  $P = \{p_1, p_2, \dots, p_n\}$ , and a set of  $m$  lines,  $L = \{l_1, l_2, \dots, l_m\}$ , we want to find a line  $l \in L$  such that the number of points of  $P$  lying on  $l$  is maximized. This is a classic problem in computational geometry, and it can be solved in  $O(n^2 \log m)$  time using a sweep line algorithm.

## Product Advanatge


- \* Photoelectricity Controlling,no machanical defect
- \* Low Temperature, safe & Durable
- \* Low Power, Environmental Protection
- \* Special photoelectricity control,three steps current application
- \* Superior Strength Aluminium Alloy,Solid Stainless Steel Bolt
- \* The humanized design of Led helps to indicate the working status of lock
- \* The applying of kirsite and Stainless Steel prevent the lock from high temperature,corrosion or damage
- \* With complete accessories,available for any doors
- \* Photoelectricity Control,Low Temperature
  - A:The Low Current is Changed immediately
  - B:When door frame doesn` t coincide with door leaf,door leaf against the bolt,then the electric bolt will start the low-power function to bring low temperature
  - C:The Photoelectricity Control Technology,prevent the machanical defect

Detailed Images , OEM/ODM available





## Instalation Diagram



You may need





### **ACM-Y100S 2PIN**

ELECTRIC DROP BOLT LOCK

Standby 100MA / working

900MA Power to unlock, 2PIN

### **ACM-Y100S 5PIN**

ELECTRIC DROP BOLT LOCK

Low temperature time-delay, feedback

signal Power to unlock, 5PIN

### **ACM-Y500A**

Fail Safe Sturdiness Electronic

BoltW/Narrow Door Lock Size:

205x30x38mm



### **ACM-Y280**

Surface mounted magnetic  
lock(280kg/600lbs)

### **ACM-Y131**

Stainless steel electronic Stripe  
(NC/NO) For Wooden Door, Metal  
Door,PVC Door

### **ACM-Y066**

Intelligent Smart Lock (motor lock)  
Lock size: 130x98x41mmWorking

## Our Service

- 1, Any inquires will be replied within 24 hours
- 2, Professional manufacturer and supplier, Welcome to visit our website and our factory
- 3, OEM/ODM Available
- 4, High quality, fashin desing, reasonable & competitive price, fast lead time
- 5, After-sale Service :
  - 1), All products will have been strictly quality checked in house before packing
  - 2), All products will be well packed before shipping
  - 3), All our products have 2-3 year warranty if the damage is not caused by human
- 6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
- 7, Payment : You can pay for the order via : T/T, Western Union, Paypal.
- 8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.

## FAQ

### **Q: 1. How can I place an order?**

A: Please list your requirement to us via email. Then we will send the offer to you at earliest time,after order confirmation, we will arrange production ASAP.

### **Q: 2.What about the payment and shipment?**

A: Trade Assurance and T/T ,Paypal, Western Union.  
Clients can choose by sea, air or express(DHL, FedEx, TNT UPS etc.)

### **Q: 3. How can i get a sample to check your quality?**

A:We could provide free sample to you, and the freight cost payed by you.

### **Q:4. How long can I expect to get the samples?**

A: It depends on the quantity. Normally 3-7 days for 5000pcs and 7-15 days for 100,000pcs

### **Q:5. Can your products be customized?**

A: Almost all of your products are customized ,including the materia, size, thickness and printing. OEM orders are highly welcome.

### **Q:6.Are you a trading company or factory?**

We are the one of the biggest manufacturer of RFID cards/NFC tags/RFID keybod /RFID wristband,rfid reader and access control products in China more than 20 years.