Product Description



Rfid 13.56mhz smart card reader module RS232/TTL interface

Specification of 13.56MHz reader module: Parameter

Font 3 equation 5 6 m h z y P S 0 t b E 6 l 4 4 4 3 T y p e A M S 5 p o s 7 C a l i g h t , F 8 e t c

Working Voltage Working Current Interface Bit Rate 152bpsetc.

C
6
K
m
i
n
/
s
a
t
i
o
n
S
p
e
e
d
R
m
a
l
m
(
g
e
l
a
t
e
d
t
o
t
h
e
c
a
r
d
o
r
t
h
e
e
n
v
i
r
o
n
m
e
n
t
)

Set Temperature
Set Temperature
Set Temperature

Size(Approximately):38mm(L)*25mm(W)*6mm(H)
Weight:

Detailed Images



Connecting instruction

Item	Pin	Function
J1	Pin1	NC(Reset)
J1	Pin2	Data 1(UART RXD)
J1	Pin3	Data 0(UART TXD)
J1	Pin4	GND
J1	Pin5	VCC
J2	Pin1	Ant 1
J2	Pin2	Ant 2



About ACM-MU145 13.56mhz & 125khz & NFC machine module

ACM-MU145 13.56mhz & 125khz & NFC machine module? Size: 42mm*27mm*4mm

M7 is a module that reads the UID card number of the 125K&14443A protocol,It can also be compatible with USB, TTL, 232, wegen 26,34 and other communication interfaces,Compact size, SMT mounting,Easy to integrate into the advertising machine, electronic class, integrated LCD screen, electronic door lock, access control, attendance, and other terminal equipment.

Parameters

S50/F1M1/S70/Mifare/S5/S7/ntag213

Yes, this is also supported (TTLand232, weigand26 and34 are both options)

Rainbow Resistor Supply Company has been supporting the Kentucky Derby Museum since 1974. Each year, we provide a special edition Derby-themed resistor kit that is sent to all museum members. This year's kit includes 500 resistors in the colors of the winning horse's silks.

Specifications
Product Name
ACM-MU125 Wholesale 125khz EM4100 LF RFID Card reader Module
Operating Frequency
125KHz
Operating Temperature
-20°C ~ 70°C
Storage Temperature
-40°C ~ 85°C
Weight
Approx. 20g
Operating Humidity
5% ~ 95%
Size
Approx. 85mm x 54mm x 14mm (L x W x H)

About ACM-MU125 Wholesale 125khz EM4100 LF RFID Card reader Module

ACM-MU125 Wholesale 125khz EM4100 LF RFID Card reader Module Size: 51mm*17mm*1mm

Cheap wholesale 125Khz EM4100 LF RFID Card Key ID Reader Module. RFID reader module,widely used to access control system,attendance system,anti-theft system,warehousing system,metroetc.

Specification of LF RFID reader module: Parameter F125 kHz frequency

SMPTE RDD 26:2012 Definition of Vertical Interval Switching Point for Synchronous Video Switching

SMPTE RDD 26:2012 Definition of Vertical Interval Switching Point for Synchronous Video Switching

Recommendation related to the card or the environment) Sensor Temperature Working Temperature

Size: 37mm * 1mm
Size: 5mm * 5mm
Size: 5mm * 5mm
Weight: 2g
Length: 5mm

Dedicated Core rLED (Red&Green) and Buzzer(“Red” means standby, “Green” means read success)

Wiring definition RS485 (2V)

W
n
e
g
h
d
2
t
W
d
g
n
d
3
4
(
T
h
g
o
u
h
p
u
t
f
o
r
m
a
t
i
s
W
G
3
4
w
h
e
n
p
u
r
p
l
e
l
i
n
e
c
o
n
n
e
c
t
w
i
t
h
b
l
a
c
k
l
i
n
e
)

Shipping Way

We are one of the leading exporter of RFID products in China since 2000 years . With rich international trade experience we know the international shipping very well , We know which express or air/sea line is cheap and safe to your country . We can supply various certificate for you to

clean your custom to such as CO , FTA , Form F , Form E ...Ect . We wil provide our professional suggestion for your shipping . EXW , FOB , FCT , CIF , CFR ...trade term are ok for us . We can be your reliable partner for products and shipping .

You May Like

ACM26X RFID Card Reader

125Khz wiegand 26 /34 Card Reader,
Size:115mm×75.5mm×16.8mm

ACM26G RFID Card Reader

125Khz /13.56Mhz Reader
wiegand 26/34 /RS232

KR600E RFID reader

125KHz Proximity ID/ 13.56Mhz card reader, Wiegand output 26bit

ACM-EMI-S RFID card

125Khz EM Proximity Card
Size 86*54mm

ACM-MF1 RFID Crad

MF1 1K Compatiable Card

ACM-ABS003 RFID Keyfob

125Khz EM/13.56Mhz/UHF Keyfob,
Color Optional: Blue,
Red,Black,Yellow, Grey,Green

Quality Warranty

- Warranty Service will be honored if the damage is not caused by human, ACM Goldbridge provides 2 years warranty for relative products.
- On the contrary, ACM Goldbridge will cahrge extra if repair.
- More information, please browse our service center.

Our Service

1, Any inquires will be replied within 24 hours
2, Professional manufacturer and supplier, Welcome to visit our website and our factory
3, OEM/ODM Available
4, High quality, fashin desing, reasonable & competitive price, fast lead time
5, After-sale Service :
    1), All products will have been strictly quality checked in house before packing
    2), All products will be well packed before shipping
    3), All our products have 2-3 year warranty if the damage is not caused by human
6, Faster delivery : Around 1~ 5 days for sample order, 7~30 days for bulk order
7, Payment : You can pay for the order via : T/T, Western Union, Paypal
8, Shipping: We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR, You also can choose your own shipping forwarder.

FAQ

Q: 1. How can I place an order?
A: Please list your requirement to us via email. Then we will send the offer to you at earliest time,after order confirmation, we will arrange production ASAP.

Q: 2.What about the payment and shipment?
A: Trade Assurance and T/T ,Paypal, Western Union.
Clients can choose by sea, air or express(DHL, FedEx, TNT UPS etc.)

Q: 3. How can i get a sample to check your quality?
A:We could provide free sample to you, and the freight cost payed by you.

Q:4. How long can I expect to get the samples?
A: It depends on the quantity. Normally 3-7 days for 5000pcs and 7-15 days for 100,000pcs

Q:5. Can your products be customized?
A: Almost all of your products are customized ,including the materia, size, thickness and printing. OEM orders are highly welcome.

Q:6.Are you a trading company or factory?
We are the one of the biggest manufacturer of RFID cards/NFC tags/RFID keybod /RFID wristband□rfid reader and access control products in China more than 20 years.