

Descrição dos produtos

120LBS fechadura magnética elétrica com sistema de kit de controle remoto

12V Força de Retenção 60kg 120lbs Montada na Superfície sem Moldura Fechadura de Porta de Vidro Magnética

Tipo: Fechadura magnética de 60KG

Material: escudo da liga de alumínio placa de ferro

Força de retenção: 60KG/120lbs

Tensão de trabalho: DC 12V

Corrente de trabalho: 110mA

Umidade: 0 a 95%

Temperatura de trabalho: -10 a 55 graus Celsius

Modo de trabalho: ligar para bloquear, desligar para desbloquear

Trabalho para porta única

Dimensão: 80*37*24mm/70*33*10mm

Parâmetro do produto Descrição do parâmetro

Tamanho do bloqueio: 80x38x25mm

Força de Retenção: 60kg (100Lbs)

Tensão de entrada: Tensão Dupla 12/24VCC

Adequado para porta: Porta de madeira, porta de vidro, porta de metal, porta à prova de fogo

Saída Sinal: Status do sinal de bloqueio NO/NC/COM//-


Característica: Fail Safe, atraso do temporizador, sinal de feedback, tensão dupla de 12V/24VDC


CONDUZIU: Vermelho mostra desbloqueado, verde mostra bloqueado

Peso: 0,6kgs

Certificação: CE/MA









REMOTE CONTROL
WORKING VOLTAGE:DC12V
FREQUENCY:433MHZ
MODEL: HBK-R01

POWER

EXIT
BUTTON


MODE OF LOCK
NC NO

LOCK

Dimension



Power 12VDC:




Armature Plate




⚠ Caution:

- A. The screw of armature plate should not be fixed too tight, proper elasticity should be guaranteed for the rubber ring so that the armature plate can adjust itself to the appropriate position.
- B. Please keep the surface of the lock clean, or the force will be reduced because of the dust, glue or scotch tape on it.


Installation



Demonstration of Standard Installation



Demonstration of Z Bracket Installation









Demonstration of UL Bracket Installation



produtos relacionados



Re: Door Electromagnetic Magnetic EM Lock

				
Model: M60 Magnetic lock 60kg/120lbs	Model: YM180 Magnetic lock 180kg/300lbs	Model: M280 -2Pin Magnetic lock 280kg/600lbs	Model: M350 -2Pin Magnetic lock 350kgs/800lbs	Model: M500 -2Pin Magnetic lock 500kgs/1200lbs
				
Model: M180N -2Pin Mortise Concealed EM lock 180kgs/300lbs	Model: M280N -2Pin Mortise Concealed EM lock 280kgs/600lbs	Model: M350N -2Pin Mortise Concealed EM lock 350kgs/800lbs	Model: M500N -2Pin Mortise Concealed EM lock 500kg/1200lbs	Model: ACM-280W Outdoor Waterproof Magnetic lock 280kgs/600lbs
				
Model: M180D Double Door 180kgs/300lbs Magnetic lock	Model: M280D Double Door 280kgs/600lbs Magnetic lock	Model: M350D Double Door 350kgs/800lbs Magnetic lock	Model: M500D Double Door 500kgs/1200lbs Magnetic lock	Model: ACM-500W Outdoor Waterproof Magnetic lock 500kgs/1200lbs

RE: Bracket used for Above Brand Magnetic EM Lock




ZL Bracket for
Magnetic EM Lock

Item#	ZL Bracket Dimension
M180ZL	Z bracket: 140*36*36mm
M280ZL M350ZL	L bracket: 250*50*30mm
M500ZL	Z= 185*70*63mm




ZL Bracket for
Magnetic EM Lock

Item#	ZL Bracket Dimension
M180Z	Z bracket: 140*36*36mm
M280Z M350Z	Z bracket: 180*50*50mm
M500Z	Z= 185*70*63mm



U Bracket for
Magnetic EM Lock

Item#	U Bracket Dimension
M180U	U bracket: 182*45*28mm
M280U M350U	L bracket: 140*33*25.5mm



L Bracket for
Magnetic EM Lock

Item#	U Bracket Dimension
M180L	L bracket: 168*38*24mm
M280L M350L	L bracket: 250*50*30mm
M280DL	L bracket For double door magnetic lock 600lbs
M500L	L=265*73*45mm

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Proudcts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

Garantia de qualidade

- O serviço de garantia será honrado se o dano não for causado por humanos, ACM Goldbridge fornece 2 anos de garantia para produtos relativos.
- Pelo contrário, a ACM Goldbridge cobrará extra se for reparada.
- Mais informações, consulte nossa central de atendimento.

Diagrama de Instalação

STANDARD INSTALLATION STEPS

Professional guidance, Rest assured



1 Fold the plate to 90° .



2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.



3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.



4 Drill holes based on the marked positions.



5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).



7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



8 Place the rubber ring between armature plate and door leaf.



9 Use Allen key to remove the mounting plate from lock body.



10 Fix the mounting plate on the door frame according to the holes drilled earlier.



11 Use Allen key to screw the lock body on the mounting plate.



12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
6.8mm for M8-1.25thread
Inside: Drill a hole diameter is 8mm folding the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

Embalagem e entrega

Maneira de envio

Temos uma forte cooperação com DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA e By AIR
Você também pode escolher seu próprio despachante de envio.

Embalagem

Embalagem de bloqueio magnético: 1 unidade por caixa, 5 peças por caixa,
Tamanho da caixa: 35*30*16 cm, Peso Bruto: 25kg.



You may need



ACM-Y280N

Bloqueio magnético de placa traseira (280kgs/600lbs) Adequado para: Porta de madeira, Porta de vidro, Porta de metal, Fogo | porta de prova

ACM-Y180

Fechamento magnético montado na superfície (180kg/300lbs) 2 parafusos à prova de falhas. Adequado para:

porta de madeira, porta de vidro, porta de metal, porta à prova de fogo.

ACM-Y280

Fechadura magnética de porta única de 280 kg (600 lbs) Adequado para: porta de madeira, porta de vidro, porta de metal, porta à prova de fogo.



ACM-Y280-L

Suporte L para fechadura magnética de 280kg/350kg

ACM-Y180ZL

Suporte ZL para fechadura magnética de 180kg/300lbs

ACM-Y280-ZL

Suporte ZL para fechadura magnética
280Kg/350Kg

Nosso serviço

- 1, todas as perguntas serão respondidas dentro de 24 horas
- 2, fabricante e fornecedor profissional, bem-vindo a visitar nosso site e nossa fábrica
- 3, OEM/ODM disponível
- 4, alta qualidade, design fashion, preço razoável e competitivo, prazo de entrega rápido
- 5, serviço pós-venda:
 - 1), todos os produtos serão rigorosamente verificados em casa antes de serem embalados
 - 2), todos os produtos serão bem embalados antes do envio
 - 3), todos os nossos produtos têm garantia de 2 a 3 anos se o dano não for causado por humanos
- 6, entrega mais rápida : Cerca de 1 a 5 dias para pedido de amostra, 7 a 30 dias para pedido em massa
- 7, Pagamento: Você pode pagar pelo pedido via: T/T, Western Union, Paypal.
- 8, Envio: Temos uma forte cooperação com dhl, fedex, tnt, ups, ems, remetente por mar e por ar, você também pode escolher seu próprio despachante de envio.

Perguntas frequentes

P: 1. Como posso fazer um pedido?

R: Por favor, liste sua exigência para nós via e-mail. Em seguida, enviaremos a oferta para você o mais rápido possível, após a confirmação do pedido, providenciaremos a produção o mais rápido possível.

Q: 2. E quanto ao pagamento e envio?

A: TT/T, Paypal, Western Union.

Os clientes podem escolher por mar, ar ou expresso (DHL, FedEx, TNT UPS etc.)

Q: 3. Como posso obter uma amostra para verificar a sua qualidade?

R: podemos fornecer amostra grátis para você e o custo do frete pago por você.

P:4. Quanto tempo posso esperar para obter as amostras?

R: Depende da quantidade. Normalmente 3-7 dias para 5000 peças e 7-15 dias para 100,000 peças

P:5. Seus produtos podem ser personalizados?

R: quase todos os seus produtos são personalizados, incluindo material, tamanho, espessura e impressão. Pedidos oem são altamente bem-vindos.

Q:6. Você é uma empresa comercial ou fábrica?

Somos um dos maiores fabricantes de cartões rfid/etiquetas nfc/teclado rfid/pulseira rfid, leitor rfid e produtos de controle de acesso da china há mais de 20 anos.

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



