

Descrição do produto



Bloqueio magnético do travamento do solenóide do solenóide de 12V DC 60kg para o controle de acesso / de madeira / de madeira / de fogo

Teste de carga collinear 60kg, 120 pontos.

MOV fornece proteção de corrente reversa.

Magnétismo anti-residual projetado.

Material de alta resistência, alojamento de alumínio anodizado.

Design sem parafuso mecânico.

Aumentar a força de retenção, dupla hesagem insulativa.

CE certificado pela União Europeia, mas certificada pela China Public Security Office.

Vantagem do produto

1. Passados testes de tensão linear super estática super estática.
2. Projeto magnético 2. ini-residual, mantenha a tensão constante.
3. Built-in REVERSE CORRETE Device De Proteção (MOV), Estabilidade do Desempenho, Coeficiente de Segurança é maior.
4. Safe, durável.
5. Trabalho 5. Electromagnético de sucção completamente, não há falha mecânica.
6. Shell com material de liga de alta resistência, tratamento de endurecimento do ânodo.
7. lock corpo com tratamento de isolamento duplo.

imagens detalhadas, OEM / ODM disponível

Mini Single Door Magnetic Lock

Stable Holding Force


magnetic locks
 have 60kg(100 lbs) linear pulling force.



Aluminum Shell

Shell with high strength alloy material,
 anode hardening treatment.






NE-60
Lock Size: 80L*33W*19H(mm)

- Tensão de entrada: DC12V ou DC24 (pode ser personalizado)
- Holding Force: 60kgs (120lbs)
- Adequado para: Showcase, porta do gabinete etc.
- Acabamentos para Shell: Aluninum Anodizado
- Acabamentos para magnética: zinco
- Acabamentos para armadura: zinco

Aplicação do produto

Double Insulation

Lock body with double insulation treatment.



special Used to Small Cabinet Door

Saves time and power when installation.



Diagrama de instalação

STANDARD INSTALLATION STEPS

Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.



3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.



4 Drill holes based on the marked positions.



5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).



7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.



10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

produtos relacionados

[Clique aqui para encomendar e ter sua amostra grátis em 3 dias !!!](#)

Somos fornecedor de produtos de controle de acesso de segurança profissional com 20 anos de experiência, nós garantimos a melhor solução de solução de sistema de controle de acesso! Então, envie seus detalhes de inquérito no abaixo, clique em "Enviar" agora!

Estamos ansiosos para formar relacionamentos de negócios bem-sucedidos com novos clientes em todo o mundo no futuro.



ACM-280N.

Backplate de bloqueio magnético
(280kgs / 600lbs) Adequado para:
porta de madeira, porta de vidro, porta
de metal, fogo | Porta de prova



ACM-Y180.

Superfície montada (180kg / 300lbs)
Bloqueio magnético 2Bolls falham
seguro. Para: porta de madeira, porta
de vidro, porta de metal, porta à prova
de fogo.



ACM-Y280.

280kg (600lbs) Bloqueio magnético da porta única apropriado para: porta de madeira, porta de vidro, porta de metal, porta à prova de fogo.



ACM-Y350.

Bloqueio magnético de porta 350kgs (800lbs) apropriado para: porta de madeira, porta de vidro, porta de metal, porta à prova de fogo.



ACM-Y500.

Bloqueio magnético de porta única 500kgs (1000lbs) apropriado para:

porta de madeira, porta de vidro, porta de metal, porta à prova de fogo.



ACM-Y280-W

Única porta magnética trava 280kgs (600lbs) à prova d'água. Ruitable para: porta de madeira, porta de vidro, porta de metal, porta à prova de fogo.

You May Need

Complete Door Access Control Solution Provider



RFID Card



RFID Key fob



RFID Wristband



RFID Reader



**Long Distance
UHF Reader**



**Access Control
Reader**



Biometric Controller



RFID Controller



Door EM Lock

ABOUT GOLDBRIDGE

As a one of leading manufacturer and exporter of RFID products in China, We have been in this field for 20 years already. We have rich production and exportation experience on RFID products. Our strength products are: rfid card, rfid Keyfob, rfid wristband, rfid tag and various rfid reader. We are also the access control solution provider.

[MORE >>](#)



ABOUT OUR FACTORY

Established in 1999, Shenzhen Goldbridge has witnessed the technological innovation from rfid card to rfid tag, the overall change of market products in the past 20 years, and registered "Shenzhen Goldbridge Industrial Co., Ltd." in 1999.

At present, Goldbridge has developed into a National High-Tech Enterprise, which is specialized in the integration of production, market and research. Starting from the PVC cards and RFID cards factory with only 66 workers, Goldbridge has accomplished the successful transition from traditional manufacturing industry to IOT technology enterprise (RFID technology development).



With the accumulation of dozens of software copyrights and utility new inventions and patents, Goldbridge has been rewarded as "National High-Tech Enterprise", "Shenzhen High-Tech Enterprise", and has become an integrated enterprise which focuses on research, production and market. Meanwhile, by adopting the "Military + School + Family" corporate culture concept, accompanied by the continuous innovation of business model and marketing model, plus the B2B, B2C platform and excellent sales team, Goldbridge sells its products all over the world.



Honers & Certificates

